



## ALL RC DRILLING ASSAYS COMPLETED WITH HIGH CONTENT OF HEAVY RARE EARTH ELEMENTS

### Initial JORC Mineral Resource Estimate Advancing

#### Highlights:

- All RC drilling assay results now received and combined with AC drilling assay results confirm **987ppm Total Rare Earth Oxide (TREO) grade from 219 holes throughout 34km<sup>2</sup> area drilled with mineralisation remaining open in all directions**<sup>1</sup>
- RC drilling identified up to **1.08% (10,829ppm) TREO with 59% Valuable Heavy Rare Earth Oxides (HREO/TREO)**
- Assays from the AC and RC drilling programmes **confirm high ratios of Heavy Rare Earth Oxides totalling 34% HREO/TREO**<sup>1,2,3</sup>
- Final RC assays **confirm excellent correlation with previously reported AC drilling assays which is expected to reduce future exploration costs**
- The remaining assays now complete an **extensive AC and RC data set comprising 831 samples** above the reporting cut-off grade of greater than 500ppm TREO
- The receipt of the RC assay results now **advances the initial maiden JORC Mineral Resource Estimate (MRE)** that is on track and due to be reported by the end of June 2023
- Assays **confirm very low contents of radioactive elements** e.g. Th (8.56 ppm) and U (2.61 ppm). These values are lower than average upper continental crust levels e.g. Th (10.7ppm) and U (2.8ppm)<sup>1</sup>
- Victory acquires Olympus Vanta p-XRF calibrated for REEs (La, Ce and Nd) as well as Y (a vector for HREEs) that will **fast-track progress of future exploration**

**Victory Metals Limited (ASX:VTM) ("Victory" or "the Company")** is pleased to report that all assay results from the infill Reverse Circulation (RC) drill program at the Company's North Stanmore REE project have been received and continue to support the high grade, scale and low radioactive elements of this ionic clay deposit. The North Stanmore REE Project is located approximately 10km north from the town of Cue, Western Australia and bordered to the east by the Great Northern Highway.

The completed RC drilling assays combined with previously reported AC drilling assays define an average total rare earth element oxide (TREO) grade of 987ppm and significant content of the valuable heavy rare earth element oxides (HREO) totalling 34% (HREO/TREO). Importantly, the results have provided confirmation of the continuity of the REE system that was originally identified by Air Core drilling. Refer to Appendix for full results.

<sup>1</sup> Based on cut off grade >500ppm

<sup>2</sup> The terminology used in this report for the rare earth element follows the convention of the International Union of Pure and Applied Chemistry (IUPAC), whereby the LREE are defined as La, Ce, Pr, Nd and Sm, and the HREE as Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu plus Y.

<sup>3</sup> Refer to ASX announcement titled "34Km<sup>2</sup> RARE EARTH ELEMENT FOOTPRINT CONFIRMED" dated 13 March 2023.

**Victory's Chief Executive Officer and Executive Director Brendan Clark Commented:**  
*"We remain very encouraged with the confirmation of outstanding results from our completed AC and RC drilling programmes that now form a very large data set that will be used to complete our initial maiden JORC Mineral Resource Estimate."*

*"Victory's drilling programmes have been extensive, and the assay results confirm continuous rare earth element mineralisation throughout the North Stanmore REE Project that provides the Company and our resource consultant RSC Mineral Exploration with great confidence."*

*"The Company is excited and looking forward to the initial MRE which remains on schedule to be reported to the market by the end of June 2023."*

#### **RC Drilling Programme**

Victory commenced a 50 hole, 3,139m drilling program in mid-January 2023 that was completed in early February 2023 by Orlando Drilling Pty Ltd (a subsidiary of Dynamic Group Holdings Limited ASX: DDB).

The drill program was designed by RSC Mineral Exploration as an infill drill program to the Company's previous AC drilling programs targeting the area to the south of the North Stanmore discovery where the initial mineral resource estimate (MRE) (JORC 2012) is currently in progress and due to be reported by the end of June 2023.

The initial AC drilling programs had approximately 900m line spacing and approximately 100m drill hole spacing. The (RC) drilling program had 450m line spacing and approximately 100m to 250m drill hole spacing within the same footprint of the initial AC drilling.

The RC drilling program was designed to confirm continuity between the previous AC drill holes and these latest assays confirm excellent continuity between the two drilling methods that is expected to provide further confidence in the MRE.

All assay results from the RC drilling program have now been received and reported.

#### ***North Stanmore Regolith has Low Concentrations of Uranium and Thorium***

The extensive AC and RC data set confirm very low contents of radioactive elements Th (8.56 ppm) and U (2.61 ppm). These values are less than the average upper continental crust contents of Th (10.7ppm) and U (2.8ppm). Such low levels in the regolith reflect the fact that U and Th were both mobilised by groundwater during or after weathering and migrated out of the weathering profile.

Rare Earth Element hosting minerals in hard rock deposits generally contain high contents of Uranium and Thorium making processing and waste disposal more difficult than ionic clay rare earth systems.

The presence of ore with low levels of radioactivity makes processing much easier, cost effective with lower environmental impacts.

### **FY 2023 ESIP Established**

The Company plans, subject to obtaining all necessary shareholder approvals, to issue the following Class A and Class B Performance Rights under the Company's Employee Securities Incentive Plan (ESIP) to the Directors and technical advisor of the Company.

- 500,000 Class A Performance Rights to CEO and Executive Director Mr Brendan Clark
- 500,000 Class A Performance Rights to Non-Executive Chairman Mr Trevor Matthews
- 500,000 Class A Performance Rights to Non-Executive Director Mr James Bahen
- 250,000 Class A Performance Rights to Technical Advisor Professor Ken Collerson

The Class A Performance Rights will vest on the Company releasing an inferred JORC Mineral Resource Estimate of 100 million tonnes or greater of Rare Earth Elements (REE) with a cut-off grade of 200ppm and an average grade greater than 400ppm by 30 June 2024.

- 500,000 Class B Performance Rights to CEO and Executive Director Mr Brendan Clark
- 500,000 Class B Performance Rights to Non-Executive Chairman Mr Trevor Matthews
- 500,000 Class B Performance Rights to Non-Executive Director Mr James Bahen
- 250,000 Class B Performance Rights to Technical Advisor Professor Ken Collerson

The Class B Performance Rights will vest on the Company releasing an inferred JORC Mineral Resource Estimate of 200 million tonne or greater of Rare Earth Elements (REE) with a cut-off grade of 200ppm and an average grade greater than 400ppm by 30 June 2025.

Each Performance Right entitles the holder to receive one fully paid ordinary share in the Company on successful completion of the performance milestone. For further information regarding the ESIP please refer to the Company's website <https://www.victorymetalsaustralia.com>.

The Performance rights provide an incentive component to the Directors and technical advisor of the Company respective remuneration package and aligns their interest with those of the shareholders. The Board considers that the number of Performance Rights to be issued, subject to shareholder approval, is an appropriate method to provide cost effective remuneration.

**This announcement has been authorised by the Board of Victory Metals Limited.**

**For further information please contact:**

**Brendan Clark**  
**CEO and Executive Director**  
b.clark@victorymetalsaustralia.com

**Lexi O'Halloran**  
**Investor and Media Relations**  
lexi@janemorganmanagement.com.au

## **Victory Metals Limited: Company Profile**

Victory is focused upon the exploration and development of its Rare Earth Element (REE) and Scandium Discovery in the Cue Region of Western Australia. Victory's key assets include a portfolio of assets located in the Midwest region of Western Australia, approximately 665 km from Perth. Victory's Ionic clay REE discovery is rapidly evolving with the system demonstrating high ratios of Heavy Rare Earth Oxides and Critical Magnet Metals NdPr + DyTb.

### **Competent Person Statement**

#### **Professor Ken Collerson**

Statements contained in this report relating to exploration results, scientific evaluation, and potential, are based on information compiled and evaluated by Professor Ken Collerson. Professor Collerson (PhD) Principal of KDC Geo Consulting, and a Fellow of the Australasian Institute of Mining and Metallurgy (AusIMM), is a geochemist/geologist with sufficient relevant experience in relation to rare earth element geochemistry, critical metal mineralisation and REE systematics that are being reported on to qualify as a Competent Person as defined in the Australian Code for Reporting of Identified Mineral resources and Ore reserves (JORC Code 2012). Professor Collerson consents to the use of this information in this report in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements in relation to the exploration results. The Company confirms that the form and context in which the competent persons findings have not been materially modified from the original announcement.



**Figure 1. Regional Map showing Victory Metals tenement package and pending tenements.**

## APPENDIX 1.

### Aircore (AC) and Reverse Circulation (RC) Drill Results >500ppm cut off grade

Sample Number	Hole ID	From (m)	To (m)	Th	U	La2O3	CeO2	Pr6O11	Nd2O3	Sm2O3	Eu2O3	Gd2O3	Tb2O3	Dy2O3	H02O3	Er2O3	Tm2O3	Yb2O3	Lu2O3	Y2O3	Sc2O3	TREO ppm	HREO ppm	HREO/TREO
314316	23NSTRC022	47	48	5.30	2.49	151.29	149.86	36.73	157.46	34.90	8.32	39.19	5.97	35.92	6.79	20.93	2.75	18.79	2.62	188.58	59.82	860.11	329.87	0.38
314318	23NSTRC022	49	50	2.40	1.75	89.48	54.79	19.93	86.31	20.58	5.99	30.77	4.93	33.05	6.71	20.53	2.58	16.11	2.26	226.68	59.82	620.72	349.62	0.56
314314	23NSTRC022	45	46	12.45	2.44	73.65	87.34	19.69	81.06	20.29	4.59	24.90	4.50	31.68	6.84	21.96	3.13	20.95	3.02	213.34	46.02	616.94	334.91	0.54
314315	23NSTRC022	46	47	7.35	2.93	66.50	77.51	17.16	72.55	18.73	4.37	23.40	4.15	28.23	6.05	18.98	2.52	17.31	2.44	182.87	62.89	542.76	290.32	0.53
314331	23NSTRC023	26	27	9.88	4.15	146.60	218.66	27.43	102.29	19.60	4.47	18.85	2.63	16.47	3.15	9.09	1.18	7.62	1.06	90.54	32.21	669.62	155.06	0.23
314332	23NSTRC023	27	28	10.35	4.14	120.21	192.86	23.86	87.95	18.32	4.35	17.12	2.54	15.78	3.13	9.63	1.24	8.18	1.16	92.45	29.14	598.76	155.57	0.26
314355	23NSTRC024	60	61	14.75	1.55	69.43	93.60	15.77	65.90	16.00	3.91	21.32	3.49	26.28	5.59	18.58	2.30	15.09	2.25	205.72	9.20	565.24	304.54	0.54
314382	23NSTRC030	33	34	21.80	3.78	243.94	426.25	57.15	212.28	46.61	8.75	49.79	7.15	42.01	7.81	23.67	3.18	20.38	3.05	233.66	16.87	1385.68	399.45	0.29
314428	23NSTRC030	77	78	12.60	3.31	115.64	257.96	32.02	128.89	31.19	2.33	33.77	6.13	39.48	8.19	25.04	3.85	23.46	3.40	249.54	9.20	960.88	395.19	0.41
314412	23NSTRC030	61	62	10.35	2.50	134.28	283.76	34.43	125.39	28.53	4.54	29.62	4.78	29.73	6.16	19.73	2.82	19.13	3.08	191.75	18.41	917.73	311.34	0.34
314902.00	23NSTRC030	78	79	11.20	3.50	98.04	225.41	27.55	115.59	30.15	1.94	32.27	5.85	38.10	7.89	24.36	3.51	21.46	3.09	241.28	11.66	876.50	379.76	0.43
314423	23NSTRC030	72	73	10.60	3.51	78.22	173.82	20.66	85.26	22.73	2.41	30.43	5.99	42.46	9.32	29.62	4.30	294.62	10.74	833.46	452.77	0.54		
314392	23NSTRC030	43	44	9.84	3.36	117.86	221.11	29.84	118.97	29.22	6.05	34.46	4.65	27.31	4.71	13.72	1.86	12.41	1.91	135.88	24.54	759.98	242.97	0.32
314395	23NSTRC030	46	47	7.86	2.30	99.69	188.56	25.25	103.22	25.51	5.10	32.39	4.67	29.50	5.85	18.07	2.40	16.00	2.51	182.87	18.41	741.58	299.35	0.40
314380	23NSTRC030	31	32	8.56	2.26	112.47	220.50	27.18	99.14	23.89	4.24	24.09	3.81	24.10	4.93	15.15	2.24	14.35	2.13	143.50	15.34	721.71	238.53	0.33
314446	23NSTRC030	93	94	11.05	3.03	91.01	191.02	24.28	97.28	21.86	1.34	19.59	3.35	21.17	4.60	14.24	2.12	14.63	2.18	142.23	6.14	650.91	225.47	0.35
314378	23NSTRC030	29	30	6.16	1.74	91.48	191.63	22.59	90.63	21.80	3.50	20.80	3.43	21.69	4.46	13.84	1.90	12.64	1.85	132.07	15.34	634.31	216.18	0.34
314379	23NSTRC030	30	31	8.08	2.16	98.86	186.72	23.56	89.58	19.94	3.28	19.65	3.34	21.46	4.38	13.72	1.95	13.61	1.99	130.07	15.34	634.12	215.45	0.34
314919.00	23NSTRC030	95	96	11.70	3.13	88.54	183.65	22.47	93.78	19.07	1.21	18.38	3.00	20.60	4.11	13.15	2.01	12.98	2.00	133.97	9.36	618.94	211.43	0.34
314918.00	23NSTRC030	94	95	11.60	2.69	73.65	155.39	19.39	81.06	18.84	1.10	18.85	3.38	23.07	4.82	16.18	2.35	14.40	2.35	155.56	10.74	590.40	242.06	0.41
314415	23NSTRC030	64	65	7.28	2.06	71.77	152.32	18.18	74.88	18.79	2.25	20.40	3.68	24.45	5.14	16.29	2.25	15.66	2.47	158.74	12.27	587.28	251.33	0.43
314398	23NSTRC030	49	50	7.38	2.29	74.82	143.11	18.06	71.50	18.21	3.90	22.88	3.51	22.32	4.42	13.49	1.83	12.58	1.86	147.94	15.34	560.44	234.74	0.42
314397	23NSTRC030	48	49	7.29	1.78	73.53	149.86	19.51	76.28	19.54	3.92	21.96	3.61	21.23	4.07	13.09	1.71	12.01	1.91	126.61	15.34	548.86	210.13	0.38
314385	23NSTRC030	36	37	8.17	2.52	82.80	116.33	16.97	61.47	16.06	3.11	18.50	3.08	21.00	4.42	14.29	1.98	14.40	2.13	132.70	16.87	509.25	215.62	0.42
314399	23NSTRC030	50	51	7.34	2.17	65.91	127.14	16.67	64.73	15.36	3.27	19.54	3.01	19.17	3.99	12.75	1.74	11.56	1.93	137.15	15.34	503.92	214.10	0.42
314468	23NSTRC032	19	20	16.05	2.72	30.84	501.19	9.93	37.79	10.52	1.13	12.22	2.65	19.45	4.38	14.98	2.48	18.67	2.71	128.26	19.94	797.19	206.92	0.26
314479	23NSTRC032	30	31	13.45	2.35	132.52	159.08	36.73	146.38	32.00	2.66	28.24	4.49	27.77	5.78	18.01	2.56	18.45	2.49	169.53	7.67	786.71	279.99	0.36
314469	23NSTRC032	20	21	15.65	2.24	51.72	362.38	12.93	51.44	11.60	1.33	14.47	3.11	24.22	5.58	18.87	3.06	22.26	3.25	166.99	13.80	753.18	263.13	0.35
314471	23NSTRC032	22	23	13.90	2.32	61.57	234.01	19.33	75.46	20.23	1.57	19.59	3.75	27.20	6.13	20.64	3.18	24.71	3.39	180.33	9.20	701.09	290.48	0.41
314470	23NSTRC032	21	22	15.75	2.30	57.11	229.71	16.97	66.37	17.10	1.38	18.79	3.72	27.89	6.28	21.38	3.35	24.48	3.79	185.41	10.74	683.73	296.46	0.43
314474	23NSTRC032	25	26	13.80	2.51	68.84	171.36	19.75	77.21	20.18	1.56	20.29	3.78	25.36	5.53	18.01	2.67	20.04	2.93	151.12	7.67	608.64	251.29	0.41
314472	23NSTRC032	23	24	12.80	2.12	69.66	191.63	20.66	81.53	19.19	1.42	16.37	3.22	22.04	4.67	15.84	2.35	17.19	2.51	132.70	9.20	600.99	218.32	0.36
314473	23NSTRC032	24	25	14.00	2.39	64.62	157.24	20.48	80.13	20.12	1.54	18.85	3.47	22.95	5.09	17.38	2.56	20.10	2.87	146.04	9.20	583.42	240.84	0.41
314480	23NSTRC032	31	32	11.45	1.63	92.30	93.60	23.32	94.71	20.58	1.83	22.30	3.49	22.15	4.81	14.64	2.15	14.80	2.22	150.48	7.67	563.39	238.87	0.42
314478	23NSTRC032	29	30	12.55	1.58	90.30	41.15	22.71	100.43	22.55	2.16	22.30	3.79	24.10	5.19	16.47	2.47	17.25	2.43	155.56	7.67	528.87	251.72	0.48
314475	23NSTRC032	26	27	13.60	2.27	51.13	131.44	14.62	59.84	15.02	1.54	18.15	3.41	23.87	5.51	18.75	2.67	21.29	3.09	154.93	9.20	525.27	253.23	0.48
314485	23NSTRC033	25	26	5.50	2.83	68.49	561.38	17.88	69.28	21.39	5.71	23.74	4.76	33.63	6.84	21.38	3.25	22.66	3.20	165.09	27.61	1028.69	290.26	0.28
314486	23NSTRC033	26	27	5.36	2.22	106.96	226.64	33.35	123.05	28.76	6.55	23.28	3.96	23.53	4.56	13.49	2.00	13.27	2.00	126.48	24.54	737.88	219.13	0.30
314560	23NSTRC039	33	34	11.50	5.61	1641.88	390.63	338.29	1283.02	270.18	64.26	290.46	43.99	255.93	50.63	134.93	19.87	117.29	15.81	1384.19	27.61	6301.37	2377.37	0.38
314559	23NSTRC039	32	33	14.80	3.30	263.87	775.12	73.94	258.94	56.59	12.64	46.45	7.47	42.69	8.30	23.44	3.59	22.72	3.21	191.12	21.47	1790.08	361.63	0.20
314558	23NSTRC039	31	32	12.55	2.83	409.30	141.88	85.42	304.43	62.15	14.01	58.21	8.21	45.33	9.16	25.04	3.60	21.69	3.12	271.76	29.14	1463.30	460.13	0.31
314556	23NSTRC039	29	30	9.69	2.36	241.59	168.29	63.07	215.78	41.16	8.80	31.58	4.49	25.13	4.86	12.81	1.98	12.58	1.57	116.20	19.94	949.90	220.00	0.23
31																								

314626	23NSTRC044	21	22	3.76	1.94	98.75	79.23	19.33	77.91	16.41	4.99	18.85	3.13	23.41	4.98	16.18	2.42	17.08	2.93	169.53	24.54	555.14	263.50	0.47
314659	23NSTRC046	28	29	5.53	2.89	459.73	101.47	71.40	291.60	55.20	19.73	79.76	11.37	69.44	15.18	45.63	5.73	31.88	4.89	629.87	12.27	1892.86	913.48	0.48
314653	23NSTRC046	22	23	7.99	1.95	105.32	361.15	24.89	94.94	21.63	6.27	22.30	4.22	29.38	6.49	20.70	2.86	20.10	3.31	210.17	9.20	933.72	325.80	0.35
314652	23NSTRC046	21	22	7.62	2.19	77.40	506.10	22.83	86.43	20.12	5.83	19.08	3.45	22.55	4.28	13.44	2.02	12.98	2.01	115.05	10.74	913.58	200.69	0.22
314660	23NSTRC046	29	30	4.48	2.31	133.11	75.18	15.95	70.22	14.09	6.05	32.16	4.52	30.41	7.38	21.73	2.87	14.01	2.44	378.43	23.01	808.53	499.99	0.62
314654	23NSTRC046	23	24	7.79	2.31	89.83	216.20	19.15	75.35	16.18	4.67	18.15	3.19	23.41	5.38	16.87	2.36	15.49	2.71	204.45	9.20	713.39	296.68	0.42
314655	23NSTRC046	24	25	7.54	1.92	93.24	270.25	22.17	85.61	17.10	4.94	16.60	2.95	19.91	4.09	12.29	1.71	11.24	1.82	130.80	9.20	694.72	206.36	0.30
314651	23NSTRC046	20	21	8.36	2.44	115.52	227.25	30.81	118.97	23.77	6.32	18.15	2.81	17.10	2.96	8.76	1.24	8.06	1.13	74.80	15.34	657.66	141.33	0.21
314658	23NSTRC046	27	28	7.42	2.26	122.55	61.42	25.98	99.14	20.12	5.89	22.48	3.60	22.32	5.18	16.64	2.17	14.12	2.27	207.63	10.74	631.51	302.29	0.48
314657	23NSTRC046	26	27	7.31	1.88	100.04	113.63	21.26	81.30	14.32	4.54	15.33	2.36	15.84	3.76	11.95	1.70	10.25	1.77	160.64	9.20	558.69	228.14	0.41
314656	23NSTRC046	25	26	7.76	2.04	93.70	140.65	20.84	77.56	14.20	4.05	14.23	2.23	14.46	3.23	9.94	1.32	8.57	1.39	128.26	9.20	534.66	187.69	0.35
314683	23NSTRC047	22	23	11.90	0.98	2322.09	1916.30	358.82	964.60	123.49	26.07	42.42	4.95	18.82	2.06	3.95	0.39	2.28	0.32	26.67	12.27	5813.23	127.92	0.02
314699	23NSTRC047	42	43	9.01	3.86	326.03	208.83	65.24	262.44	52.30	17.27	59.13	8.01	44.19	8.03	20.75	2.76	17.88	2.34	191.12	15.34	1286.31	371.48	0.29
314687	23NSTRC047	30	31	10.45	3.91	177.09	356.24	46.88	173.79	34.09	9.01	26.39	4.01	23.87	4.47	13.38	2.06	12.47	1.69	128.89	30.68	1014.33	226.25	0.22
314698	23NSTRC047	41	42	10.20	3.75	140.73	180.57	36.61	158.63	35.25	12.12	41.49	6.53	35.46	7.25	19.90	2.83	18.56	2.38	191.12	18.41	889.44	337.64	0.38
314684	23NSTRC047	23	24	8.33	1.02	378.81	275.16	54.49	136.47	16.06	3.35	5.76	0.67	3.08	0.37	0.98	0.17	1.06	0.19	5.84	10.74	882.46	21.47	0.02
314697	23NSTRC047	40	41	9.92	3.29	110.36	154.16	32.14	147.55	33.51	11.38	41.72	6.52	37.41	7.07	19.61	2.78	17.82	2.38	191.75	18.41	816.16	338.44	0.41
314685	23NSTRC047	28	29	11.45	2.04	265.05	292.36	32.38	84.68	10.68	2.89	6.24	0.92	4.35	0.77	2.10	0.35	2.07	0.28	19.05	24.54	724.17	39.03	0.05
314692	23NSTRC047	35	36	11.25	3.28	58.87	173.20	15.46	63.80	13.62	5.01	19.25	3.28	19.57	4.24	11.72	1.60	10.81	1.40	118.35	23.01	520.19	195.22	0.38
314695	23NSTRC047	38	39	9.71	2.45	63.68	163.38	17.10	68.00	16.47	5.18	20.23	3.20	19.28	3.99	11.13	1.67	10.51	1.43	108.83	19.94	514.06	185.44	0.36
314694	23NSTRC047	37	38	9.88	2.91	60.16	133.90	15.28	63.10	15.02	4.99	19.83	3.33	21.40	4.60	13.26	1.80	12.18	1.64	135.24	19.94	505.74	218.28	0.43
314713	23NSTRC048	46	47	10.15	2.79	150.70	218.66	38.30	144.63	26.55	7.07	19.88	2.75	15.09	2.71	6.66	0.95	6.55	0.85	65.02	15.34	706.37	127.53	0.18
314715	23NSTRC048	48	49	7.56	2.30	109.54	146.79	28.39	107.31	21.39	6.63	20.46	3.00	17.22	3.39	8.82	1.20	7.80	1.13	86.61	23.01	569.67	156.25	0.27
314714	23NSTRC048	47	48	8.72	2.31	124.31	154.78	28.88	106.61	20.06	6.07	18.27	2.60	14.58	2.69	6.99	0.91	6.15	0.82	71.37	19.94	565.08	130.44	0.23
314716	23NSTRC048	49	50	7.17	2.31	104.85	151.09	25.85	99.61	20.23	6.41	20.23	2.96	17.10	3.24	8.77	1.19	8.03	1.06	80.64	16.87	551.27	149.63	0.27
314711	23NSTRC048	44	45	11.35	2.31	44.68	341.50	11.90	42.34	8.74	2.68	7.87	1.23	6.58	1.37	3.45	0.53	4.21	0.52	30.73	7.67	508.34	59.18	0.12
314743	23NSTRC051	24	25	7.08	1.98	116.22	158.46	26.22	107.89	17.16	4.95	13.95	2.16	12.17	2.29	6.17	0.86	6.11	0.80	59.30	18.41	534.72	108.77	0.20
314744	23NSTRC051	25	26	7.61	1.92	114.23	138.81	24.77	103.57	18.21	5.34	17.00	2.28	13.60	2.74	7.67	1.07	7.60	1.01	74.29	16.87	532.19	132.60	0.25
314746	23NSTRC051	27	28	7.52	1.89	60.28	235.24	13.83	58.09	12.00	3.72	11.93	2.07	14.35	2.98	8.92	1.36	9.35	1.24	80.38	15.34	515.73	136.29	0.26
314767.00	23NSTRC053	53	54	5.39	2.25	157.15	300.96	36.97	170.29	36.64	10.02	41.84	6.77	43.84	9.21	27.56	3.59	21.64	3.13	307.32	31.14	1176.92	474.91	0.40
314766.00	23NSTRC053	52	53	6.58	2.71	128.42	261.65	31.17	133.55	25.74	6.36	25.93	3.93	26.40	5.72	18.47	2.70	17.37	2.57	190.49	37.58	880.45	299.92	0.34
314765.00	23NSTRC053	51	52	4.44	1.96	93.47	203.91	24.28	100.08	19.42	4.37	18.67	2.81	18.94	3.79	11.27	1.71	12.01	1.80	125.59	28.22	642.14	200.97	0.31
314776.00	23NSTRC054	46	47	5.51	2.44	140.15	266.56	35.40	150.46	32.82	8.67	35.27	5.43	33.51	6.43	18.52	2.34	15.32	2.14	200.64	34.97	953.66	328.27	0.34
314777.00	23NSTRC054	47	48	4.87	2.28	117.28	202.69	27.79	124.22	27.83	7.56	34.81	5.32	34.77	6.98	19.84	2.59	18.05	2.40	224.14	36.97	856.25	356.45	0.42
314778.00	23NSTRC054	48	49	6.23	2.63	75.76	131.44	16.67	76.28	16.52	4.40	19.71	3.46	24.45	5.50	18.64	2.52	16.17	2.54	215.25	34.82	629.31	312.63	0.50
314801.00	23NSTRC055	49	50	9.47	2.93	173.57	340.27	37.82	131.22	25.97	5.91	24.67	4.50	25.59	5.34	15.09	2.36	13.95	2.27	139.69	22.85	948.23	239.38	0.25
314802.00	23NSTRC055	50	51	9.93	2.49	168.29	158.46	31.53	112.91	23.66	5.32	27.66	4.61	29.84	6.48	19.90	2.79	18.62	2.67	237.47	23.62	850.21	355.36	0.42
314792.00	23NSTRC055	28	29	8.00	3.33	176.50	144.34	33.10	109.99	17.05	3.61	13.02	1.76	8.73	1.63	4.20	0.66	4.35	0.64	42.41	18.25	562.00	81.02	0.14
314793.00	23NSTRC055	29	30	8.36	3.61	160.67	148.02	27.30	91.09	14.67	3.20	12.10	1.66	9.79	1.79	4.83	0.74	3.97	0.58	48.64	22.09	529.06	87.30	0.17
314789.00	23NSTRC055	27	28	8.06	2.82	144.84	167.68	28.03	96.23	13.86	2.48	8.96	1.25	6.70	1.20	3.33	0.48	3.71	0.51	32.13	22.70	511.38	60.75	0.12
314841.00	23NSTRC056	75	76	5.84	1.09	198.78	76.41	54.29	199.45	44.99	10.79	47.14	9.21	58.53	12.14	34.99	5.09	30.40	4.61	350.49	21.47	1136.33	563.41	0.50
*REP 314841	23NSTRC056	75	76	6.55	1.19	198.78	76.41	33.71	137.63	26.21	6.48	33.54	5.08	32.71	7.84	24.24	3.45	21.01	3.46	306.05	22.09	912.68	443.85	0.49
314995.00	23NSTRC056	76	77	4.37	0.96	276.77	62.28	44.46	181.37	36.18	9.43	41.72	6.13	39.14	8.91	26.76	3.62	25.17	3.62	337.79	18.41	1103.35	502.29	0.46
314984.00	23NSTRC056	65	66	1																				

314222	23NSTRC058	56	57	12.55	2.56	88.08	186.10	22.96	91.56	21.05	1.62	18.67	2.94	19.68	4.01	12.64	2.06	14.46	2.09	131.43	7.67	619.35	209.61	0.34
314186	23NSTRC058	24	25	13.30	2.50	76.46	144.95	18.30	78.03	17.74	1.76	21.15	3.74	25.71	5.73	17.55	2.66	17.76	2.98	179.69	16.87	614.23	278.74	0.45
314129	23NSTRC058	55	56	12.25	1.98	85.38	183.03	21.38	82.23	19.83	1.23	19.02	2.91	20.89	4.34	13.89	2.15	14.52	2.05	136.51	7.67	609.36	217.51	0.36
23NSRCG014	23NSTRC058	51	52	11.90	2.71	81.39	159.08	18.85	72.90	17.05	1.56	18.10	3.16	21.12	4.41	14.24	2.07	14.18	2.00	133.97	7.67	564.06	214.80	0.38
23NSRCG015	23NSTRC058	55	56	11.40	2.57	71.77	158.46	18.67	75.35	17.34	1.42	17.06	3.02	19.68	4.17	12.81	1.91	12.98	2.00	127.62	7.67	544.26	202.67	0.37
314180	23NSTRC058	18	19	16.20	3.50	75.64	143.72	19.27	77.45	16.93	1.57	15.45	2.55	18.48	3.91	13.15	2.01	15.26	2.35	113.02	13.80	520.76	187.74	0.36
314182	23NSTRC058	20	21	13.05	2.58	62.27	136.35	15.22	60.19	13.68	1.49	15.50	2.96	21.00	4.94	15.32	2.32	16.34	2.71	148.58	13.80	518.88	231.16	0.45
315019.00	23NSTRC058	79	80	13.35	3.52	43.51	107.85	12.75	54.70	14.03	0.77	17.40	3.39	25.02	5.80	17.72	2.83	18.85	2.76	185.41	8.90	512.79	279.94	0.55
23NSRCG006	23NSTRC058	19	20	12.90	2.37	63.45	139.42	15.28	57.50	13.97	1.44	15.21	2.94	20.89	4.71	14.64	2.27	15.88	2.23	140.96	15.34	510.80	221.17	0.43
314247	23NSTRC058	81	82	13.45	3.10	50.90	127.14	15.46	63.45	14.49	0.61	16.31	2.83	21.40	4.73	15.67	2.26	16.51	2.48	152.39	7.67	506.64	235.19	0.46
314107	23NSTRC061	35	36	6.18	1.40	143.66	43.85	33.47	140.55	34.90	10.13	42.88	6.53	44.42	8.98	28.47	4.01	28.01	4.13	273.03	41.41	847.02	450.58	0.53
314105	23NSTRC061	33	34	4.74	1.02	127.25	132.67	43.49	179.62	42.44	9.93	30.54	4.10	23.30	3.87	11.34	1.64	12.35	1.48	70.35	50.62	694.39	168.92	0.24
314097	23NSTRC062	39	40	5.95	1.52	170.64	181.19	40.96	171.46	44.64	12.24	54.86	10.04	58.65	11.97	34.31	4.97	34.96	4.73	314.94	24.54	1150.54	541.66	0.47
314096	23NSTRC062	38	39	5.99	1.10	95.58	128.98	26.70	105.56	22.79	5.08	18.33	3.14	18.13	3.88	10.90	1.64	13.38	1.73	89.15	38.35	544.96	165.36	0.30
314089	23NSTRC063	49	50	9.10	2.19	288.50	99.25	80.83	323.09	73.98	15.61	69.04	9.77	57.50	11.15	31.56	4.27	26.53	3.79	336.52	15.34	1431.39	565.74	0.40
314086	23NSTRC063	46	47	6.27	1.42	188.23	107.85	60.53	267.10	50.67	9.21	32.73	4.76	28.92	5.43	15.84	2.35	16.34	2.02	133.97	46.02	925.97	251.58	0.27
314085	23NSTRC063	45	46	6.57	1.53	157.74	127.75	54.00	234.44	45.69	8.64	29.62	4.87	31.33	6.14	18.07	2.72	19.47	2.38	159.37	47.55	902.24	282.61	0.31
314087	23NSTRC063	47	48	8.28	1.96	148.94	95.82	46.27	199.45	37.45	7.98	30.66	4.70	27.20	5.49	2.41	17.54	2.62	133.97	39.88	777.83	249.89	0.32	
314088	23NSTRC063	48	49	7.65	2.54	121.38	52.21	41.44	162.13	35.37	7.03	27.66	4.90	33.17	6.84	22.24	3.24	21.86	3.18	221.60	46.02	764.26	351.74	0.46
314010	23NSTRC070	32	33	6.92	2.96	193.51	432.40	57.51	269.43	66.56	21.50	86.33	13.41	86.99	17.87	49.63	6.74	44.18	6.12	540.98	18.41	1893.15	873.74	0.46
314011	23NSTRC070	33	34	17.75	4.07	130.18	181.80	29.48	124.22	28.87	9.96	45.53	7.61	55.78	12.89	37.96	5.37	34.16	5.46	464.78	13.80	1174.05	679.50	0.58
314006	23NSTRC070	28	29	6.71	2.39	154.22	240.15	26.70	87.01	14.96	3.95	11.18	1.59	9.64	1.67	3.95	0.66	3.92	0.56	46.99	21.47	607.14	84.09	0.14
313992	23NSTRC071	38	39	5.87	2.47	116.08	179.61	234.38	1026.42	243.51	76.04	409.18	70.81	485.47	120.85	378.50	48.43	288.09	46.73	410.78	21.47	1049.87	6025.88	0.57
313986	23NSTRC071	34	35	7.57	1.62	114.93	241.99	32.50	124.22	27.71	6.75	26.05	4.20	25.36	5.62	17.90	2.26	14.75	2.49	166.36	21.47	813.09	271.73	0.33
313985	23NSTRC071	33	34	6.44	1.51	124.90	270.25	36.61	139.38	31.66	7.56	25.82	3.96	20.95	3.95	11.34	1.53	9.55	1.46	98.04	19.94	786.95	184.16	0.23
313989	23NSTRC071	37	38	5.64	1.74	91.36	184.26	25.73	99.38	21.45	5.50	19.25	2.89	17.62	3.60	10.84	1.48	8.77	1.61	113.40	19.94	607.15	184.97	0.30
313984	23NSTRC071	32	33	7.38	1.93	47.61	184.87	12.07	49.22	11.34	3.21	15.96	3.06	20.77	5.20	16.75	2.28	15.37	2.42	147.31	24.54	537.47	232.35	0.43
313964	23NSTRC072	40	41	14.25	3.03	260.36	401.69	41.20	142.88	23.89	5.12	17.75	2.73	14.23	2.35	5.48	0.64	3.63	0.40	62.10	16.87	984.44	114.43	0.12
313924	23NSTRC075	43	44	9.90	2.27	422.20	144.34	69.47	276.43	53.69	14.64	64.78	9.01	53.83	10.71	30.53	3.92	23.80	3.45	358.11	23.01	1538.89	572.77	0.37
313925	23NSTRC075	44	45	11.00	2.04	337.76	114.73	45.31	187.79	35.95	10.75	56.36	8.19	54.17	12.31	37.74	5.01	30.18	4.82	532.09	19.94	1473.15	751.62	0.51
313918	23NSTRC075	37	38	7.99	2.18	233.38	181.19	57.03	207.62	39.19	9.03	27.66	4.12	23.41	3.94	10.98	1.59	11.44	1.57	94.35	29.14	906.50	188.10	0.21
313923	23NSTRC075	42	43	8.88	1.73	224.59	89.30	47.48	178.46	34.67	8.87	32.04	4.83	27.43	5.04	13.26	1.77	11.28	1.54	133.97	19.94	814.55	240.05	0.29
313919	23NSTRC075	38	39	7.76	1.94	208.75	114.98	54.25	182.54	34.09	8.07	24.32	3.49	19.05	3.29	8.76	1.35	9.29	1.27	72.13	29.14	745.64	151.03	0.20
313926	23NSTRC075	45	46	7.86	1.64	127.25	64.37	14.44	58.20	11.11	4.08	24.78	3.76	25.13	6.23	18.98	2.57	15.14	2.49	295.89	19.94	674.43	399.07	0.59
313921	23NSTRC075	40	41	10.45	1.84	144.25	62.16	39.99	134.13	25.39	5.98	18.04	2.78	15.55	2.84	8.37	1.26	8.03	1.15	65.53	26.08	535.44	129.52	0.24
313922	23NSTRC075	41	42	9.73	1.65	151.87	63.02	41.08	141.72	27.25	5.67	16.42	2.42	12.28	2.08	5.28	0.78	5.27	0.76	46.86	23.01	522.77	97.84	0.19
314254	23NSTRC076	34	35	6.77	4.57	372.94	655.97	91.22	375.58	85.58	24.47	102.70	21.11	160.68	36.20	120.07	16.73	110.23	16.60	1301.65	19.94	3491.70	1910.43	0.55
314253	23NSTRC076	33	34	6.90	4.05	334.24	842.68	107.41	429.23	89.98	23.56	78.95	16.05	110.06	21.71	68.38	9.67	66.16	9.78	645.11	19.94	2852.98	1049.44	0.37
314252	23NSTRC076	32	33	5.72	3.30	125.49	368.52	46.76	183.71	41.86	11.49	38.15	9.34	70.35	14.61	48.94	7.04	47.26	6.75	426.69	24.54	1446.94	680.61	0.47
314257	23NSTRC076	37	38	6.21	2.45	143.08	254.28	31.29	130.05	32.00	10.10	43.11	7.47	51.42	10.66	33.73	4.69	30.63	4.59	344.14	16.87	1131.25	540.55	0.48
314256	23NSTRC076	36	37	6.20	2.21	89.25	307.10	21.69	90.39	22.90	6.47	29.28	5.33	39.71	9.00	30.53	4.17	28.01	4.12	336.52	16.87	1024.47	493.14	0.48
314255	23NSTRC076	35	36	6.81	2.22	127.83	194.70	29.12	123.64	29.11	7.87	32.16	5.75	39.71	9.14	28.93	4.00	26.53	3.95	331.44	15.34	993.87	489.48	0.49
314258	23NSTRC076	38	39	5.96	2.29	83.85	148.02	17.28	71.85	17.80	5.89	26.51	4.95	35.46	7.71	26.41	3.56	23.68	3.42	267.95	16.87	744.36	405.56	0.54

301859	MAFAC026	31	32	6.64	2.74	144.72	262.88	30.93	126.67	26.40	6.83	32.25	4.83	31.56	6.59	19.45	2.74	16.78	2.55	236.20	0.00	951.38	359.78	0.38
301858	MAFAC026	27	28	6.58	1.91	128.89	190.40	35.34	140.20	29.09	6.85	24.53	3.88	24.62	4.79	14.65	2.39	15.52	2.34	115.56	0.00	739.04	215.12	0.29
301873	MAFAC027	23	24	6.09	2.87	118.68	261.65	24.96	96.46	19.99	5.59	22.20	3.59	23.29	4.91	14.79	2.12	13.39	2.01	170.17	0.00	783.80	262.06	0.33
301879	MAFAC027	47	48	48.67	10.71	120.80	246.91	28.96	109.99	20.34	4.76	15.13	1.85	9.31	1.64	4.95	0.77	4.14	0.64	52.07	0.00	622.24	95.25	0.15
301874	MAFAC027	27	28	6.70	2.33	137.92	71.25	31.13	120.37	23.49	5.98	22.13	3.23	18.50	3.68	10.97	1.44	9.18	1.41	120.64	0.00	581.32	197.16	0.34
301872	MAFAC027	19	20	6.56	2.05	98.86	126.53	16.93	65.32	13.61	3.83	15.58	2.65	17.09	3.84	12.10	1.82	11.93	1.82	126.99	0.00	518.89	197.64	0.38
301871	MAFAC027	15	16	7.18	2.98	32.72	335.35	6.84	26.48	7.68	2.45	8.67	1.74	12.60	2.46	7.62	1.30	9.12	1.31	46.99	0.00	503.32	94.25	0.19
301697	MAFAC030	19	20	4.89	1.60	92.88	132.67	22.82	86.20	17.16	4.05	16.60	2.49	15.02	3.21	8.77	1.32	7.96	1.14	93.97	0.00	506.26	154.53	0.31
301709	MAFAC031	23	24	7.58	2.54	154.22	372.21	39.39	158.28	34.69	8.29	36.38	5.83	37.68	8.12	23.58	3.40	20.35	3.09	269.22	0.00	1174.73	415.94	0.35
301724	MAFAC032	15	16	5.79	1.06	112.59	235.85	27.99	110.34	21.52	5.18	20.62	2.99	18.74	3.78	10.49	1.56	9.03	1.31	111.75	0.00	693.74	185.45	0.27
301725	MAFAC032	19	20	6.16	1.21	69.78	137.58	17.16	72.90	16.56	4.22	19.34	2.96	19.42	4.48	13.04	1.83	10.82	1.71	161.28	0.00	553.06	239.09	0.43
301755	MAFAC034	19	20	5.74	2.06	103.20	318.16	23.72	96.34	19.75	5.36	20.06	3.09	21.06	4.26	12.81	1.78	12.30	1.77	126.99	0.00	770.65	209.48	0.27
301792	MAFAC037	43	44	14.48	4.64	170.05	125.30	28.56	116.52	25.13	8.50	34.26	5.68	36.76	7.70	24.22	2.94	16.55	2.49	283.19	0.00	887.83	422.27	0.48
301791	MAFAC037	39	40	41.57	7.55	159.61	219.88	39.00	159.33	30.42	7.75	24.70	3.32	18.78	3.40	9.67	1.40	9.74	1.40	86.35	0.00	774.76	166.52	0.21
301583	MAFAC038	15	16	5.94	2.84	257.78	370.98	70.00	279.12	58.34	13.00	53.18	7.33	41.66	7.70	22.05	2.90	18.31	2.66	212.07	0.00	1417.07	380.86	0.27
301596	MAFAC039	27	28	7.51	3.25	153.52	256.74	46.42	184.41	39.27	9.39	32.43	4.76	28.31	5.73	17.30	2.49	17.79	2.62	154.93	0.00	956.10	275.75	0.29
301597	MAFAC039	31	32	6.73	2.47	125.37	84.76	22.62	88.88	22.65	7.26	35.45	5.59	33.41	7.48	21.18	3.07	16.94	2.31	292.08	0.00	769.04	424.77	0.55
301605	MAFAC040	19	20	7.70	3.76	96.40	346.41	26.00	104.39	21.27	5.13	19.08	2.78	17.20	3.12	9.46	1.37	9.23	1.26	85.08	0.00	748.18	153.71	0.21
301630	MAFAC042	23	24	5.13	2.08	157.86	194.09	42.02	153.03	31.69	8.08	27.10	3.51	18.62	3.15	9.02	1.35	8.07	1.23	83.81	0.00	742.62	163.94	0.22
301649	MAFAC043	31	32	7.25	3.89	173.45	205.14	38.84	144.51	30.58	8.79	34.91	5.33	32.66	6.82	19.35	2.65	16.89	2.40	224.77	0.00	947.10	354.57	0.37
301681	MAFAC045	35	36	5.82	3.41	136.04	307.10	33.47	143.12	31.02	8.24	30.37	5.15	33.06	7.35	19.55	2.91	17.55	2.31	210.80	0.00	988.05	337.31	0.34
301679	MAFAC045	27	28	38.87	6.49	161.26	180.57	31.63	107.66	19.10	4.45	12.41	2.01	10.62	2.02	4.96	0.82	4.95	0.60	41.91	0.00	584.97	84.75	0.14
311220	NSE009	53	54	10.35	1.86	235.73	235.85	45.91	153.38	20.99	4.46	11.32	1.48	6.75	0.93	2.24	0.27	1.62	0.24	19.68	4.60	740.85	48.99	0.07
311236	NSE011	44	45	6.85	5.44	100.74	113.14	22.11	93.78	22.90	6.79	35.39	5.66	37.76	8.55	26.19	3.31	21.24	3.17	297.16	44.48	797.87	445.20	0.56
311265	NSE012	52	53	2.71	2.58	333.07	506.10	80.22	303.26	80.59	20.30	87.02	14.76	88.83	19.07	58.32	8.10	46.23	5.84	694.64	18.41	2346.35	1043.11	0.44
311266	NSE012	53	54	2.71	1.97	295.54	120.01	76.24	292.76	73.17	19.95	85.75	13.47	81.37	17.76	55.57	8.38	47.60	6.16	572.72	18.41	1766.46	908.74	0.51
311264	NSE012	51	52	2.91	2.40	127.83	531.90	37.94	149.30	40.47	10.75	46.22	9.95	62.78	12.83	36.59	5.24	30.74	3.91	411.45	19.94	1517.90	630.47	0.42
311263	NSE012	50	51	3.36	2.35	64.39	1131.36	23.20	88.88	18.32	3.92	10.80	1.83	20.20	1.97	5.87	1.04	6.46	0.85	48.38	32.21	1417.47	91.33	0.06
311254	NSE012	41	42	4.01	2.13	250.97	157.24	81.07	300.93	54.73	13.21	37.23	4.86	25.13	4.32	11.16	1.39	8.51	1.22	97.66	79.76	1049.61	204.68	0.20
311262	NSE012	49	50	4.30	2.26	31.78	895.50	7.97	32.66	8.00	1.83	6.40	0.98	7.93	1.65	4.79	0.89	5.65	0.76	40.51	41.41	1047.30	71.38	0.07
311261	NSE012	48	49	5.48	2.84	39.05	640.00	11.42	47.12	9.37	2.53	8.36	1.51	10.25	2.18	6.44	0.96	7.04	1.05	60.19	47.55	847.45	100.49	0.12
311267	NSE012	54	55	2.35	0.91	117.28	71.00	22.41	93.19	20.12	6.87	31.70	4.59	30.30	6.90	21.38	2.87	17.37	2.88	273.03	16.87	721.87	397.87	0.55
311249	NSE012	36	37	4.01	1.58	108.72	402.92	20.66	54.00	8.62	1.85	4.63	0.68	3.43	0.63	1.97	0.26	2.21	0.31	11.30	44.48	622.19	27.28	0.04
311279	NSE013	51	52	5.61	3.42	1178.64	593.32	260.96	1008.92	211.62	58.78	202.86	31.52	191.09	39.41	114.35	17.59	105.90	14.95	1208.94	24.54	5238.85	1985.39	0.38
311280	NSE013	52	53	5.08	3.39	457.38	975.35	107.89	435.06	83.60	23.78	75.84	10.39	64.84	13.17	36.02	5.32	30.86	4.47	388.59	21.47	2712.58	653.29	0.24
312211	NSE014	1	2	9.13	8.39	822.11	760.38	191.49	737.15	153.64	46.08	164.82	28.70	187.65	43.07	134.36	20.22	133.23	20.92	150.23	13.80	4974.06	2309.28	0.46
312218	NSE014	36	37	9.22	3.08	369.42	63.88	75.27	277.77	59.95	19.44	65.93	11.19	70.12	15.12	45.05	6.52	41.79	6.17	439.39	9.20	1568.01	720.72	0.46
312221	NSE014	39	40	8.99	2.52	121.38	60.44	18.55	74.77	16.12	6.04	29.85	5.35	39.25	10.64	36.13	5.28	34.39	5.75	454.62	9.20	918.56	627.31	0.68
312210	NSE014	0	1	10.35	4.32	108.72	367.29	29.24	109.87	22.03	6.39	19.65	3.19	17.85	3.51	10.13	1.48	10.18	1.48	85.97	13.80	796.98	159.83	0.20
312217	NSE014	15	16	9.52	2.59	160.08	169.52	40.59	145.80	28.41	7.23	21.67	3.36	18.48	3.51	9.98	1.55	10.08	1.50	86.61	10.74	708.37	163.96	0.23
312212	NSE014	2	3	10.25	1.76	83.03	64.25	13.89	53.77	11.31	3.91	18.79	3.34	24.22	6.23	19.90	2.99	19.64	3.34	262.87	10.74	591.48	365.23	0.62
312227	NSE014	45	46	17.35	1.72	105.78	136.97	24.89	96.23	18.84	3.58	16.77	2.51	14.23	3.00	8.59	1.30	8.23	1.27	89.40	9.20	531.59	148.88	0.28
312271	NSE015	31	32	8.46	14.90	329.55	1062.57	68.50	222.78	38.15	8.32	21.44	2.59	11.09	1.70	3.50	0.49	2.88	0.32	39.11	3.07	1812.98	91.44	0.05
312782	NSE018	50	51	7.41	23.20	626.26	1020.80	116.47	407.07	76.53	20.07	66.62	9.20	44.53	7.2									

312866	NSE028	58	59	7.70	2.33	710.70	208.83	172.16	773.31	211.04	67.01	399.96	82.57	550.89	141.47	468.84	58.13	371.22	57.99	5905.04	23.01	10179.15	8103.10	0.80
312867	NSE028	59	60	6.76	2.10	304.92	143.72	51.83	222.20	48.93	13.04	64.66	12.59	76.32	17.76	57.63	7.28	48.39	7.58	650.19	26.08	1727.04	955.43	0.55
312865	NSE028	57	58	8.04	2.24	478.49	169.52	107.65	410.57	78.73	16.69	56.02	8.39	37.19	6.47	16.64	1.99	12.70	1.68	154.29	27.61	1557.01	312.05	0.20
312880	NSE029	32	33	4.63	2.72	146.01	277.62	39.27	139.97	28.87	7.18	21.44	3.56	20.03	3.38	9.55	1.32	9.30	1.31	77.46	27.61	786.27	154.54	0.20
312879	NSE029	31	32	6.16	2.77	210.51	189.17	51.23	176.71	32.24	6.93	21.15	3.01	14.75	2.44	6.45	0.89	5.55	0.75	56.26	26.08	778.03	118.17	0.15
312896	NSE031	39	40	9.69	3.81	159.50	717.39	42.53	160.38	32.93	8.30	24.55	3.54	18.08	3.25	8.38	1.26	8.22	1.18	77.21	32.21	1266.69	153.97	0.12
312895	NSE031	38	39	8.90	3.94	108.25	236.47	32.14	116.17	22.15	5.15	13.37	1.86	9.02	1.44	3.60	0.50	3.34	0.47	28.19	39.88	582.11	66.94	0.11
312897	NSE031	40	41	6.47	3.46	53.36	92.38	11.33	44.79	10.76	3.60	15.56	3.01	21.63	5.20	17.90	2.52	16.97	2.65	201.28	19.94	502.94	290.32	0.58
312904	NSE032	55	56	8.84	3.05	175.92	103.80	40.96	160.96	33.74	10.93	35.85	6.03	38.68	8.00	22.81	3.32	20.33	2.96	236.20	23.01	900.48	385.10	0.43
312905	NSE032	56	57	6.56	3.76	141.32	92.87	27.06	109.06	23.08	7.67	29.39	5.02	33.17	7.64	22.98	3.22	19.59	3.13	273.03	23.01	798.22	404.84	0.51
312903	NSE032	54	55	6.29	3.01	160.08	129.60	40.35	149.30	29.34	8.07	22.42	3.36	17.90	3.32	9.16	1.37	8.87	1.31	91.05	29.14	675.51	166.84	0.25
312947	NSE034	51	52	9.20	1.42	272.08	132.67	55.45	227.44	49.63	15.72	65.35	12.17	77.24	17.30	50.43	7.10	43.16	6.31	533.36	23.01	1565.42	828.14	0.53
312946	NSE034	50	51	6.18	1.39	348.31	195.93	97.62	360.41	69.23	16.41	45.18	6.79	30.87	4.91	11.44	1.60	9.05	1.16	101.47	27.61	1300.38	228.88	0.18
312948	NSE034	52	53	6.99	1.32	126.66	72.23	23.74	102.18	24.47	8.36	41.72	7.70	52.68	12.60	38.19	5.48	34.16	5.31	448.27	19.94	1003.76	654.49	0.65
312945	NSE034	49	50	6.97	1.08	143.08	89.80	45.06	162.13	30.73	7.00	18.33	2.79	13.37	2.25	5.39	0.78	4.87	0.60	45.84	27.61	572.00	101.21	0.18
312949	NSE034	53	54	6.32	1.48	79.16	53.44	11.88	52.37	11.29	3.66	19.48	3.42	23.07	5.95	18.30	2.71	16.28	2.81	255.25	19.94	559.06	350.92	0.63
312973	NSE035	61	62	5.85	4.04	201.72	323.07	49.78	207.03	49.51	14.18	69.50	13.47	88.49	21.13	65.87	9.63	61.49	9.65	779.72	19.94	1964.24	1133.13	0.58
312972	NSE035	60	61	6.63	4.10	203.48	448.37	59.80	230.36	46.27	10.07	32.85	4.47	21.98	3.80	9.27	1.26	7.46	1.02	89.65	21.47	1170.11	181.84	0.16
312998	NSE036	55	56	8.92	3.74	545.34	125.30	148.00	559.86	121.75	28.02	112.26	19.94	113.39	24.86	71.13	10.43	66.61	10.14	713.68	29.14	2670.71	1170.46	0.44
312996	NSE036	53	54	9.76	4.98	519.54	205.76	121.42	430.40	80.94	17.72	59.36	9.42	47.51	9.29	23.56	3.08	19.07	2.77	227.31	29.14	1777.16	419.11	0.24
312992	NSE036	49	50	7.48	5.20	146.60	583.49	30.57	99.61	20.87	4.21	12.91	2.05	9.78	1.84	4.88	0.66	4.83	0.72	41.02	53.68	964.03	82.89	0.09
312995	NSE036	52	53	10.10	6.05	119.04	168.91	29.96	101.13	21.51	4.37	13.72	2.16	10.96	2.04	4.79	0.75	4.85	0.74	44.83	35.28	529.75	89.21	0.17
312997	NSE036	54	55	6.82	3.01	76.35	235.24	18.24	73.37	15.07	3.43	13.02	2.08	10.99	2.36	6.93	1.03	7.07	1.09	59.05	27.61	525.33	107.06	0.20
313074	NSE041	26	27	6.87	2.85	221.07	799.69	64.52	236.78	57.86	13.61	54.98	9.74	60.02	11.86	35.56	4.90	32.34	4.55	318.74	24.54	1926.21	546.30	0.28
313075	NSE041	27	28	6.12	2.66	147.77	363.61	38.06	139.97	33.74	7.84	33.08	5.99	40.17	8.16	25.27	3.62	24.71	3.56	253.98	24.54	1129.52	406.38	0.36
313077	NSE041	29	30	6.68	2.69	124.31	250.59	29.12	111.74	27.02	6.49	30.77	5.85	38.91	8.20	25.73	3.73	24.37	3.40	266.68	24.54	956.92	414.13	0.43
313076	NSE041	28	29	6.08	2.54	120.80	209.44	27.30	103.46	25.74	5.84	28.70	5.20	33.51	7.32	22.81	3.05	19.93	3.09	233.66	29.14	849.86	363.12	0.43
313073	NSE041	25	26	6.71	2.05	124.90	226.03	35.28	122.47	24.58	4.93	18.27	2.96	18.76	3.92	11.55	1.75	13.27	1.88	108.07	23.01	718.61	185.35	0.26
313078	NSE041	30	31	6.35	1.97	87.84	124.68	20.36	76.16	16.70	3.80	18.85	3.26	21.58	4.74	14.58	2.01	13.21	2.07	159.37	27.61	569.20	243.46	0.43
313079	NSE041	31	32	6.15	1.60	83.74	118.05	18.85	72.32	16.00	3.56	16.42	2.83	17.39	3.95	11.84	1.71	10.81	1.65	141.59	23.01	520.70	211.75	0.41
313098	NSE042	30	31	5.53	2.77	1284.19	237.08	293.58	1172.22	241.19	53.29	240.90	36.23	214.04	39.86	110.00	13.93	89.96	12.22	1069.26	13.80	5107.95	1879.69	0.37
313099	NSE042	31	32	4.79	2.29	284.98	95.94	45.79	197.70	44.76	11.95	74.80	12.76	89.52	21.59	68.50	8.75	54.66	8.80	905.44	15.34	1925.94	1256.77	0.65
313097	NSE042	29	30	6.65	2.08	340.10	224.80	104.87	376.74	76.18	16.52	54.98	9.76	58.76	11.68	34.88	5.17	34.16	4.98	311.13	18.41	1664.72	542.03	0.33
313095	NSE042	27	28	6.67	1.73	110.02	556.47	4.10	16.33	5.60	1.35	5.60	1.23	8.13	1.68	5.42	0.91	7.04	1.06	35.43	30.68	661.37	67.85	0.10
313096	NSE042	28	29	7.33	1.49	98.86	149.25	32.62	114.31	24.35	5.10	17.40	3.43	21.69	4.82	14.52	2.33	15.60	2.27	119.88	23.01	626.45	207.06	0.33
313100	NSE042	32	33	9.07	1.75	100.04	82.30	16.55	64.85	14.03	3.76	22.48	3.53	23.87	5.89	17.32	2.15	13.10	2.14	243.19	18.41	615.19	337.42	0.55
313332	NSE046	33	34	11.65	3.05	63.33	292.36	17.34	65.78	12.23	3.48	9.89	1.32	7.29	1.23	3.68	0.51	3.51	0.48	27.68	26.08	510.10	59.06	0.12
313383	NSE050	33	34	5.87	3.82	140.73	100.85	35.04	123.05	23.31	5.93	17.35	2.45	13.77	2.51	6.62	0.95	6.22	0.86	74.92	33.74	554.57	131.58	0.24
313384	NSE050	34	35	7.61	2.32	121.38	85.87	24.40	93.08	18.21	4.87	19.54	2.92	18.31	3.53	10.17	1.39	9.66	1.40	121.66	24.54	536.36	193.43	0.36
313416	NSE051	34	35	8.29	5.72	887.79	113.14	179.41	653.17	133.93	34.53	132.55	19.41	107.65	20.39	49.74	6.66	38.26	5.15	554.95	19.94	2936.73	969.29	0.33
313415	NSE051	33	34	6.75	4.85	329.55	102.33	81.91	293.93	57.63	13.72	42.65	5.78	33.17	6.15	16.07	2.43	13.21	1.79	159.37	23.01	1159.68	294.33	0.25
313414	NSE051	32	33	7.41	4.01	112.35	156.62	30.32	111.27	21.45	4.79	14.41	2.03	11.88	2.11	5.48	0.75	5.03	0.67	53.21	23.01	532.39	100.36	0.19
313430	NSE052	40	41	6.89	2.85	96.99	69.40	14.68	60.54	13.57	4.00	26.86	4.26	31.10	7.59	23.33	2.87	16.97	2.84	384.78	23.01	759.77	504.60	0.66
313452	NSE053	38	39	10.30	2.17	201.13	92.87	42.29	159.79	33.86	8													

312736 NSE070	8	9	9.38	2.32	18.76	582.26	6.17	25.19	8.05	2.08	6.47	1.51	10.13	1.95	5.64	0.81	6.48	0.94	34.16	18.41	710.61	70.17	0.10
312723 NSE071	16	17	11.95	2.15	300.23	305.87	46.88	135.30	17.16	3.58	8.79	1.22	5.66	0.80	1.73	0.19	1.37	0.17	18.54	33.74	847.50	42.06	0.05
312717 NSE073	34	35	8.91	3.26	233.38	368.52	45.55	189.54	37.22	11.61	42.76	6.49	36.73	7.08	19.04	2.40	13.84	1.96	211.44	23.01	1227.54	353.33	0.29
312712 NSE073	29	30	6.79	2.57	148.94	280.08	35.76	138.80	24.47	6.72	19.42	3.14	16.70	3.52	9.91	1.34	9.35	1.41	102.86	32.21	802.42	174.37	0.22
312711 NSE073	28	29	7.25	2.61	156.57	293.59	39.87	151.05	26.79	7.18	20.92	2.99	16.35	2.80	7.26	1.01	6.71	0.89	63.88	26.08	797.83	129.97	0.16
312716 NSE073	33	34	7.29	2.69	112.82	214.97	25.49	102.06	18.79	5.60	17.64	2.83	14.52	2.76	6.85	0.93	5.80	0.81	72.51	21.47	604.37	130.24	0.22
312710 NSE073	27	28	6.65	2.40	99.92	205.14	27.06	104.62	17.16	3.89	10.72	1.66	8.71	1.66	5.18	0.74	5.69	0.77	38.86	29.14	531.80	77.89	0.15
312693 NSE074	24	25	7.19	1.72	101.68	472.93	26.70	111.62	22.79	6.16	22.13	3.39	20.20	4.36	12.18	1.76	11.27	1.60	110.86	21.47	929.64	193.92	0.21
312694 NSE074	25	26	6.13	1.56	88.54	373.43	25.01	102.18	22.15	5.88	21.38	3.66	22.21	4.57	13.26	1.85	11.73	1.65	121.15	18.41	818.65	207.34	0.25
312695 NSE074	26	27	5.93	1.47	77.87	181.80	21.75	89.11	18.55	5.35	19.08	3.14	19.22	4.31	12.52	1.80	11.09	1.63	132.07	19.94	599.30	210.21	0.35
312699 NSE074	30	31	5.29	2.33	115.52	67.56	22.23	94.01	16.52	4.53	20.11	2.66	15.15	3.54	9.67	1.23	7.50	1.05	134.61	19.94	515.90	200.06	0.39
312377 NSE075	26	27	11.55	1.81	202.89	291.13	26.10	66.60	6.95	1.23	3.56	0.42	2.26	0.33	0.86	0.13	0.72	0.14	7.62	27.61	610.93	17.27	0.03
312631 NSE079	22	23	11.30	2.73	75.88	321.84	20.36	64.50	13.05	2.88	8.26	1.40	6.59	1.08	2.68	0.40	2.56	0.34	20.70	36.81	542.51	46.89	0.09
312595 NSE082	22	23	8.31	2.77	84.67	280.08	22.71	76.63	15.48	3.77	12.51	1.93	11.09	2.16	6.22	0.95	6.14	0.92	58.03	23.01	583.30	103.72	0.18
312596 NSE082	23	24	7.73	1.67	75.41	281.30	20.60	69.75	15.13	3.95	12.39	2.05	11.76	2.49	6.56	1.06	6.52	1.03	62.23	18.41	572.24	110.04	0.19
312444 NSE091	37	38	9.27	2.10	124.90	82.18	41.08	178.46	40.82	11.01	37.46	5.28	30.30	5.35	14.18	1.86	12.64	1.77	130.80	26.08	718.09	250.66	0.35
312460 NSE093	33	34	4.98	2.24	64.27	118.79	15.10	59.37	12.00	3.58	15.91	2.56	17.16	3.84	11.55	1.64	8.89	1.32	165.09	29.14	501.06	231.54	0.46
312546 NSE094	33	34	12.55	1.93	280.29	352.55	48.57	174.96	36.87	9.00	35.04	4.94	27.20	4.59	11.95	1.55	9.44	1.26	126.23	24.54	1124.45	231.21	0.21
312545 NSE094	32	33	9.84	1.77	152.46	242.61	38.54	137.05	27.02	6.36	16.94	2.41	11.99	2.00	5.11	0.71	4.65	0.65	49.91	23.01	698.41	100.73	0.14
312561 NSE095	33	34	27.90	3.51	153.05	398.00	40.23	158.04	32.12	8.12	34.12	5.66	35.00	8.14	24.47	3.51	21.92	3.31	304.78	52.15	1230.47	449.02	0.36
312560 NSE095	32	33	17.85	2.39	127.25	405.37	38.78	158.63	32.82	7.60	26.74	3.69	21.52	4.44	11.78	1.77	10.75	1.57	135.88	33.74	988.59	225.75	0.23
312556 NSE095	19	20	8.95	3.16	166.53	398.00	34.19	118.97	21.97	4.97	15.33	2.21	11.53	2.04	4.68	0.65	4.09	0.61	48.76	18.41	834.55	94.88	0.11
312559 NSE095	31	32	9.23	2.11	128.42	330.44	35.76	136.47	26.09	5.50	17.81	2.38	12.11	2.02	5.42	0.70	4.12	0.53	49.53	24.54	757.28	100.11	0.13
312572 NSE096	31	32	13.05	3.21	115.28	257.96	24.65	83.75	17.39	4.01	13.37	1.89	10.99	1.71	4.55	0.63	4.17	0.57	39.49	49.08	580.42	81.39	0.14
312567 NSE096	18	19	11.90	4.07	12.55	400.46	6.09	24.38	8.64	2.09	8.08	1.63	10.23	2.06	5.97	0.83	5.04	0.77	52.32	21.47	541.15	89.04	0.16
301404 NSTAC001	43	44	10.21	4.11	110.94	254.28	27.06	97.51	18.55	4.68	16.06	2.43	13.91	2.51	6.29	1.01	6.01	0.77	73.65	0.00	635.67	127.32	0.20
301427 NSTAC002	59	60	9.00	3.91	171.34	336.58	39.64	145.33	29.68	7.73	28.29	3.96	25.97	4.91	15.03	2.25	14.50	1.91	138.42	0.00	965.55	242.97	0.25
301449 NSTAC003	71	72	8.33	1.74	187.88	56.51	35.87	129.35	27.73	8.68	34.38	6.48	41.04	8.77	26.68	4.02	23.25	3.14	304.78	0.00	898.56	461.22	0.51
301448 NSTAC003	67	68	15.54	2.55	152.58	79.85	46.99	178.46	37.47	9.08	26.84	4.79	27.22	5.32	14.32	2.41	15.12	2.14	135.88	0.00	738.45	243.11	0.33
301467 NSTAC004	55	56	7.17	3.90	256.37	99.50	184.34	641.04	142.51	42.29	48.14	28.75	64.64	44.86	17.61	10.90	5.72	1234.34	0.00	293.71	1609.95	0.55	
301466 NSTAC004	51	52	8.33	1.74	727.94	251.82	35.87	129.35	27.73	8.68	148.40	6.48	186.32	38.91	116.64	4.02	23.25	14.10	304.78	0.00	2024.28	851.57	0.42
301468 NSTAC004	59	60	10.11	1.79	142.49	66.33	49.33	175.31	36.94	12.26	32.41	9.42	43.68	9.35	28.24	6.83	41.14	3.78	528.28	0.00	1185.79	715.39	0.60
301469 NSTAC004	63	64	10.15	1.68	109.77	70.02	30.69	107.07	24.76	8.16	21.40	6.37	27.29	6.47	20.38	4.52	27.61	2.72	308.59	0.00	775.83	433.52	0.56
301470 NSTAC004	67	68	7.95	1.98	105.32	84.76	19.22	81.30	16.44	5.26	18.02	3.08	19.64	4.72	14.41	2.41	14.44	2.25	176.52	0.00	567.77	260.74	0.46
301531 NSTAC007	47	48	9.71	4.91	373.29	393.09	77.43	295.44	57.90	15.24	44.10	6.76	39.32	7.22	21.27	2.97	20.23	2.76	186.68	0.00	1543.71	346.55	0.22
301532 NSTAC007	51	52	8.33	3.15	91.12	110.56	18.87	82.70	16.72	5.15	17.78	2.87	18.80	4.08	12.68	1.78	12.13	1.75	132.07	0.00	529.06	209.09	0.40
301530 NSTAC007	43	44	9.42	4.35	92.06	249.37	20.90	74.07	13.28	3.12	8.63	1.23	7.44	1.32	3.73	0.57	4.17	0.59	30.48	0.00	510.95	61.28	0.12
301549 NSTAC008	35	36	11.21	2.94	6.33	565.06	1.58	6.07	1.68	0.48	2.29	0.33	2.43	0.52	1.91	0.31	2.63	0.38	12.70	0.00	604.70	23.97	0.04
301551 NSTAC008	43	44	8.76	3.52	113.76	116.70	22.56	90.98	18.65	5.61	18.86	3.40	23.58	5.04	16.08	2.40	17.84	2.64	144.77	0.00	602.86	240.22	0.40
301570 NSTAC009	39	40	8.76	2.77	92.65	72.48	20.02	76.98	16.07	4.67	18.27	2.91	19.79	4.55	14.66	1.88	13.31	2.19	163.82	0.00	524.24	246.04	0.47
301209 NSTAC012	43	44	6.27	5.48	304.69	429.94	66.90	254.15	52.44	13.65	51.99	7.22	45.05	8.29	25.12	3.54	21.21	2.76	234.93	0.00	1521.89	413.78	0.27
301208 NSTAC012	39	40	7.00	3.18	123.96	266.56	32.15	112.44	22.84	5.20	19.38	2.65	16.37	3.38	10.85	1.61	9.38	1.35	125.72	0.00	753.85	195.89	0.26
301210 NSTAC012	47	48	8.28	2.82	104.73	85.99	20.01	76.16	16.58	4.69	21.13	3.29	23.65	5.34	17.96	2.70	16.64	2.32	181.60	0.00	582.78	279.31	0.48
301277 NSTAC015	63	64	8.37	2.35	349.84	92.13	75.41	288.91	64.09	19.30	83.32	12.82	94.55	20.96	69.28	10.13	60.78	8.37	726.38	0.00	1976.29	1105.90	0.56
301292 NSTAC016	43	44	9.66	3.62	506.87	384.49	81.41	270.37	42.76	10.22	30.95	3.52	18.81	3.10	8.72	1.16	7.14	0.93	74.92	0			

311217	NSTAC032	26	27	10.85	6.46	274.43	705.10	103.66	468.89	104.71	23.78	95.90	14.35	88.37	15.81	44.25	6.00	40.88	5.17	403.83	16.87	2395.13	738.34	0.31	
NSTA32	24-25	NSTAC032	24	25	11.25	4.50	191.75	1510.93	50.26	219.28	46.96	9.81	36.88	5.68	31.10	5.05	13.26	1.75	10.91	1.34	114.54	30.68	2249.52	230.34	0.10
NSTA32	26-27	NSTAC032	26	27	11.25	4.83	185.30	458.19	65.84	310.26	70.97	15.15	63.28	10.19	62.43	11.74	33.96	4.83	32.34	4.63	323.82	16.87	1652.94	562.38	0.34
	311215	NSTAC032	24	25	13.70	3.95	172.40	942.18	39.87	163.29	33.74	7.04	26.86	3.95	22.72	3.80	10.03	1.27	8.55	1.08	87.50	26.08	1524.29	172.80	0.11
	311214	NSTAC032	23	24	12.20	3.44	130.76	863.57	31.05	127.14	24.47	4.83	17.58	2.49	13.94	2.30	5.92	0.82	5.26	0.71	54.10	30.68	1284.93	107.95	0.08
	311223	NSTAC032	32	33	9.84	4.85	72.36	203.91	15.59	62.52	13.62	3.78	23.86	4.22	34.77	8.04	25.84	3.07	20.78	3.17	340.33	26.08	835.89	467.89	0.56
NSTA32	33-34	NSTAC032	33	34	9.41	3.67	101.21	191.63	19.87	80.60	14.32	3.51	18.85	3.31	22.72	5.70	17.50	2.40	14.06	2.29	259.06	19.94	757.02	349.39	0.46
NSTA32	32-33	NSTAC032	32	33	9.10	4.31	63.92	178.12	13.41	54.82	12.29	3.36	19.59	3.70	28.46	6.78	22.13	2.97	17.88	2.82	295.89	21.47	726.14	403.59	0.56
	311218	NSTAC032	27	28	12.55	2.34	74.47	200.23	20.18	92.96	19.71	4.21	22.07	3.35	22.15	4.66	13.89	2.01	13.15	1.89	146.04	10.74	640.98	233.43	0.36
	311224	NSTAC032	33	34	9.33	3.09	92.06	158.46	17.88	69.52	13.10	3.21	17.00	2.75	20.54	4.89	15.15	1.80	12.01	1.82	202.55	16.87	632.77	281.74	0.45
NSTA32	27-28	NSTAC032	27	28	10.70	1.99	63.33	178.73	17.88	78.85	17.05	3.88	18.27	2.82	18.54	3.91	11.89	1.71	11.44	1.68	119.88	10.74	549.86	194.02	0.35
	311225	NSTAC032	34	35	10.50	3.19	78.34	138.20	15.65	59.02	10.75	2.77	12.04	2.00	15.03	3.54	11.34	1.35	8.45	1.11	179.69	24.54	539.28	237.33	0.44
NSTA32	34-35	NSTAC032	34	35	10.70	3.34	65.56	119.52	12.75	51.90	9.69	2.60	12.39	2.23	16.41	3.97	13.38	1.88	10.02	1.68	201.91	24.54	525.91	266.49	0.51
	311230	NSTAC033	21	22	5.08	2.10	221.07	179.35	43.13	164.46	33.98	8.98	35.27	5.29	33.28	6.68	19.21	2.76	18.33	2.68	177.15	19.94	951.62	309.64	0.33
	311231	NSTAC033	22	23	5.61	1.74	120.80	114.98	22.29	87.83	18.03	5.11	21.38	3.46	21.75	4.36	13.26	1.92	12.98	1.90	124.32	19.94	574.37	210.45	0.37
	311229	NSTAC033	20	21	3.62	1.33	100.51	172.59	25.37	93.19	19.07	4.69	15.68	2.41	14.52	2.81	8.18	1.30	8.56	1.16	66.03	23.01	536.07	125.34	0.23
	311253	NSTAC035	32	33	4.12	1.75	170.05	502.42	60.53	250.77	61.80	15.61	68.23	12.00	73.34	15.98	47.80	6.82	42.13	5.41	520.66	44.48	1853.55	807.98	0.44
	311254	NSTAC035	33	34	3.53	1.32	190.58	64.61	42.29	183.12	40.58	10.65	54.63	8.94	55.66	12.66	38.88	5.50	33.48	4.64	425.42	41.41	1171.64	650.46	0.56
	311255	NSTAC035	34	35	2.84	1.16	59.93	42.13	11.36	54.70	13.51	4.41	26.16	4.23	28.58	7.43	24.13	3.40	20.04	2.87	367.00	49.08	669.90	488.26	0.73
	311262	NSTAC043	56	57	7.25	1.32	301.40	57.37	72.13	324.25	74.79	19.78	106.16	16.41	99.96	23.02	71.35	10.08	63.43	8.89	821.63	36.81	2070.66	1240.72	0.60
	311263	NSTAC043	57	58	6.22	1.48	119.62	48.77	26.34	114.89	29.11	8.37	51.64	9.40	62.43	15.98	51.46	7.08	43.27	6.27	662.89	35.28	1257.50	918.78	0.73
	311368	NSTAC047	69	70	1.36	0.71	44.21	23.46	17.82	76.63	21.92	7.89	26.74	4.89	30.76	6.56	18.75	2.54	15.20	2.27	208.26	78.23	507.92	323.87	0.64
	311392	NSTAC049	41	42	7.17	1.59	71.07	502.42	23.80	103.57	25.74	4.15	20.98	3.63	22.55	4.52	13.44	2.10	13.15	2.07	102.23	19.94	915.43	188.83	0.21
	311429	NSTAC051	47	48	12.85	5.77	253.32	395.54	68.14	296.26	73.86	18.64	81.03	14.23	82.86	18.04	50.20	7.42	43.84	7.06	561.30	16.87	1971.75	884.62	0.45
	311428	NSTAC051	46	47	13.25	3.39	76.00	119.40	24.77	105.21	25.86	5.90	24.67	4.79	28.46	6.31	18.41	2.90	17.37	2.67	188.58	23.01	651.29	300.06	0.46
	311430	NSTAC051	48	49	12.45	1.96	60.52	106.87	15.10	61.47	15.65	3.52	19.48	3.93	25.36	6.11	17.72	2.76	17.08	2.73	208.90	13.80	567.21	307.60	0.54
	311434	NSTAC051	52	53	14.50	2.25	57.58	101.47	14.56	59.72	14.32	2.94	16.89	3.31	20.95	4.91	15.09	2.39	14.40	2.26	173.98	12.27	504.76	257.11	0.51
	311470	NSTAC054	62	63	2.98	1.77	308.44	428.71	66.45	254.27	49.40	16.01	61.09	11.40	67.02	12.14	30.42	3.73	19.98	2.30	378.43	41.41	1709.79	602.52	0.35
	311469	NSTAC054	61	62	3.14	1.58	116.22	188.56	30.81	110.22	20.47	5.96	21.21	3.89	22.27	4.26	10.90	1.39	7.30	0.92	132.70	36.81	677.08	210.80	0.31
	311471	NSTAC054	63	64	2.93	1.31	85.26	112.28	18.24	77.21	16.64	5.44	22.13	4.06	24.10	4.69	11.89	1.53	8.29	1.06	154.93	42.95	547.75	238.12	0.43
	310542	NSTAC056	42	43	5.13	2.85	125.49	148.64	23.86	97.63	24.81	7.70	47.49	8.77	66.80	17.76	54.66	7.18	51.13	7.57	637.49	23.01	1326.97	906.54	0.68
	309326	NSTAC056	42	43	4.66	2.56	129.01	116.82	23.38	100.89	24.00	7.38	45.76	8.57	64.96	17.24	52.83	7.61	44.41	7.38	626.06	21.47	1276.29	882.19	0.69
	309325	NSTAC056	41	42	4.19	3.26	142.49	383.26	38.66	165.63	38.96	9.26	40.46	6.75	42.81	9.08	24.36	3.76	22.32	3.25	238.74	21.47	1169.79	400.79	0.34
	310541	NSTAC056	41	42	4.03	2.51	124.90	245.68	31.90	129.47	31.42	8.19	38.50	6.62	42.58	9.45	27.67	3.88	28.24	3.91	269.22	18.41	1001.63	438.26	0.44
	309324	NSTAC056	40	41	4.48	4.35	102.27	375.89	34.07	145.21	31.89	6.75	27.78	4.19	26.40	5.29	14.47	2.09	12.30	1.71	134.61	30.68	924.90	235.57	0.25
	310540	NSTAC056	40	41	4.07	4.12	93.00	310.79	31.41	126.55	28.41	6.30	24.32	3.62	23.30	4.70	13.21	1.74	12.64	1.68	121.66	33.74	803.32	213.16	0.27
	309329	NSTAC056	45	46	30.30	4.76	104.14	195.93	22.89	89.23	15.89	3.76	10.87	1.53	8.21	1.74	5.05	0.62	4.07	0.73	67.05	27.61	531.70	103.62	0.19
	310560	NSTAC057	64	65	2.93	1.12	246.28	63.26	61.98	250.77	52.18	13.09	57.05	8.95	60.14	13.40	38.08	5.14	32.79	4.51	415.26	21.47	1322.90	648.42	0.49
	309337	NSTAC057	61	62	3.48	1.70	304.92	166.45	90.49	360.41	69.34	15.89	46.91	6.60	32.94	6.13	16.24	2.42	14.80	2.21	124.45	27.61	1260.20	268.59	0.21
	309340	NSTAC057	64	65	4.77	1.08	203.48	57.00	50.62	211.70	44.88	12.46	50.83	9.50	59.11	13.52	37.85	5.71	32.11	4.82	408.91	19.94	1202.49	634.82	0.53
	310557	NSTAC057	61	62	3.89	1.46	272.08	151.09	80.83	312.59	61.23	13.21	43.45	5.80	31.91	6.12	16.29	2.33	16.28	2.14	137.15	26.08	1152.50	274.68	0.24
	310558	NSTAC057	62	63	3.71	1.10	138.97	79.35	38.78	166.21	40.82	11.39	50.48	9.92	70.01	15.58	43.80	5.80	40.20	5.57	421.61	24.54	1138.49	674.35	0.59
	310561	NSTAC057	65	66	7.30	1.27	188.23	62.77	40.59	167.38	38.73	11.06	48.53	6											

310654	NSTAC061	41	42	5.63	3.28	98.04	111.05	33.10	140.55	36.99	11.49	46.80	9.41	67.14	15.24	47.91	7.82	51.24	7.65	449.54	33.74	1133.98	714.25	0.63
310652	NSTAC061	39	40	5.48	2.91	87.25	215.58	33.22	132.97	34.09	9.66	33.43	6.65	47.97	10.29	33.39	5.57	38.37	5.34	285.73	36.81	979.53	476.40	0.49
310651	NSTAC061	38	39	5.55	2.85	102.15	284.99	42.89	166.79	38.96	9.62	30.31	5.21	33.63	6.52	19.95	3.29	22.38	3.18	170.17	35.28	940.04	304.26	0.32
310656	NSTAC061	43	44	9.56	2.61	84.91	107.49	17.64	73.02	19.77	6.77	32.73	6.10	40.28	8.87	27.10	4.07	25.39	3.95	290.81	42.95	748.89	446.07	0.60
310655	NSTAC061	42	43	6.29	1.89	94.41	62.40	23.32	94.13	22.44	7.32	31.70	5.32	34.43	7.58	22.98	3.69	23.00	3.38	225.41	24.54	661.50	364.80	0.55
310658	NSTAC061	45	46	5.67	2.12	49.14	66.09	10.95	45.96	11.77	3.65	20.40	4.02	30.07	7.57	23.67	3.25	19.02	3.24	356.84	26.08	655.64	471.74	0.72
310650	NSTAC061	37	38	5.34	2.21	63.10	237.70	23.62	90.39	19.48	4.91	14.47	2.48	15.55	2.97	9.09	1.50	10.00	1.42	83.18	39.88	579.84	145.56	0.25
310657	NSTAC061	44	45	6.08	1.73	50.08	67.93	9.00	35.22	8.89	2.92	16.83	3.60	25.36	5.97	18.52	2.80	16.06	2.48	240.01	36.81	505.67	334.54	0.66
310737	NSTAC063	34	35	7.17	2.53	241.59	393.09	55.21	182.54	33.05	6.07	18.10	2.80	14.69	2.76	8.04	1.39	8.72	1.42	68.32	0.00	1037.79	132.31	0.13
310738	NSTAC063	35	36	5.87	2.74	212.27	298.50	48.45	167.38	29.22	5.61	18.44	2.83	16.70	3.41	10.89	1.90	12.53	2.14	94.73	0.00	925.00	169.18	0.18
310736	NSTAC063	33	34	7.31	1.80	195.85	441.00	35.40	110.46	19.07	3.59	11.24	1.76	9.42	1.66	4.68	0.71	4.46	0.65	37.72	0.00	877.67	75.89	0.09
311501	NSTAC067	48	49	8.86	2.60	131.94	175.05	35.16	142.30	31.19	8.79	38.38	6.80	43.27	10.17	29.04	3.97	22.66	3.71	369.54	6.14	1051.97	536.34	0.51
311500	NSTAC067	47	48	9.59	1.97	81.74	128.98	24.28	94.94	20.76	5.57	21.96	4.22	25.94	5.98	18.07	2.59	15.88	2.39	177.79	9.20	631.09	280.38	0.44
311498	NSTAC067	45	46	10.05	2.05	92.41	162.15	31.77	126.55	27.71	6.45	20.75	3.54	19.40	4.10	11.78	1.72	10.82	1.55	100.70	13.80	621.41	180.80	0.29
311499	NSTAC067	46	47	9.19	2.05	78.46	130.21	23.86	92.96	20.76	5.63	19.83	3.73	23.07	5.21	15.38	2.32	14.86	2.26	141.59	7.67	580.12	233.88	0.40
311502	NSTAC067	49	50	9.44	1.74	74.82	117.93	17.58	68.82	13.68	3.90	16.31	2.71	16.47	3.91	11.55	1.52	8.32	1.30	163.18	4.60	521.99	229.16	0.44
311525	NSTAC068	26	27	7.55	3.61	53.71	547.87	14.50	56.10	12.12	2.74	12.04	2.21	13.37	3.21	10.31	1.56	10.61	1.77	96.89	18.41	839.04	154.74	0.18
311524	NSTAC068	25	26	9.24	1.78	50.19	524.53	15.28	60.77	12.81	2.49	10.12	1.76	10.16	2.04	6.38	0.98	6.89	0.96	51.81	16.87	757.18	93.59	0.12
311527	NSTAC068	28	29	12.20	2.69	71.42	170.13	21.14	87.83	20.41	4.43	19.19	3.45	18.82	4.20	11.24	1.74	11.79	1.73	100.83	7.67	548.34	177.41	0.32
311641	NSTAC075	27	28	3.34	2.88	101.21	158.46	30.93	132.38	31.89	7.26	35.27	6.02	42.81	8.71	28.59	4.32	31.77	4.15	229.85	47.55	853.62	398.74	0.47
311642	NSTAC075	28	29	3.99	3.16	86.90	70.51	22.89	95.53	23.13	6.11	33.77	6.47	50.15	10.70	37.39	5.39	39.85	5.65	335.25	39.88	829.71	530.74	0.64
311640	NSTAC075	26	27	2.19	2.09	37.65	177.50	13.23	59.25	16.52	4.73	22.07	4.54	36.96	7.79	25.27	4.01	29.04	3.99	197.47	47.55	640.02	335.87	0.52
311639	NSTAC075	25	26	1.66	1.30	31.31	277.62	12.01	52.25	13.86	3.29	13.20	2.45	17.44	3.32	11.05	1.88	13.44	1.71	75.43	44.48	530.26	143.21	0.27
311704	NSTAC078	25	26	5.22	1.75	29.20	98.89	10.67	54.47	15.54	5.39	24.09	4.19	31.22	6.90	21.84	3.16	21.18	3.18	226.04	32.21	555.95	347.19	0.62
311737	NSTAC080	34	35	4.99	1.22	308.44	443.45	73.82	300.93	64.70	17.32	62.47	8.56	49.58	9.47	26.64	3.52	22.66	3.20	270.49	27.61	1665.26	473.92	0.28
311738	NSTAC080	35	36	5.00	1.20	149.53	86.11	31.77	131.22	28.99	9.26	39.07	6.50	44.19	9.59	28.93	3.94	24.25	3.74	328.90	29.14	926.01	498.38	0.54
311795	NSTAC082	53	54	4.00	1.36	104.96	216.81	26.58	116.52	29.22	8.29	31.58	5.70	36.04	7.64	23.67	3.54	21.64	3.41	241.92	87.43	877.53	383.43	0.44
311794	NSTAC082	52	53	4.78	1.34	82.92	185.49	22.23	101.94	25.28	6.94	26.74	4.79	32.94	6.76	20.53	2.99	18.50	2.75	206.99	84.36	747.79	329.93	0.44
311796	NSTAC082	54	55	3.68	1.29	50.43	102.82	12.99	58.79	17.22	5.24	24.55	5.07	36.61	8.48	26.64	4.29	27.67	4.29	293.35	78.23	678.43	436.19	0.64
311797	NSTAC082	55	56	3.56	1.31	68.14	134.51	17.58	83.16	22.67	7.04	28.70	5.08	33.63	7.01	21.27	3.12	19.93	2.92	220.33	61.35	675.09	349.03	0.52
311798	NSTAC082	56	57	3.68	1.42	45.15	88.32	11.70	61.82	18.44	5.79	22.65	4.14	28.81	6.15	18.30	2.82	17.59	2.59	168.90	70.56	503.16	277.73	0.55
308229	NSTAC084	37	38	18.05	2.75	224.59	218.04	48.57	187.79	42.32	11.34	51.98	8.96	57.38	12.89	37.62	5.55	32.34	4.86	443.20	21.47	1387.43	666.12	0.48
308227	NSTAC084	35	36	6.59	1.44	206.99	213.13	46.03	171.46	33.16	7.39	26.28	3.80	19.91	3.87	9.80	1.46	8.39	1.23	112.51	36.81	865.42	194.64	0.22
308228	NSTAC084	36	37	11.05	1.28	130.76	146.79	36.24	130.05	27.48	6.09	21.27	3.45	21.12	4.51	13.09	2.01	11.56	1.75	148.58	26.08	704.76	233.43	0.33
308230	NSTAC084	38	39	7.45	1.85	100.15	130.82	22.05	87.60	19.94	5.10	24.09	4.09	24.90	5.67	16.24	2.36	12.81	1.93	223.50	21.47	681.27	320.71	0.47
308247	NSTAC085	57	58	5.64	2.84	226.35	124.68	53.76	226.28	49.28	11.66	49.79	7.83	47.17	9.99	29.73	3.77	22.66	3.38	314.94	19.94	1181.27	500.92	0.42
308248	NSTAC085	58	59	6.00	2.63	156.57	356.24	41.68	167.38	35.25	10.23	37.46	6.25	40.74	8.12	24.70	3.73	22.87	3.84	1136.60	379.49	0.33		
308249	NSTAC085	59	60	5.21	1.92	80.69	251.82	22.47	93.31	18.96	4.53	17.12	2.56	15.78	2.77	8.68	1.22	7.05	0.99	67.18	19.94	595.13	127.88	0.21
308251	NSTAC085	61	62	4.88	1.79	94.88	77.63	21.75	96.23	20.64	5.88	23.86	3.52	26.05	4.97	15.49	2.48	13.95	2.26	140.96	19.94	550.55	239.42	0.43
308250	NSTAC085	60	61	5.29	2.06	102.85	85.87	33.59	124.80	27.95	7.30	23.40	3.27	19.22	3.20	8.84	1.36	8.20	1.19	72.38	23.01	523.41	148.36	0.28
308258	NSTAC086	27	28	5.22	3.95	180.61	974.12	44.70	173.79	38.27	10.20	44.03	7.49	55.66	12.14	39.79	6.13	38.03	6.06	387.32	27.61	2018.35	606.87	0.30
308257	NSTAC086	26	27	5.11	2.41	75.88	870.94	20.36	81.06	15.89	3.60	12.74	2.05	12.22	2.39	7.89	1.21	7.57	1.18	69.46	42.95	1184.44	120.32	0.10
308259	NSTAC086	28	29	4.68	2.79	110.24	347.64	29.12	110.81	23.19	6.00	24.09	3.95	30.07	6.35	21.55	3.28	19.70	3.38	212.07	21.47	951.44	330.44	0.35
308308	NSTAC091	19	20	6.84	1.93	130.76	534.35	42.89	163.88	37.92	10.18	25.59	4.30	24.22	4.42	12.98	1.95	13.						

308393 NSTAC097	26	27	4.60	2.97	110.36	465.56	26.70	114.42	24.70	7.07	25.70	5.07	35.00	7.74	23.10	3.68	24.14	3.41	195.56	24.54	1072.22	330.48	0.31
308391 NSTAC097	24	25	4.83	3.82	96.75	357.46	19.45	85.73	22.15	7.92	32.04	6.56	44.53	9.78	29.73	4.40	26.19	3.83	300.97	27.61	1047.51	465.96	0.44
308392 NSTAC097	25	26	4.73	3.59	64.03	491.36	14.44	61.12	15.54	5.74	22.53	5.38	39.37	9.13	28.13	4.11	26.87	3.83	236.20	27.61	1027.78	381.29	0.37
308387 NSTAC097	20	21	7.28	2.78	139.56	198.39	33.59	132.97	27.37	8.13	29.74	5.05	32.14	7.38	22.36	3.06	18.62	2.98	253.35	16.87	914.65	382.78	0.42
308395 NSTAC097	28	29	5.03	2.45	112.23	68.30	23.92	102.18	19.94	6.03	22.01	3.60	22.21	5.13	15.32	2.22	14.46	2.21	178.42	29.14	598.18	271.61	0.45
308398 NSTAC097	31	32	6.74	1.90	108.60	52.08	19.57	85.03	17.80	5.57	24.09	3.52	21.29	4.86	13.89	1.74	8.82	1.41	194.93	18.41	563.20	280.12	0.50
308388 NSTAC097	21	22	7.77	2.32	80.22	129.60	18.61	74.77	17.34	4.69	16.60	2.91	17.85	4.03	11.72	1.58	9.87	1.48	130.80	15.34	522.04	201.52	0.39
308408 NSTAC098	24	25	4.48	2.31	273.26	314.47	63.55	241.44	48.47	14.18	50.60	9.44	60.48	13.40	40.02	5.77	38.03	5.78	422.88	21.47	1601.77	660.59	0.41
308409 NSTAC098	25	26	4.45	2.57	196.44	341.50	42.89	160.38	38.50	12.12	47.03	9.73	66.68	15.81	46.88	6.76	43.38	6.90	554.95	23.01	1589.94	810.24	0.51
308413 NSTAC098	29	30	4.45	2.67	329.55	300.96	48.93	193.04	37.80	11.72	48.53	6.92	38.45	8.65	23.90	3.06	16.40	2.60	336.52	29.14	1407.02	496.74	0.35
308412 NSTAC098	28	29	3.97	2.69	252.15	233.40	46.88	184.87	34.56	10.13	39.53	6.10	36.96	8.47	24.59	3.30	18.79	2.90	327.63	23.01	1230.25	478.40	0.39
308407 NSTAC098	23	24	5.81	2.13	155.98	692.82	36.97	142.88	25.51	6.51	20.46	3.14	18.54	3.47	10.25	1.46	10.11	1.42	90.04	16.87	1219.55	165.39	0.14
308406 NSTAC098	22	23	5.71	2.13	202.30	355.01	44.22	167.38	30.73	7.39	23.40	3.73	19.85	4.02	10.69	1.60	10.01	1.49	117.34	13.80	999.15	199.52	0.20
308410 NSTAC098	26	27	3.96	2.21	134.87	152.32	29.48	116.64	25.28	8.20	33.08	6.50	43.38	10.34	30.76	4.32	27.21	4.22	363.19	23.01	989.80	531.21	0.54
308405 NSTAC098	21	22	6.59	2.62	226.93	197.16	47.72	177.29	32.70	8.19	27.66	4.27	23.30	4.74	12.81	1.78	11.16	1.66	145.40	15.34	922.77	240.97	0.26
308411 NSTAC098	27	28	4.54	2.18	135.46	134.51	27.43	107.19	19.83	5.65	19.71	3.01	18.76	3.96	11.34	1.62	9.68	1.56	141.59	24.54	641.30	216.89	0.34
308420 NSTAC099	23	24	8.66	2.37	153.63	209.44	39.27	143.47	31.42	8.00	26.97	4.52	26.74	5.37	15.38	2.18	14.01	2.13	156.83	7.67	839.36	262.13	0.31
308421 NSTAC099	24	25	8.70	2.59	158.32	188.56	39.39	142.30	30.03	8.05	26.74	4.48	26.51	5.32	15.27	2.22	14.18	2.10	156.20	7.67	819.66	261.06	0.32
308419 NSTAC099	22	23	8.52	2.38	126.66	179.96	33.10	121.30	25.28	6.96	21.44	3.58	20.72	4.20	11.84	1.76	11.08	1.68	116.58	7.67	686.14	199.83	0.29
308418 NSTAC099	21	22	8.90	2.80	110.71	250.59	30.08	112.44	22.67	5.83	17.52	2.87	16.12	3.15	8.87	1.29	8.67	1.32	90.54	9.20	682.68	156.19	0.23
308448 NSTAC100	41	42	3.45	3.92	250.97	439.77	55.21	211.12	40.93	11.89	37.34	6.49	40.51	8.21	24.01	3.44	22.32	3.21	222.23	36.81	1377.67	379.66	0.28
308449 NSTAC100	42	43	6.01	2.30	201.13	324.30	40.35	153.38	32.47	10.28	36.88	6.68	43.73	9.87	29.96	4.36	28.58	4.29	314.94	12.27	1241.20	489.57	0.39
308450 NSTAC100	43	44	6.70	2.11	91.95	133.28	16.01	64.85	14.44	4.80	18.85	3.12	21.12	5.11	15.61	2.30	14.97	2.44	190.49	13.80	599.32	278.80	0.47
308469 NSTAC101	46	47	5.59	2.66	206.99	307.10	28.15	111.27	21.39	6.55	32.96	4.56	31.22	6.71	20.87	2.60	15.37	2.34	328.90	12.27	1127.01	452.10	0.40
308468 NSTAC101	45	46	6.98	2.46	182.95	353.78	33.35	125.97	26.21	7.63	31.24	4.72	30.53	6.17	19.61	2.49	15.60	2.27	238.11	13.80	1080.62	358.36	0.33
308464 NSTAC101	38	39	7.40	4.47	164.77	319.38	30.20	113.84	21.92	5.65	21.09	3.27	19.80	4.04	11.49	1.74	10.97	1.63	110.61	18.41	840.40	190.28	0.23
308457 NSTAC101	31	32	16.30	3.95	168.29	356.24	36.97	127.14	21.86	5.51	16.54	2.47	12.57	2.03	4.83	0.66	3.85	0.48	51.05	21.47	810.47	99.98	0.12
308467 NSTAC101	44	45	7.01	2.61	140.15	310.79	30.57	114.42	22.50	5.80	20.11	2.96	19.17	3.61	10.95	1.53	10.73	1.50	113.28	13.80	808.05	189.64	0.23
308459 NSTAC101	33	34	10.95	2.67	135.46	298.50	30.20	107.31	19.25	4.96	14.29	2.11	11.03	1.83	4.48	0.66	3.84	0.49	43.68	30.68	678.10	87.38	0.13
308462 NSTAC101	36	37	9.42	3.70	112.47	226.03	22.47	81.65	15.65	4.13	14.23	2.33	14.46	2.98	8.52	1.21	7.97	1.07	81.91	18.41	597.08	138.81	0.23
308456 NSTAC101	30	31	17.40	4.00	110.24	228.48	23.98	83.75	14.84	3.53	11.38	1.76	9.31	1.60	3.72	0.54	3.36	0.44	37.84	19.94	534.78	73.48	0.14
308490 NSTAC102	57	58	6.07	1.58	95.93	33.90	16.55	63.33	18.03	8.10	40.11	9.14	70.35	16.67	51.57	7.26	46.23	7.27	631.14	10.74	1115.59	887.84	0.80
308491 NSTAC102	58	59	6.95	2.17	79.40	59.45	10.87	42.22	9.58	3.84	21.78	4.23	32.82	9.70	29.04	4.05	22.38	3.81	504.15	12.27	837.35	635.82	0.76
308489 NSTAC102	56	57	8.22	1.27	169.47	56.02	29.12	113.61	22.84	7.65	31.01	4.27	27.31	6.22	16.75	2.43	17.48	2.55	191.75	13.80	698.47	307.43	0.44
308484 NSTAC102	44	45	8.46	2.63	77.87	155.39	15.89	68.58	14.49	3.75	15.50	2.55	18.71	3.95	13.49	1.83	13.15	1.96	140.32	15.34	547.45	215.22	0.39
311936 NSTAC106	67	68	4.79	2.14	255.66	231.55	72.61	277.60	45.80	9.06	27.78	3.36	16.53	2.60	6.76	0.88	6.42	0.69	52.07	27.61	1009.38	126.14	0.12
311927 NSTAC106	38	39	6.77	1.75	27.21	345.18	8.20	32.66	9.09	2.89	9.64	1.83	11.99	2.52	7.09	1.12	7.87	1.01	56.38	16.87	524.69	102.35	0.20
311926 NSTAC106	37	38	6.59	2.07	13.25	389.40	5.91	22.86	9.54	2.65	8.53	1.66	10.02	2.00	6.54	1.01	6.38	0.88	43.43	18.41	524.06	83.09	0.16
311960 NSTAC109	56	57	5.53	3.48	3.64	600.69	2.96	16.21	8.30	2.73	11.70	2.96	22.84	4.66	16.81	2.58	19.36	2.66	98.67	70.56	816.78	184.98	0.23
311963 NSTAC109	59	60	8.70	1.70	88.19	255.51	22.53	88.06	17.34	3.92	14.18	2.22	13.60	2.66	8.03	1.11	7.46	0.99	85.85	26.08	611.64	140.01	0.23
311984 NSTAC111	58	59	11.05	3.11	275.60	325.53	54.25	220.45	48.47	12.18	58.90	10.73	65.99	15.41	46.77	6.13	38.83	5.78	591.77	26.08	1776.77	852.48	0.48
311983 NSTAC111	57	58	11.45	1.89	275.60	401.69	63.19	246.11	47.19	10.50	39.77	6.06	32.82	6.60	19.67	2.46	16.06	2.21	226.04	29.14	1395.95	362.17	0.26
311999 NSTAC113	23	24	8.19	2.71	449.17	293.59	120.82	468.89	105.40	27.44	103.62	22.41	141.74	29.55	88.62	12.05	79.03	10.72	825.44	23.01	2778.48	1340.62	0.48
311998 NSTAC113	22	23	14.70	2.30	395.22	177.50	93.75	355.75	76.53	18.01	69.27	12.06	67.94	13.57	39.91	5.57	37.12	5.21	402.56	21.47	1769.98	671.22	0.38
312000 NSTAC113	40	41	6.36	1.64	262.70	70.51	47.84	198.87	44.4														

310907	NSTAC141	27	28	5.95	2.91	91.59	183.03	26.10	113.96	31.19	8.56	34.81	6.33	42.81	9.54	28.93	4.42	30.52	4.67	304.78	27.61	921.24	475.37	0.52
310906	NSTAC141	26	27	6.30	2.33	99.80	190.40	28.75	124.22	30.03	7.22	26.86	4.13	24.68	5.15	14.52	2.26	15.94	2.23	152.39	27.61	728.58	255.37	0.35
310903	NSTAC141	23	24	7.25	2.54	60.52	314.47	18.48	82.93	20.06	4.68	18.79	2.94	18.02	3.70	11.55	1.74	12.18	1.77	114.29	32.21	686.12	189.66	0.28
310910	NSTAC141	30	31	6.81	1.71	95.11	108.84	24.53	113.02	28.76	8.15	34.92	5.47	31.10	6.20	16.58	2.42	13.78	2.05	167.63	18.41	658.55	288.30	0.44
310905	NSTAC141	25	26	5.26	2.42	79.75	204.53	24.89	106.49	26.67	6.31	23.51	3.69	21.81	4.51	12.64	1.96	13.44	1.89	125.59	27.61	657.68	215.36	0.33
310904	NSTAC141	24	25	7.34	2.93	58.17	256.74	16.85	74.65	18.55	4.54	18.38	2.88	17.85	3.71	10.73	1.66	11.31	1.63	108.96	27.61	606.60	181.64	0.30
310902	NSTAC141	22	23	5.31	2.05	58.29	302.19	17.52	76.05	19.07	3.81	14.58	2.25	12.74	2.51	7.11	1.11	7.69	1.08	69.46	27.61	595.45	122.33	0.21
310909	NSTAC141	29	30	5.67	1.94	54.89	76.78	14.38	66.02	16.93	4.73	22.53	4.19	28.81	6.61	20.41	3.12	17.71	2.85	218.42	23.01	558.37	329.38	0.59
310908	NSTAC141	28	29	4.22	1.95	63.10	84.88	17.28	78.38	19.48	5.56	24.78	4.27	26.63	6.08	17.38	2.70	15.60	2.41	178.42	19.94	546.94	283.83	0.52
310901	NSTAC141	21	22	6.69	1.90	57.11	257.96	16.37	69.63	16.18	3.46	12.45	1.76	9.93	1.90	5.13	0.80	5.56	0.77	51.30	29.14	510.33	93.07	0.18
310942	NSTAC142	25	26	17.40	7.74	118.45	695.27	33.59	137.63	38.96	5.05	41.03	8.02	54.52	10.84	34.31	5.17	31.09	4.21	260.33	18.41	1478.47	454.56	0.31
310935	NSTAC142	18	19	17.95	2.75	172.40	421.34	48.08	164.46	34.67	4.32	23.97	3.85	23.18	4.33	13.78	2.24	13.27	2.00	115.69	18.41	1047.58	206.63	0.20
310943	NSTAC142	26	27	14.50	3.61	85.03	412.74	21.81	92.61	25.05	2.92	29.39	5.05	34.66	7.11	22.64	3.35	19.13	2.82	203.18	10.74	967.48	330.25	0.34
310932	NSTAC142	15	16	31.50	1.76	148.36	312.01	37.09	132.38	29.57	3.90	22.36	3.78	21.86	3.89	12.64	1.80	12.13	1.82	114.29	18.41	857.88	198.47	0.23
310936	NSTAC142	19	20	13.75	2.02	128.42	286.22	33.22	115.36	25.16	3.14	19.83	3.25	19.74	3.99	12.46	1.87	11.84	1.77	109.59	16.87	775.87	187.49	0.24
310939	NSTAC142	22	23	14.90	1.99	117.16	218.66	28.51	106.96	25.63	2.97	20.80	3.43	20.83	4.24	13.21	2.01	12.53	1.77	122.67	15.34	701.38	204.47	0.29
310934	NSTAC142	17	18	14.35	1.73	104.26	233.40	28.15	99.84	21.39	3.04	17.87	3.08	19.85	3.84	12.35	2.10	12.24	1.96	113.91	18.41	677.28	190.24	0.28
310945	NSTAC142	28	29	12.50	2.18	108.48	161.53	23.08	92.73	23.54	2.74	26.86	4.19	25.48	5.23	15.78	2.35	13.04	1.86	157.47	12.27	664.36	255.00	0.38
310937	NSTAC142	20	21	15.45	1.99	100.98	210.06	25.85	95.88	21.80	2.49	18.90	3.38	21.98	4.42	14.07	2.25	13.78	2.02	124.58	15.34	662.43	207.87	0.31
310938	NSTAC142	21	22	14.80	2.02	97.57	183.03	24.65	90.51	20.29	2.66	18.21	3.18	21.12	4.38	13.09	2.06	13.44	2.05	121.53	13.80	617.76	201.71	0.33
310940	NSTAC142	23	24	12.65	2.06	96.05	181.19	23.26	92.73	21.68	2.64	20.52	3.36	21.98	4.32	13.61	2.04	12.53	1.73	119.75	15.34	617.38	202.48	0.33
310931	NSTAC142	14	15	34.40	1.68	95.58	208.21	24.16	85.96	21.51	2.69	15.85	2.79	16.64	3.16	9.99	1.39	9.22	1.44	93.08	16.87	591.70	156.27	0.26
310952	NSTAC142	35	36	11.55	2.10	74.47	160.31	19.15	74.77	18.09	1.86	16.77	2.92	18.54	3.68	11.44	1.80	10.36	1.54	99.94	7.67	515.62	168.84	0.33
310955	NSTAC142	38	39	11.50	2.33	78.46	163.38	19.63	78.38	17.74	1.97	16.42	2.66	17.67	3.37	10.52	1.61	9.85	1.43	91.56	7.67	514.66	157.06	0.31
310944	NSTAC142	27	28	11.35	1.94	70.84	85.74	18.30	76.40	17.80	2.17	20.40	3.33	22.04	4.64	15.32	2.31	13.95	2.10	147.94	9.20	503.28	234.20	0.47
310933	NSTAC142	16	17	16.75	1.70	71.89	160.31	19.21	66.48	16.29	1.97	13.77	2.35	17.22	3.38	11.00	1.83	11.79	1.73	103.75	16.87	502.96	168.78	0.34
310973	NSTAC143	13	14	13.90	2.39	194.09	452.05	58.23	218.70	49.98	11.14	50.95	8.49	46.83	8.72	23.67	3.25	22.77	3.15	227.95	24.54	1379.97	406.91	0.29
310975	NSTAC143	15	16	8.82	2.94	130.76	523.30	39.63	149.88	35.83	7.82	40.57	7.40	42.01	7.96	23.10	3.08	21.35	3.07	215.88	21.47	1251.65	372.24	0.30
310982	NSTAC143	22	23	7.38	2.37	202.30	288.67	52.19	198.87	41.40	9.02	44.72	6.88	37.19	7.01	20.01	2.87	18.45	3.00	208.26	16.87	1140.85	357.41	0.31
310978	NSTAC143	18	19	7.35	2.12	205.82	325.53	59.68	226.28	43.37	8.59	36.77	5.42	28.81	5.20	15.21	2.30	15.20	2.26	148.58	18.41	1129.01	268.33	0.24
310979	NSTAC143	19	20	7.39	2.35	114.70	398.00	36.49	136.47	27.95	5.73	26.28	4.74	28.35	5.26	15.72	2.28	15.88	2.42	135.24	18.41	955.51	241.91	0.25
310980	NSTAC143	20	21	7.17	1.96	111.53	299.73	31.29	123.05	25.74	5.42	26.51	4.40	26.51	5.09	14.47	2.16	15.94	2.34	139.05	16.87	833.24	241.89	0.29
310983	NSTAC143	23	24	7.07	2.25	137.80	171.36	34.55	139.97	29.68	6.33	35.85	5.85	33.40	6.36	19.10	2.76	19.70	2.95	183.50	19.94	829.15	315.79	0.38
310981	NSTAC143	21	22	6.74	1.62	131.35	257.96	35.04	131.22	28.06	6.23	27.20	4.30	22.95	4.51	13.15	1.87	13.04	1.96	119.62	15.34	798.48	214.85	0.27
310976	NSTAC143	16	17	8.04	2.32	88.43	300.96	25.13	96.34	21.63	4.45	24.90	4.63	28.12	5.44	16.18	2.44	17.14	2.51	150.48	21.47	788.78	256.30	0.32
310974	NSTAC143	14	15	8.50	1.81	85.96	218.66	25.61	94.01	22.15	4.92	26.16	4.99	30.30	6.05	17.84	2.73	19.13	2.89	172.07	21.47	733.46	287.07	0.39
310977	NSTAC143	17	18	7.14	2.41	76.46	250.59	21.32	80.71	18.61	4.06	22.59	4.54	28.58	5.76	18.30	2.47	17.82	2.83	163.82	18.41	718.47	270.76	0.38
310972	NSTAC143	12	13	10.45	1.83	98.63	183.65	27.18	97.39	21.39	4.69	21.09	3.61	21.69	4.23	12.46	1.87	13.04	2.00	120.13	24.54	633.07	204.82	0.32
310970	NSTAC143	10	11	10.45	1.55	100.27	182.42	25.37	91.09	18.96	3.97	18.33	3.34	20.14	3.91	11.72	1.87	12.98	1.73	108.45	19.94	604.55	186.44	0.31
311029	NSTAC144	25	26	7.88	2.23	115.87	195.32	31.05	131.22	28.99	5.64	25.93	3.82	19.22	3.80	10.57	1.60	9.54	1.36	108.20	29.14	692.13	189.69	0.27
311032	NSTAC144	28	29	7.22	1.78	80.22	155.39	21.51	95.76	21.86	3.83	21.84	3.54	20.95	4.57	13.21	1.99	12.64	2.00	133.97	16.87	593.27	218.54	0.37
311033	NSTAC144	29	30	6.67	1.79	50.19	107.98	14.14	65.08	16.70	2.80	19.13	3.72	23.64	5.34	15.21	2.16	14.40	2.33	160.64	18.41	503.47	249.38	0.50
311064	NSTAC145	15	16	6.12	2.13	190.58	319.38	52.31	215.78	41.16	6.51	26.86	3.34	16.41	3.45	9.69	1.51	9.78	1.51	104.00	12.27	1002.27	183.05	0.18
311063	NSTAC145	14	15	5.89	2.43	108.95	378.35	30.20	132.97	27.83	4.84	23.28	3.15</td											

311417	NSTAC163	31	32	2.12	1.80	73.30	638.77	35.28	178.46	43.83	10.46	43.80	6.88	48.55	10.50	34.99	5.16	37.92	5.23	353.03	53.68	1526.16	556.53	0.36
311416	NSTAC163	30	31	2.50	2.17	25.80	393.09	13.05	66.25	17.74	4.83	22.25	4.19	32.71	7.49	26.76	3.96	28.58	3.83	257.79	62.89	908.31	392.38	0.43
313136	NSTAC164	33	34	4.21	1.47	77.87	389.40	19.81	76.16	16.12	4.85	17.58	2.73	17.96	3.65	10.61	1.58	11.73	1.64	98.67	39.88	750.37	171.00	0.23
313141	NSTAC164	38	39	6.85	1.70	71.07	87.09	13.65	56.10	14.90	4.99	27.43	5.08	35.12	8.43	24.70	3.54	20.95	3.04	293.35	18.41	669.44	426.62	0.64
313137	NSTAC164	34	35	3.84	1.84	83.50	288.67	19.45	76.51	16.81	4.96	17.92	2.94	19.91	3.87	11.31	1.75	11.96	1.57	105.91	39.88	667.06	182.10	0.27
313134	NSTAC164	31	32	4.35	1.37	138.97	149.86	39.02	142.88	30.26	7.99	24.55	3.39	17.56	3.26	7.92	1.16	7.52	1.03	76.57	35.28	651.98	150.97	0.23
313132	NSTAC164	29	30	4.80	1.60	120.80	165.83	32.74	131.22	26.67	6.45	22.99	3.22	16.87	3.26	8.84	1.27	8.35	1.23	97.27	27.61	647.02	169.76	0.26
313139	NSTAC164	36	37	4.17	2.70	66.26	73.09	13.29	55.64	14.20	5.33	26.16	5.28	38.56	8.99	26.30	3.89	25.62	3.83	267.95	36.81	634.41	411.93	0.65
313135	NSTAC164	32	33	4.26	1.38	110.36	164.61	29.48	111.27	23.02	5.96	18.73	2.91	15.78	3.06	8.08	1.22	8.69	1.08	78.73	39.88	582.97	144.24	0.25
313138	NSTAC164	35	36	4.18	2.22	78.58	91.02	17.10	68.35	15.83	5.09	20.29	4.06	26.28	6.07	17.84	2.64	17.71	2.50	168.26	44.48	541.61	270.73	0.50
313185	NSTAC166	43	44	6.76	2.70	245.11	332.90	52.07	221.03	48.01	12.81	46.91	7.12	37.53	6.56	16.58	2.30	12.87	1.73	175.88	21.47	1219.39	320.28	0.26
313173	NSTAC166	31	32	25.70	2.88	126.66	321.84	34.31	130.63	29.80	4.72	32.73	5.81	40.51	9.69	29.62	4.21	25.17	3.91	344.14	30.68	1143.77	500.52	0.44
313172	NSTAC166	30	31	22.90	2.90	102.62	251.82	29.84	110.81	26.09	4.27	32.85	6.43	46.02	11.57	35.79	5.22	31.20	5.01	396.21	26.08	1095.75	574.58	0.52
313177	NSTAC166	35	36	11.15	1.84	113.17	262.88	30.69	119.55	26.55	5.77	23.74	4.03	23.41	5.01	14.58	2.24	14.46	2.13	168.26	15.34	816.49	263.64	0.32
313171	NSTAC166	29	30	23.60	2.36	74.00	196.54	22.53	81.53	19.83	3.25	22.71	4.43	32.94	7.98	25.61	3.97	26.30	4.23	287.00	24.54	812.87	418.43	0.51
313183	NSTAC166	41	42	5.90	2.16	138.39	273.93	28.63	115.82	26.67	8.06	26.05	4.16	22.95	4.47	11.66	1.54	9.51	1.36	130.80	24.54	804.02	220.57	0.27
313176	NSTAC166	34	35	9.60	2.14	101.56	218.66	25.49	95.99	22.44	5.37	20.80	3.86	26.28	5.70	18.52	2.88	19.70	3.00	191.12	18.41	761.39	297.25	0.39
313175	NSTAC166	33	34	13.70	2.28	104.96	238.31	25.49	93.54	21.16	4.69	19.54	3.60	23.53	5.33	16.52	2.66	17.76	2.72	175.88	24.54	755.70	272.23	0.36
313166	NSTAC166	24	25	39.60	2.02	63.33	165.22	16.49	62.17	15.19	0.81	20.92	3.98	29.04	7.24	22.18	3.08	18.16	2.72	243.82	15.34	674.35	351.95	0.52
313179	NSTAC166	37	38	7.86	2.34	120.21	240.77	28.03	105.79	22.90	6.75	19.02	2.94	15.90	3.05	8.26	1.21	8.16	1.08	80.26	26.08	664.31	146.62	0.22
313186	NSTAC166	44	45	4.81	2.27	137.80	115.35	21.99	93.89	20.76	5.97	24.55	4.06	24.79	4.96	13.09	2.00	11.79	1.68	157.47	15.34	640.14	250.36	0.39
313178	NSTAC166	36	37	9.38	1.47	95.35	217.43	24.40	93.31	19.54	4.72	18.15	2.98	18.31	3.69	10.82	1.60	10.61	1.61	113.66	13.80	636.17	186.15	0.29
313174	NSTAC166	32	33	18.15	2.48	78.22	224.80	19.57	73.72	16.12	2.69	14.41	2.40	15.26	3.45	10.29	1.58	10.77	1.73	123.82	38.35	598.82	186.39	0.31
313184	NSTAC166	42	43	7.29	2.17	81.16	222.95	18.91	79.08	16.93	4.72	16.54	2.99	17.73	3.60	9.98	1.58	10.13	1.41	105.40	27.61	593.11	174.08	0.29
313165	NSTAC166	23	24	22.80	1.64	37.41	115.59	9.06	37.21	10.11	0.61	15.73	3.36	23.87	6.29	19.27	2.70	15.83	2.41	212.07	13.80	511.52	302.14	0.59
313191	NSTAC167	60	61	5.85	2.60	330.72	628.94	82.40	334.75	68.30	15.67	57.86	9.66	54.74	10.15	25.39	3.92	23.80	2.89	242.55	19.94	1891.73	446.62	0.24
313192	NSTAC167	61	62	6.74	2.89	161.84	362.38	36.24	148.13	29.57	7.66	31.93	5.36	32.71	6.46	16.98	2.67	17.48	2.24	163.18	18.41	1024.84	286.68	0.28
313193	NSTAC167	62	63	6.31	2.05	59.69	110.06	14.56	58.55	14.49	3.64	16.71	3.53	25.25	6.12	18.92	2.99	19.24	2.48	208.90	16.87	565.15	307.78	0.54
313210	NSTAC168	59	60	5.17	2.38	489.05	201.46	87.47	347.58	72.24	19.27	90.94	16.70	109.95	25.09	71.47	11.30	69.01	9.39	918.14	19.94	2539.04	1341.25	0.53
313208	NSTAC168	57	58	7.67	2.35	50.19	525.76	13.23	48.75	9.55	2.40	8.97	1.74	9.80	1.90	4.77	0.79	4.98	0.65	45.46	18.41	728.94	81.46	0.11
313268	NSTAC170	29	30	8.93	3.56	487.87	335.35	117.31	465.39	95.08	24.13	92.56	14.64	92.39	18.79	56.83	8.11	52.15	6.39	612.09	18.41	2479.09	978.08	0.39
313269	NSTAC170	30	31	11.65	4.07	232.21	224.18	59.80	240.27	51.72	12.86	53.48	8.32	54.63	11.08	34.53	5.15	31.88	4.08	394.94	24.54	1419.15	610.96	0.43
313267	NSTAC170	28	29	8.51	2.92	261.53	262.88	77.81	286.93	54.85	12.06	37.92	5.88	32.36	5.74	16.87	2.43	16.11	1.75	163.18	16.87	1238.30	294.31	0.24
313271	NSTAC170	32	33	7.70	2.50	193.51	217.43	46.39	176.12	36.64	9.81	39.42	6.61	41.66	8.66	24.01	3.69	22.38	3.10	261.60	19.94	1091.04	420.94	0.39
313270	NSTAC170	31	32	7.94	2.55	202.89	226.64	51.35	191.29	41.16	9.77	36.19	5.75	33.05	6.08	17.21	2.54	16.00	2.12	174.61	16.87	1016.64	303.32	0.30
313273	NSTAC170	34	35	12.05	3.35	131.94	173.20	36.37	138.80	32.93	7.82	34.81	6.69	43.73	9.70	28.36	4.17	26.19	3.67	328.90	26.08	1007.29	494.05	0.49
313280	NSTAC170	41	42	10.30	1.84	171.81	273.93	41.32	145.21	28.53	6.63	21.15	3.43	17.96	2.83	7.03	0.99	5.82	0.67	65.53	19.94	792.85	132.05	0.17
313272	NSTAC170	33	34	9.12	2.75	86.67	112.40	23.14	88.88	22.44	5.65	27.20	5.55	37.64	8.49	26.30	3.87	24.37	3.40	298.43	21.47	774.42	440.90	0.57
313275	NSTAC170	36	37	11.00	2.01	138.97	173.20	36.37	129.47	27.02	6.17	25.01	4.34	26.17	5.10	14.35	2.10	12.13	1.74	161.91	23.01	764.05	259.02	0.34
313274	NSTAC170	35	36	8.71	2.38	102.50	153.55	28.39	106.26	23.42	5.76	23.86	4.40	28.23	5.90	17.04	2.57	15.60	2.14	200.64	21.47	720.27	306.14	0.43
313287	NSTAC170	48	49	6.55	1.41	152.46	97.53	28.39	114.31	25.16	6.54	30.08	5.09	28.35	5.77	15.55	2.07	12.53	1.57	172.71	23.01	698.11	280.26	0.40
313288	NSTAC170	49	50	5.57	2.27	100.04	75.06	15.83	67.30	15.36	4.62	27.43	4.50	29.73	6.74	19.38	2.59	14.40	2.32	261.60	16.87	646.90	373.32	0.58
313276	NSTAC170	37	38	10.45	1.62	107.07	152.94	27.30	99.96	20.47	4.71	17.64	3.14	17.39	3.30	8.97	1.27	7.78	1.10	94.48	19.94	567.51	159.77	0.28
313279	NSTAC170	40	41	7.10	1.53	111.53	197.77	26.94	90.63	18.21	3.90</													

313817	NSTAC177	28	29	5.06	1.65	219.89	218.66	64.64	267.10	53.57	11.61	40.46	5.88	32.71	6.08	16.87	2.63	15.49	2.31	138.42	19.94	1096.30	272.44	0.25	
313815	NSTAC177	26	27	6.44	1.59	84.44	678.08	32.62	121.30	26.44	4.79	14.87	2.33	12.28	2.26	5.97	0.94	6.80	0.89	46.22	24.54	1040.22	97.34	0.09	
313818	NSTAC177	29	30	4.98	1.58	148.94	101.96	29.72	114.07	28.06	7.54	41.03	7.56	49.92	12.09	36.82	5.87	35.53	5.84	388.59	18.41	1013.55	590.79	0.58	
313816	NSTAC177	27	28	5.98	1.68	117.04	188.56	41.92	163.88	33.74	6.21	21.09	3.42	17.79	3.40	9.58	1.46	10.64	1.49	80.13	21.47	700.36	155.22	0.22	
313812	NSTAC177	23	24	6.11	2.59	30.26	528.21	9.96	34.52	6.54	1.18	3.57	0.61	3.34	0.65	2.00	0.29	2.10	0.36	13.97	59.82	637.56	28.07	0.04	
313797	NSTAC178	49	50	8.14	2.74	289.67	138.20	77.81	306.76	64.70	17.10	64.55	10.24	62.20	12.09	33.05	4.73	31.54	4.17	313.67	21.47	1430.47	553.33	0.39	
313798	NSTAC178	50	51	26.50	5.74	255.66	203.91	58.23	240.27	48.70	13.49	50.02	7.02	37.99	7.87	20.24	2.91	17.65	2.60	197.47	29.14	1164.06	357.27	0.31	
313792	NSTAC178	36	37	5.80	1.98	22.99	567.52	4.00	13.41	2.68	0.59	2.05	0.38	2.41	0.54	1.78	0.32	2.32	0.38	12.57	24.54	633.94	23.35	0.04	
313791	NSTAC178	35	36	6.16	1.79	11.02	501.19	2.48	9.21	2.38	0.41	1.80	0.39	2.48	0.50	1.85	0.32	2.28	0.38	13.97	21.47	550.65	24.37	0.04	
313796	NSTAC178	48	49	14.85	3.46	92.41	179.35	23.20	89.11	17.28	4.08	15.04	2.41	15.21	3.25	8.90	1.27	80.77	29.14	542.56	141.22	0.26			
313703	NSTAC180	44	45	8.49	3.05	397.57	149.86	84.57	369.74	102.62	19.15	195.37	34.93	241.01	56.47	174.96	21.19	129.81	20.64	2425.51	53.68	4423.41	3319.04	0.75	
313702	NSTAC180	43	44	11.75	2.49	153.63	122.84	44.46	185.45	41.05	6.43	42.07	5.61	29.15	5.50	16.52	2.42	15.32	2.25	159.37	62.89	832.08	284.64	0.34	
313701	NSTAC180	42	43	12.40	3.00	85.73	165.22	26.82	118.39	26.90	3.81	22.01	3.42	19.17	3.72	10.75	1.68	11.44	1.67	84.96	67.49	585.69	162.63	0.28	
313695	NSTAC180	36	37	11.50	3.30	36.59	297.27	9.41	38.84	9.55	1.78	9.87	1.80	11.71	2.55	8.64	1.28	9.13	1.39	76.96	72.09	516.78	125.11	0.24	
313717	NSTAC181	34	35	4.72	2.78	258.01	624.03	103.78	523.71	142.05	31.56	190.76	31.29	196.83	41.58	126.36	18.05	112.96	15.98	130.08	0.00	21.47	3724.92	2073.35	0.56
313716	NSTAC181	33	34	4.97	2.63	209.93	519.61	84.21	403.57	88.94	16.41	91.06	13.53	73.11	14.38	40.82	5.87	36.44	4.88	426.69	19.94	2029.43	723.17	0.36	
313718	NSTAC181	35	36	5.92	3.04	126.07	291.13	46.27	222.78	57.17	13.09	79.88	14.35	95.83	21.65	69.87	10.56	68.32	10.43	750.51	24.54	1877.92	1134.49	0.60	
313721	NSTAC181	38	39	4.39	2.71	109.89	237.70	39.39	201.20	49.51	11.61	71.00	12.41	78.73	17.81	55.57	8.23	51.47	7.57	560.03	26.08	1512.12	874.44	0.58	
313720	NSTAC181	37	38	4.95	3.22	121.97	321.84	58.48	289.26	69.92	14.41	67.66	10.42	13.46	4.03	6.18	40.54	5.62	383.51	24.54	1507.67	646.20	0.43		
313715	NSTAC181	32	33	8.17	2.22	143.66	362.38	56.90	250.77	53.22	9.46	46.91	6.77	37.53	7.56	21.67	3.30	21.18	2.93	223.50	30.68	1247.76	380.82	0.31	
313719	NSTAC181	36	37	5.64	2.45	84.56	228.48	38.30	177.87	43.37	8.74	41.84	7.21	44.30	9.18	29.85	4.42	27.90	4.05	279.38	23.01	1029.43	456.85	0.44	
313725	NSTAC181	42	43	4.84	1.54	69.43	160.92	21.87	101.94	25.05	6.31	34.23	5.33	32.02	6.72	20.64	3.15	19.64	2.77	213.98	13.80	724.01	344.81	0.48	
313724	NSTAC181	41	42	7.55	1.59	55.35	146.18	13.95	57.15	15.31	4.37	23.74	4.48	30.07	6.78	20.93	3.05	19.98	3.02	223.50	16.87	627.88	339.93	0.54	
313722	NSTAC181	39	40	5.96	1.78	69.43	101.83	15.28	65.08	16.00	4.08	26.51	4.23	27.20	6.27	20.01	2.73	15.94	2.47	243.82	16.87	620.90	353.26	0.57	
313780	NSTAC182	53	54	69.50	6.27	139.56	275.16	35.40	129.47	23.19	5.80	19.36	2.49	14.98	3.08	8.83	1.21	7.82	1.23	97.78	27.61	765.37	162.59	0.21	
313771	NSTAC182	44	45	4.76	1.68	77.99	181.80	24.40	92.38	18.09	3.99	14.41	2.34	13.89	2.71	7.63	1.26	7.97	1.08	65.27	21.47	515.21	120.55	0.23	
313875	NSTAC214	29	30	7.20	2.06	64.97	267.79	18.18	69.40	16.58	3.89	12.62	2.28	14.35	2.93	7.94	1.29	9.11	1.21	53.97	16.87	546.51	109.58	0.20	
313876	NSTAC214	30	31	4.19	1.88	90.30	196.54	22.29	82.58	17.97	4.76	15.56	2.66	15.15	3.29	8.87	1.35	9.14	1.27	67.18	13.80	538.92	129.23	0.24	
313877	NSTAC214	31	32	4.53	1.64	66.03	199.00	16.25	61.93	16.18	4.07	15.45	2.68	16.70	3.51	10.13	1.46	9.71	1.42	80.38	13.80	504.90	145.51	0.29	
313773	NSTAC284	32	33	4.99	1.22	308.44	443.45	73.82	300.93	64.70	17.32	62.47	8.56	49.58	9.47	26.64	3.52	22.66	3.20	270.49	27.61	1665.26	473.92	0.28	
311738	NSTAC284	33	34	5.00	1.20	149.53	86.11	31.77	131.22	28.99	9.26	39.07	6.50	44.19	9.59	28.93	3.94	24.25	3.74	328.90	29.14	926.01	498.38	0.54	
313765	NSTAC286	46	47	10.20	2.01	158.91	115.72	38.78	137.05	28.64	7.47	26.28	4.15	26.28	5.53	16.70	2.38	15.60	2.43	174.61	26.08	760.53	281.43	0.37	
313766	NSTAC286	47	48	10.05	2.01	71.30	112.28	17.64	66.72	15.71	5.04	20.86	4.18	30.18	6.61	21.21	3.14	21.01	3.30	213.98	21.47	613.16	329.51	0.54	
313753	NSTAC287	34	35	8.65	1.70	120.21	44.96	17.10	66.95	15.71	5.85	36.88	7.25	50.96	13.23	40.94	5.30	31.77	5.37	581.61	21.47	1044.09	779.16	0.75	
313733	NSTAC289	38	39	12.60	3.58	347.14	385.72	48.69	111.51	12.00	2.49	5.27	0.80	4.01	0.70	1.93	0.32	2.69	0.36	11.81	42.95	935.43	30.38	0.03	
313731	NSTAC289	36	37	11.40	2.60	318.99	305.87	47.48	114.77	14.38	2.47	4.83	0.75	3.47	0.48	1.32	0.19	1.32	0.20	9.27	42.95	825.80	24.30	0.03	
313740	NSTAC289	53	54	7.64	2.34	136.63	65.97	32.50	124.80	28.41	7.91	33.54	5.70	34.77	8.10	23.10	3.21	22.09	3.53	253.98	26.08	784.24	395.94	0.50	
313739	NSTAC289	52	53	8.80	1.90	147.18	76.16	39.63	154.55	34.56	7.99	29.85	4.56	24.68	5.04	13.95	1.85	12.24	1.82	133.34	23.01	687.40	235.33	0.34	
313732	NSTAC289	37	38	13.20	3.17	261.53	260.42	37.69	88.18	10.44	1.54	3.80	0.65	3.22	0.58	1.64	0.24	2.05	0.25	8.89	47.55	681.13	22.87	0.03	
313734	NSTAC289	39	40	12.90	3.43	153.05	297.27	22.23	54.47	7.06	1.41	3.69	0.61	3.48	0.66	1.92	0.32	2.52	0.30	11.30	36.81	560.29	26.20	0.05	
313741	NSTAC289	54	55	6.06	2.36	64.62	56.87	12.44	49.45	11.31	3.37	16.54	3.27	23.30	5.81	17.38	2.54	16.57	2.64	215.25	27.61	501.36	306.66	0.61	
311795	NSTAC290	53	54	4.00	1.36	104.96	216.81	26.58	116.52	29.22	8.29	31.58	5.70	36.04	7.64	23.67	3.54	21.64	3.41	241.92	87.43	877.53	383.43	0.44	
311794	NSTAC290	52	53	4.78	1.34	82.92	185.49	22.23	101.94	25.28	6.94	26.74	4.79	32.94	6.76	20.53	2.99	18.50	2.75	206.99	84.36	747.79	329.93	0.44	
311796	NSTAC290	54	55	3.68	1.29	50.43	102.82	12.99	58.79	17.22	5.24	24.55	5.07	36.61	8.48	2									

311931	NSTAC303	37	38	2.21	3.47	109.77	215.58	27.91	122.47	27.48	9.06	33.08	4.23	25.25	4.28	11.95	1.42	10.13	1.32	110.35	70.56	714.29	211.08	0.30
311928	NSTAC303	22	23	3.20	2.97	103.44	239.54	28.75	107.42	21.45	6.35	19.02	2.62	16.01	3.00	10.54	1.35	9.09	1.32	86.23	87.43	656.13	155.52	0.24
311927	NSTAC303	21	22	2.57	2.49	89.60	191.02	24.89	94.83	19.07	4.72	15.73	2.21	14.98	2.82	9.05	1.23	9.06	1.46	77.72	73.62	558.38	138.98	0.25
311926	NSTAC303	20	21	3.19	2.75	77.64	160.92	21.44	86.55	17.22	5.01	15.56	2.40	17.85	3.37	10.28	1.42	9.82	1.52	92.07	73.62	523.05	159.29	0.30
311929	NSTAC303	23	24	4.23	3.87	66.73	149.25	19.81	80.36	15.71	4.84	16.94	2.69	17.67	3.60	12.12	1.60	11.96	1.80	110.35	87.43	515.44	183.57	0.36
312110	NSTAC307	27	28	20.70	3.62	198.20	402.92	52.68	183.12	33.16	6.25	20.34	2.85	14.40	2.18	5.35	0.66	3.96	0.49	48.00	24.54	974.57	104.49	0.11
312112	NSTAC307	33	34	6.78	4.96	120.80	400.46	29.84	121.30	24.70	5.56	21.78	3.73	21.12	3.85	10.94	1.44	8.39	1.21	102.99	24.54	878.10	181.01	0.21
312114	NSTAC307	35	36	5.89	3.58	94.64	227.25	24.53	93.43	18.50	4.89	19.94	3.56	23.07	4.63	14.75	2.09	14.01	1.86	132.07	19.94	679.22	220.88	0.33
312113	NSTAC307	34	35	5.43	4.40	74.82	271.48	18.85	77.91	15.77	4.20	17.58	3.15	21.00	4.06	12.12	1.62	11.67	1.56	120.01	18.41	655.79	196.96	0.30
312108	NSTAC307	25	26	13.85	3.50	98.51	289.90	27.79	94.83	18.21	3.26	11.26	1.71	10.40	1.67	5.10	0.72	4.79	0.52	45.34	29.14	614.00	84.77	0.14
312111	NSTAC307	32	33	10.35	2.81	141.91	251.82	26.70	94.48	17.51	3.98	11.99	1.72	9.58	1.44	3.84	0.55	3.35	0.45	33.65	26.08	602.97	70.56	0.12
312109	NSTAC307	26	27	13.40	3.84	106.37	264.11	31.77	108.59	20.29	3.56	11.41	1.71	9.42	1.44	3.92	0.61	3.54	0.41	34.41	27.61	601.56	70.43	0.12
312103	NSTAC307	12	13	6.05	1.99	60.63	173.82	12.87	53.89	13.05	3.36	16.31	2.78	18.13	4.36	13.78	2.02	13.72	2.08	144.13	15.34	534.93	220.68	0.41
312130	NSTAC309	17	18	4.74	2.44	81.51	289.90	22.83	99.49	23.08	6.15	25.93	4.00	27.77	6.17	18.70	2.76	18.67	2.38	187.95	19.94	817.30	300.49	0.37
312125	NSTAC309	0	1	7.97	2.13	143.08	233.40	32.50	113.14	19.42	5.40	14.93	2.21	12.34	2.12	5.91	0.67	4.66	0.58	66.67	18.41	657.02	115.48	0.18
312131	NSTAC309	18	19	5.41	2.78	71.89	147.41	18.79	79.66	18.50	5.52	23.17	3.68	29.61	6.04	20.18	3.03	20.15	2.73	204.45	16.87	654.81	318.57	0.49
312129	NSTAC309	16	17	4.53	2.06	78.69	183.03	21.51	93.31	19.54	4.93	19.13	2.85	19.97	3.75	12.64	1.67	12.35	1.60	128.89	23.01	603.86	207.78	0.34
312135	NSTAC309	22	23	6.42	1.82	108.60	136.97	26.82	108.47	22.09	6.66	20.57	3.25	19.51	3.76	10.91	1.39	8.65	1.41	99.56	13.80	578.62	175.67	0.30
312147	NSTAC309	34	35	3.60	0.97	85.96	304.64	22.59	73.13	11.94	2.53	7.49	0.99	6.15	1.24	3.30	0.42	2.70	0.41	32.51	29.14	556.02	57.74	0.10
312148	NSTAC309	35	36	4.13	1.32	128.42	187.33	32.62	108.47	19.94	4.41	11.53	1.58	8.68	1.68	4.08	0.63	3.77	0.53	38.99	44.48	552.66	75.88	0.14
312136	NSTAC309	23	24	6.96	1.86	97.93	68.42	21.26	92.73	18.50	5.99	23.17	3.65	22.61	4.38	12.24	1.58	9.95	1.54	124.83	13.80	508.76	209.92	0.41
312474	NSTAC310	29	30	8.50	2.36	87.02	292.36	27.55	110.22	23.08	5.29	18.73	3.15	18.48	3.57	10.67	1.54	9.42	1.23	94.73	18.41	707.04	166.82	0.24
312471	NSTAC310	26	27	8.37	2.25	106.72	218.04	34.31	127.14	23.42	4.77	16.48	2.46	12.57	2.45	6.75	0.88	5.58	0.83	64.13	21.47	626.53	116.89	0.19
312472	NSTAC310	27	28	8.27	2.10	87.72	223.57	27.06	106.14	22.73	4.99	18.27	2.88	16.24	3.32	9.82	1.29	8.11	1.17	84.45	19.94	617.76	150.54	0.24
312473	NSTAC310	28	29	7.33	1.94	99.22	172.59	25.98	109.52	23.02	4.77	19.31	3.07	17.62	3.61	10.10	1.48	9.20	1.39	106.80	16.87	607.66	177.34	0.29
312475	NSTAC310	30	31	7.06	1.88	94.06	161.53	24.65	99.84	21.10	4.95	18.79	3.06	16.53	3.44	10.05	1.40	8.55	1.17	97.53	18.41	566.65	165.47	0.29
312476	NSTAC310	31	32	6.55	2.02	60.98	135.12	13.83	56.69	13.10	3.30	15.96	2.91	18.76	4.67	14.92	1.90	12.41	2.04	179.69	16.87	536.30	256.57	0.48
312470	NSTAC310	25	26	9.40	2.28	80.10	214.97	21.99	78.96	14.78	3.17	11.38	1.76	9.92	2.23	6.78	0.85	5.12	0.66	79.75	33.74	532.42	121.62	0.23
312162	NSTAC313	44	45	16.45	6.46	97.57	792.32	22.35	81.18	16.93	4.49	14.06	2.25	13.31	2.44	6.62	0.79	4.79	0.67	65.15	18.41	1124.93	114.58	0.10
312161	NSTAC313	35	36	13.45	6.52	67.20	717.39	15.95	58.09	11.11	3.06	9.94	1.53	10.08	1.99	6.05	0.83	5.91	0.76	61.84	23.01	971.73	102.00	0.10
312057	NSTAC315	33	34	4.85	2.52	185.88	288.67	41.08	149.30	36.18	10.22	50.60	7.76	51.07	10.72	33.62	4.72	34.62	4.87	377.16	15.34	1286.47	585.36	0.46
312056	NSTAC315	32	33	4.93	1.86	224.59	334.12	58.96	215.20	43.72	10.54	37.69	5.06	30.76	5.43	17.21	2.52	18.96	2.66	145.40	18.41	1152.82	276.24	0.24
312054	NSTAC315	30	31	5.95	2.26	173.57	449.59	57.51	199.45	38.03	7.89	24.20	3.22	17.79	3.10	8.91	1.32	10.78	1.32	69.46	23.01	1066.17	148.01	0.14
312055	NSTAC315	31	32	5.73	2.31	182.95	305.87	46.76	176.12	34.56	8.14	30.66	4.56	29.15	6.19	20.24	2.94	23.34	3.32	188.58	18.41	1063.38	317.12	0.30
312058	NSTAC315	34	35	5.57	2.80	126.07	138.81	24.65	88.76	20.81	6.84	32.16	5.34	34.66	7.62	24.13	3.41	22.03	3.71	340.33	15.34	879.34	480.23	0.55
312066	NSTAC316	29	30	6.54	1.90	235.73	361.15	54.13	205.87	37.34	9.17	37.23	5.08	32.02	5.56	15.89	2.08	15.09	2.15	153.66	19.94	1172.13	277.93	0.24
312065	NSTAC316	28	29	6.65	1.78	182.37	375.89	50.62	177.29	34.09	7.36	28.47	3.80	22.44	4.06	11.19	1.35	10.41	1.39	105.91	19.94	1016.63	196.37	0.19
312078	NSTAC316	45	46	4.69	2.17	92.77	507.33	23.08	86.66	24.81	5.33	24.09	4.82	33.51	6.45	21.21	2.96	22.20	2.98	152.39	21.47	1010.59	275.94	0.27
312077	NSTAC316	44	45	4.38	2.12	69.31	491.36	16.37	63.68	18.15	4.09	17.58	3.79	25.82	5.12	17.32	2.55	17.65	2.42	130.16	15.34	885.38	226.51	0.26
312067	NSTAC316	30	31	5.17	2.56	87.72	367.29	22.17	78.03	20.06	4.78	21.90	3.86	26.40	5.35	17.27	2.49	18.33	2.40	155.56	21.47	833.61	258.34	0.31
312069	NSTAC316	36	37	5.07	1.78	143.08	244.45	35.88	132.97	24.70	5.33	22.94	3.28	19.97	3.64	11.55	1.64	11.90	1.52	112.77	18.41	775.62	194.54	0.25
312068	NSTAC316	31	32	6.60	1.70	103.09	298.50	24.40	87.95	16.35	5.07	19.13	3.01	21.46	4.36	14.01	1.99	14.86	2.19	135.88	16.87	752.25	221.97	0.30
312075	NSTAC316	42	43	5.38	1.92	61.34	393.09	13.77	50.04	11.60	3.18	13.37	2.62	18.02	3.40	10.47	1.51	12.18	1.64	72.64	15.34	668.87	139.03	0.21
312074	NSTAC316	41	42	5.47	2.49	36.12	393.09	9.10	33.71	7.99	2.76	11.20	2.29	16.18	3.17	11.13	1.43	12.47	1.98	7				

311487	NSTAC322	28	29	9.12	5.70	60.98	155.39	18.00	94.36	26.90	7.99	42.53	8.41	62.78	14.09	48.26	6.66	44.52	6.03	444.47	30.68	1041.37	685.73	0.66
311494	NSTAC322	35	36	20.30	3.14	87.84	100.73	18.12	90.63	22.61	7.20	39.88	6.47	44.19	10.10	32.93	4.21	26.30	3.88	394.94	10.74	890.04	570.11	0.64
311489	NSTAC322	30	31	6.69	3.07	112.00	143.11	21.75	97.39	20.70	5.08	24.78	4.22	30.30	6.84	23.56	3.20	20.67	2.92	234.93	23.01	751.44	356.49	0.47
311491	NSTAC322	32	33	6.02	2.55	16.18	35.62	5.00	30.09	10.33	3.74	22.82	5.19	39.71	9.78	34.19	4.47	29.83	4.17	365.73	13.80	616.87	519.64	0.84
311493	NSTAC322	34	35	7.29	2.45	27.09	89.92	7.94	39.54	11.65	4.28	23.86	4.53	34.89	8.02	26.87	3.61	23.57	3.37	288.27	13.80	597.40	421.26	0.71
311490	NSTAC322	31	32	6.62	2.22	34.60	62.65	9.52	49.34	13.10	3.95	19.36	3.86	27.77	6.54	23.21	3.14	20.78	3.00	247.00	12.27	527.82	358.61	0.68
311488	NSTAC322	29	30	7.55	3.70	25.45	64.25	8.77	49.69	15.13	4.41	22.48	4.18	30.99	7.00	22.98	3.13	21.35	2.87	226.68	27.61	509.34	346.06	0.68
311641	NSTAC323	25	26	3.34	2.88	101.21	158.46	30.93	132.38	31.89	7.26	35.27	6.02	42.81	8.71	28.59	4.32	31.77	4.15	229.85	47.55	853.62	398.74	0.47
311642	NSTAC323	26	27	3.99	3.16	86.90	70.51	22.89	95.53	23.13	6.11	33.77	6.47	50.15	10.70	37.39	5.39	39.85	5.65	335.25	39.88	829.71	530.74	0.64
311640	NSTAC323	24	25	2.19	2.09	37.65	177.50	13.23	59.25	16.52	4.73	22.07	4.54	36.96	7.79	25.27	4.01	29.04	3.99	197.47	47.55	640.02	335.87	0.52
311639	NSTAC323	23	24	1.66	1.30	31.31	277.62	12.01	52.25	13.86	3.29	13.20	2.45	17.44	3.32	11.05	1.88	13.44	1.71	75.43	44.48	530.26	143.21	0.27
311527	NSTAC324	37	38	5.09	3.71	150.11	189.79	35.16	150.46	31.31	9.18	32.96	4.68	25.02	4.88	13.21	1.86	10.86	1.61	158.74	29.14	819.84	263.01	0.32
311612	NSTAC325	28	29	5.30	2.46	143.66	184.87	52.80	225.11	48.12	11.61	41.03	6.02	33.97	6.16	18.58	2.70	17.59	2.51	170.17	7.67	964.92	310.35	0.32
311611	NSTAC325	27	28	4.53	1.91	102.73	404.14	33.59	130.05	26.44	5.93	19.08	2.89	16.41	3.20	9.69	1.42	10.00	1.34	82.04	7.67	848.94	151.99	0.18
311610	NSTAC325	26	27	4.02	2.48	88.08	525.76	24.53	89.23	17.10	3.51	11.58	1.71	9.61	1.79	5.24	0.80	5.39	0.76	43.05	12.27	828.12	83.43	0.10
311613	NSTAC325	29	30	10.80	1.62	59.11	144.34	18.42	74.07	17.28	5.05	20.98	4.13	29.61	7.04	23.56	3.57	23.46	3.42	244.46	9.20	678.49	365.28	0.54
311609	NSTAC325	25	26	7.62	2.81	165.95	240.77	28.51	87.36	14.15	2.94	9.16	1.33	6.99	1.28	3.62	0.57	3.51	0.45	30.22	18.41	596.82	60.09	0.10
311615	NSTAC325	31	32	7.59	2.44	72.95	56.14	13.47	59.95	13.05	4.13	20.92	3.52	22.90	5.33	16.52	2.15	12.35	1.91	229.22	12.27	534.49	318.94	0.60
311589	NSTAC326	30	31	10.80	3.25	453.86	560.15	84.09	243.77	34.90	6.61	21.09	3.09	16.64	2.99	8.54	1.22	7.47	1.00	80.77	19.94	1526.21	149.43	0.10
311590	NSTAC326	31	32	9.23	4.34	93.00	386.95	40.96	187.79	44.88	10.84	42.99	6.82	38.68	7.10	21.04	3.08	19.59	2.64	186.04	18.41	1092.39	338.82	0.31
311588	NSTAC326	29	30	15.45	3.75	268.56	407.83	52.07	153.38	22.96	4.46	14.98	2.14	12.22	2.46	7.20	1.08	7.16	1.03	69.97	23.01	1027.53	122.73	0.12
311597	NSTAC326	42	43	54.70	1.93	212.27	363.61	34.31	114.07	14.55	1.90	10.93	1.33	6.74	1.26	3.46	0.48	3.02	0.41	39.87	6.14	808.21	69.40	0.09
311560	NSTAC327	37	38	5.77	2.17	44.21	61.17	11.32	54.82	16.81	5.47	32.73	6.14	46.94	11.27	39.57	5.46	38.72	5.74	453.35	18.41	833.73	645.39	0.77
311559	NSTAC327	36	37	7.09	2.21	63.33	89.30	18.97	96.81	25.05	6.17	28.82	4.36	28.58	5.92	19.10	2.78	19.98	2.82	202.55	18.41	614.54	321.08	0.52

## APPENDIX 2.

### List of holes with depths and collars for Reverse Circulation (RC) drilling >500ppm cut off grade

Hole_Id	MGA_North	MGA_East	Total Depth	Azi_Mag	MGA_GridID	SurveyMethod	Prospect	RL
23NSTRC022	588895	6975321	71	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC023	589143	6975293	71	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC024	589417	6975339	68	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC030	586509	6974411	95	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC032	586807	6974416	35	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC033	586944	6974412	29	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC039	587845	6974396	54	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC040	587994	6974398	54	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC043	588463	6974411	54	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC044	588595	6974399	48	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC046	588898	6974391	54	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC047	589046	6974416	66	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC048	589148	6974463	66	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC051	589658	6974392	42	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC053	589963	6974428	60	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC054	590056	6974426	72	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC055	590257	6974428	78	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC056	590400	6974415	84	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC057	590562	6974403	72	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC058	586427	6973498	84	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC061	587195	6973495	60	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC062	587405	6973500	60	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC063	587622	6973491	54	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC070	589431	6973558	60	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC071	589620	6973571	66	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC072	589914	6973466	60	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC075	590676	6973505	90	90 MGA94_50	GPS Averaged Position	North Stanmore	450	
23NSTRC076	589577	6973580	150	90 MGA94_50	GPS Averaged Position	North Stanmore	450	

## APPENDIX 3.

### JORC Code, 2012 Edition – Table 1

#### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>Victory Metals Australia (ASX:VTM) completed <b>3 diamond drill holes</b> for 1029.9m at North Stanmore during the period November-December 2022. (22VDD01- 22VDD03)</li> <li>Victory Metals Australia also completed <b>50 vertical RC holes</b> for 3139m at North Stanmore during the period January – March 2023.</li> <li>The diamond drilling was used to obtain diamond core (NQ &amp; HQ diameters) from which selected intervals were sampled.</li> <li>Diamond core was compacted, orientated, and marked up based on 1 metre intervals or geological boundaries by VTM geologists.</li> <li>A core orientation line was drawn on the core to mark the bottom of hole on marks provided by the drillers.</li> <li>Selected sample intervals were marked up by VTM's core logging geologist. Selected sample numbers were drawn on the core by VTM geologists.</li> <li>A cut sheet was prepared for core cutting and listed sample numbers with intervals for each sample.</li> <li>After logging and several other studies were completed by geologists, the Core was then packed and prepared for transport to Australian Core Services (ACS), part of the ALS group in Perth, for cutting.</li> <li>The core was cut in half along a cut line, marked 1 cm above the core orientation line.</li> <li>After cutting of the core for sampling, as determined by the provided cut sheet, samples were collected and bagged by ACS. Part metre core cut if mineralisation is recognised. Numbered bags were provided to ACS by VTM.</li> <li>Diamond Core was cut using an 'Almonte' Core Saw. Diamond core sampling is <math>\frac{1}{2}</math> core.</li> <li>Duplicates every 30 samples and cut to <math>\frac{1}{4}</math> core. Primary sample at duplicate section is also <math>\frac{1}{4}</math> core.</li> <li>Barren intervals of core not prospective or unlikely to contain anomalous assays or alteration minerals were not sampled.</li> <li>Sampled intervals and widths would vary, depending on what was being sampled. Hence sample weights would vary from 300 grams to 3 kgms.</li> <li>Sampled intervals averaged 0.8m long.</li> </ul>

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> <li>Core that was not sampled was left in the core trays and stored at the company's storage facility in Cue for reference.</li> <li>Quality control of the assaying comprised the insertion of industry (OREAS) standards (certified reference material) every 25 samples and blanks (beach sand) every 30 samples.</li> <li><b>RC drilling</b> samples were collected as 1m samples from the rig cyclone and placed on top of black plastic that was laid on the natural ground surface to prevent cross contamination in separate piles and in orderly rows.</li> <li>A handheld pXRF analyzer (Olympus Vanta) was used to determine anomalous REE (Rare earth element) geochemistry from the on ground 1m sample piles.</li> <li>Anomalous Samples were collected using a handheld trowel and placed into calico bag weighing 2-3 kgms, ready for transporting to the assay lab for analysis.</li> <li>REE anomalism thresholds are determined by Victory Metals geologists based on historical data analysis.</li> <li>During December 2022 a <b>Down-hole Electromagnetic (DHEM) campaign</b> was completed over the North Stanmore project within E 20/871 for Victory Metals Ltd (VTM).</li> <li>The survey was completed by SGC Field Services.</li> <li>The objective of the DHEM survey was to identify potential basement conductors associated with the discrete magnetic anomaly previously identified as an igneous alkaline intrusion.</li> <li>The DHEM campaign consisted of two logs (22VDD02 and 22VDD03) using a single transmitter loop.</li> <li>DHEM surveying was completed using the DigiAtlantis B-Field sensor at 10 m intervals down-hole.</li> <li>A single 200 x 300 m loop was used for both DHEM logs, centred to the west of the drill collars and designed to couple (intersect) with vertical to westerly dipping lithology.</li> <li>Both holes, 22VDD02 and 22VDD03, were successfully surveyed to EOH.</li> <li>Hole 22VDD01 was too steep (-85°) to provide reliable downhole survey data.</li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so,</i></li> </ul>	<ul style="list-style-type: none"> <li><b>Diamond drilling</b> (Rig 22) supplied by Orlando Drilling Pty Ltd of Perth, WA.</li> <li>The rig was an Atlas Copco CT14 Track Mounted machine with a Cummins B-series engine. It has a depth capacity of 1000m NQ.</li> <li>Core was obtained from surface, without pre-collars.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>by what method, etc).</i></p>	<ul style="list-style-type: none"> <li>• Both HQ (triple tube) &amp; NQ2 core was obtained.</li> <li>• Core surveys employed a downhole Gyro making continuous readings every 10m.</li> <li>• Core was orientated using a standard orientation tool.</li> <li>• <b>RC drilling</b> was supplied by Orlando Drilling Pty Ltd of Perth, WA. RC is a compressed air drilling method that uses a 5.5-inch drill bit face hammer with 6m rods. Rig was mounted on a Mercedes 8x8 truck with a Schramm 685 using a 1350 cfm/500 psi onboard compressor. Booster was occasionally used and was a Hurricane 2100 cfm/1000 psi compressor.</li> <li>• Regularly inspected drilling rigs with automatic rod handlers, with fire and dust suppression systems, mobile and radio communications, qualified and ticketed safety trained operators and offsiders are required by Victory's OHS systems.</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse grained material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Diamond core collected in standard plastic core trays, photographed and logged on site by VTM field staff.</li> <li>• Core trays, containing unsampled whole core, remain onsite at VTM's facilities.</li> <li>• Core recovery was variable.</li> <li>• Representative RC samples collected as 1-meter intervals, with corresponding chips placed into chip trays and kept for reference at VTM's facilities.</li> <li>• Most samples were dry and sample recovery was very good.</li> <li>• No defined relationship exists between sample recovery and grade. Sample bias due to preferential loss or gain of fine or coarse material has not been noted.</li> <li>• VTM does not anticipate any sample bias from loss/gain of material from the cyclone.</li> </ul>
<b>Logging</b>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Diamond core is geologically, structurally, and geotechnically logged with full orientation and detailed photography.</li> <li>• These studies were completed on all core, using standard industry logging software on a notebook computer.</li> <li>• Core recovery is calculated based on average 3m runs. Entire diamond core logged including mineralisation and country rock.</li> <li>• Geological logging, sample intervals recording, RQD calculations, structural measurements,</li> <li>• Core Logging is qualitative in nature.</li> <li>• All RC samples have been logged for lithology, alteration, quartz veins, colour, fabrics.</li> <li>• Logging uses standard industry logging software on a notebook computer.</li> <li>• RC Logging is qualitative in nature.</li> <li>• Samples have not been photographed.</li> <li>• All geological information noted above has been conducted by a competent person as recognized by JORC.</li> </ul>

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> <li>Representative RC washed sample chips placed into chip trays and kept for reference at VTM's facilities.</li> <li><b>DHEM surveying and Logging</b> was completed using the DigiAtlantis B-Field sensor at 10 m intervals down-hole.</li> <li>A single 200 x 300 m loop was used for both DHEM logs, centred to the west of the drill collars and designed to couple (intersect) with vertical to westerly dipping lithology.</li> <li>Both holes, 22VDD02 and 22VDD03, were successfully surveyed to EOH.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond core was orientated and marked based on 1 metre or geological boundaries. The core was cut in half along a cut line, marked 1 cm above the core orientation line.</li> <li>In RC drilling, the underflow from each meter interval is divided by the splitter for collection by calico bag weighing 2-3 kgms, for analysis.</li> <li>Another chute collects the residual sample, 15-25 kgms, in a bucket which is then placed in orderly piles on the ground near the hole.</li> <li>A handheld pXRF analyzer (Olympus Vanta) was used to determine anomalous REE (Rare earth element) geochemistry from the on ground 1m sample piles.</li> <li>pXRF reading times were 30 secs over 3 cycles for multielement and REE assays.</li> <li>These results are not considered reliable without calibration using chemical analysis from an accredited laboratory.</li> <li>The pXRF is used as a guide to the relative presence or absence of certain elements, including REEs to help direct the sampling program.</li> <li>Quality control of the assaying comprised the collection of a duplicate sample every hole, along with the regular insertion of industry (OREAS) standards (certified reference material) every 30 samples and blanks (beach sand) every 50 samples.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond core samples are submitted for sample preparation to Aust Core Services (ACS) and geochemical analysis by ALS Perth.</li> <li>A handheld pXRF analyzer (Olympus Vanta) was used to determine anomalous REE (Rare earth element) geochemistry from the core by VTM field staff.</li> <li>In field spot checks used XRF standards for daily calibration of the Instrument.</li> <li>At ACS, diamond samples undergo complete preparation.</li> <li>Core samples undergo fine pulverization by a LM5 type mill to 80% passing 75µ prior to splitting for analysis.</li> <li><b>Diamond core and RC drill chips assaying</b> at ALS In Perth uses a combination of techniques to dissolve the sample and determine quantities of the elements.</li> <li>The assaying methods include aqua regia (partial digest, ALS code AR25MS), 4 acid digestion (mostly complete digest, ALS code</li> </ul>

Criteria	JORC Code explanation	Commentary
		<p>MA4030) for multielement and REEs, and sodium peroxide fusion (complete digest, ALS code FUS25MS) for REEs.</p> <ul style="list-style-type: none"> <li>QAQC is currently ensured during the sub sampling stages using the systems of a NATA/ISO accredited laboratory (ALS In Perth)'.</li> <li>Standards were industry CRMs from OREAS which included low-grade and high-grade along with certified blanks. CRM's include – G250-B, G47.</li> <li>ALS routinely re-assayed anomalous assays (greater than 0.3 g/t Au) as part of their normal QAQC procedures.</li> <li>In the lab, RC samples undergo complete preparation. <ul style="list-style-type: none"> <li>RC Samples undergo fine pulverization by a LM5 type mill to 80% passing 75<math>\mu</math> prior to splitting.</li> <li>QAQC is currently ensured during the sub sampling stages using the systems of a NATA/ISO accredited laboratory (ALS In Perth)'.</li> </ul> </li> <li>No verification of significant intersections undertaken by independent personnel.</li> <li>Verification of significant intersections by VTM personnel.</li> <li>All data and documentation are both hard copy and electronic.</li> <li>No twin holes were drilled to confirm historical drill records.</li> <li>All data from the diamond and RC program, is primarily stored in digital format in VTM computers.</li> <li>Validation of assay data has been undertaken to compare mixed acid assays with fusion assays.</li> </ul>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	
<b>Location of data points</b>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>All hole coordinates are in GDA94 Zone 50 (<b>Appendix 1</b>).</li> <li>All drill holes were located by handheld GPS with an accuracy of +/- 5 m.</li> <li>There is no detailed documentation regarding the accuracy of the topographic control.</li> <li>No elevation values (Z) were recorded for collars. An elevation of 450 mRL was assigned by VMT.</li> <li>Down-hole surveys were completed by the Gyro instrument, supplied by Orlando Drilling.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Given the first pass nature of the exploration programs, the spacing of the exploration drilling is appropriate for understanding the exploration potential and the identification of structural controls on the mineralisation.</li> <li>Not applicable as drilling was a first pass study of the projects and not enough holes to establish grade continuity.</li> <li>No sample compositing has been applied.</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li><b>Dips of RC drilling</b> was 090 at North Stanmore.</li> <li>The relationship between drill orientation and mineralised structures at North Stanmore is not known.</li> <li>The <b>3 diamond holes</b> were sited upon modelling (by SGC Consultants, Perth) of pre-existing detailed in-house magnetic and gravity data. Azimuths and dips of diamond drilling was subsequently calculated to intersect the modelled geological body at near right angles.</li> <li>The dip and strike of modelled geology has not resulted in biased sampling.</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>All core and RC samples managed by VMT personnel up to and including the delivery to ACS and ALS Labs.</li> <li>Core was transported and delivered to ACS by a recognised transport company.</li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No sampling techniques or data have been independently audited.</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>North Stanmore diamond and RC drill Targets are located within E20/871. It forms part of a broader tenement package of exploration tenements located in the Cue Goldfields in the Murchison region of Western Australia.</li> <li>Native Title claim no. WC2004/010 (Wajarri Yamatji #1) was registered by the Yaatji Marlpa Aboriginal Corp in 2004 and covers the entire project area.</li> <li>All tenements are held 100% by Victory Metals Australia. All tenements are secured by the DMIRS (WA Government).</li> <li>All tenements are granted, in a state of good standing and have no impediments.</li> </ul>
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>The area has been previously explored by Harmony Gold (2007-2010) in JV with Big Bell Ops, Mt Kersey (1994-1996) and Westgold (2011) and Metals Ex (2013).</li> <li>Harmony Gold intersected 3m @ 2.5 g/t Au and 2m @ 8.85 g/t Au in the Mafeking Bore area but did not follow up these intersections.</li> <li>Other historical drill holes in the area commonly intersected &gt; 100 ppb Au.</li> <li>Exploration by these companies has been</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Geology</b>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<p>piecemeal and not regionally systematic.</p> <ul style="list-style-type: none"> <li>• There has been no historical exploration for REEs in Victory's tenement portfolio.</li> <li>• North Stanmore lies within the Meekatharra – Mount Magnet greenstone belt. The belt comprises metamorphosed volcanic, sedimentary and intrusive rocks. Mafic and ultramafic sills are abundant in all areas of the Cue greenstones. Gabbro sills are often differentiated and have pyroxenitic and/or peridotite bases and leucogabbro tops.</li> <li>• The greenstones are deformed by large scale fold structures which are dissected by major faults and shear zones which can be mineralised. Two large suites of granitoids intrude the greenstone belts.</li> <li>• Over 60 gold and copper mineral occurrences have been recorded within the Cue district and near and within VTM tenure. A significant number of these are located on or close to the north to northeasterly trending structures.</li> <li>• E20/871 occurs within the Cue granite, host to many small but uneconomic gold mines in the Cue area.</li> <li>• The productive gold deposits in the region can be classified into six categories:</li> <li>• Shear zones and/or quartz veins within units of alternating banded iron formation and mafic volcanics e.g. Tuckanarra. Break of Day.</li> <li>• Shear zones and/or quartz veins within mafic or ultramafic rocks, locally intruded by felsic porphyry e.g., Cuddingwarra. Great Fingall.</li> <li>• Banded jaspilite and associated clastic sedimentary rocks and mafics, generally sheared and veined by quartz, e.g. Tuckabianna.</li> <li>• Quartz veins in granitic rocks, close to greenstone contacts, e.g. Buttercup.</li> <li>• Hydrothermally altered clastic sedimentary rocks, e.g. Big Bell.</li> <li>• Eluvial and colluvial deposits e.g. Lake Austin, Mainland.</li> </ul>
<b>Drill hole Information</b>	<ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>○ easting and northing of the drill hole collar</li> <li>○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>○ dip and azimuth of the hole</li> <li>○ down hole length and interception depth</li> <li>○ hole length.</li> </ul> </li> <li>• If the exclusion of this information is</li> </ul>	<ul style="list-style-type: none"> <li>• Appendix 1 (RC collar coordinates) lists information material to the understanding of the drill holes at North Stanmore.</li> <li>• The documentation for completed drill hole locations at the North Stanmore are in Appendix 1 of this announcement and is considered acceptable by VTM.</li> <li>• Consequently, the use of any data obtained is suitable for presentation and analysis.</li> <li>• Given the early stages of the exploration programs at North Stanmore, the data quality is acceptable for reporting purposes.</li> <li>• Future drilling programs will be dependent on the assays received.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p>	<ul style="list-style-type: none"> <li>Consequently, the use of any data obtained is suitable for presentation and analysis.</li> <li>Given the first pass nature of the exploration drilling program the data quality is acceptable for reporting purposes.</li> <li>The exploration results are considered indicative and material to the reader.</li> </ul>
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<p>The following relates to core data records:</p> <ul style="list-style-type: none"> <li>Raw composited sample intervals have been reported and aggregated where appropriate.</li> <li>Weighted averaging of results completed for diamond core drilling.</li> <li>There has been no cutting of high grades.</li> <li>Significant assays in reporting have included grades above 0.5 % TREO.</li> <li>There has only been reporting of REEs and base metal assays.</li> </ul>
<b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li>All results referenced are based on downhole metres.</li> <li>The relationship of Diamond and RC drilling intersections to the modelled geological body (discussed in Section 1) are not known.</li> </ul>
<b>Diagrams</b>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Diagrams are used in the compilation of the diamond drilling plans and sections for North Stanmore.</li> </ul>
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practised to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>Exploration results that may create biased reporting has been omitted from these documents.</li> <li>Appendix 1 – Significant drilling intersections.</li> </ul>
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious</i></li> </ul>	<ul style="list-style-type: none"> <li><b>DHEM surveying</b> was completed using the DigiAtlantis B-Field sensor at 10 m intervals down-hole.</li> <li>The resulting DHEM data were noisy in parts due to ground conditions and steep hole dip.</li> <li>No basement conductors were observed in the DHEM data. Minor Sulphide mineralisation intersected in the drilling at North Stanmore is therefore interpreted to be disseminated or patchy in nature and</li> </ul>

Criteria	JORC Code explanation	Commentary
	<i>or contaminating substances.</i>	<p>not detectable using electromagnetics.</p> <ul style="list-style-type: none"> <li>The magnetic profiles extracted from the EM sensor indicate the extent of magnetic lithology at the prospect and align with 3D magnetic inversion results calculated from recent airborne magnetic data (Couston and Brabec, 2022).</li> </ul>
<b>Further work</b>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>Initial mineral resource estimate (JORC) and metallurgical studies are in progress at North Stanmore (see recent announcements from VTM).</li> </ul>