

Address Level 8, 99 St Georges Terrace Perth WA 6000 Phone +61 8 9486 4036 **ABN** 96 095 684 389

WEBSITE www.frontierresources.net.au

ASX Limited

Market Announcements Platform

26 October 2021

Saki Final Trench Sampling Results Including 1m @ 128.5g/t Au + 94g/t Ag

- Assays from the final 23 hand dug trenches and final 18 rock samples taken along the Saki III
 vein system have been received. Results confirm the high-grade nature of the Saki III swarm of
 veins which can be traced over 800 metres in length and over a 100m wide zone.
- Results include 1m @ 128.5g/t Au + 94g/t Ag in Trench 18 and 1m @ 115g/t Au + 54.1g/t Ag in Trench 27, a further 400m to the northwest along the Saki III set of veins.
- Rock sample results include 23.5 and 19.35g/t Au taken from Degom Creek and 23.2g/t Au taken a further 320m to the northwest along Geseva Creek.
- The sampling program by Frontier has verified the high-grade nature of gold along the Saki I, II and III system of veins and better define vein continuity to assist in determining additional drillholes and viability of a maiden JORC Resource from historical drill holes.

Frontier Resources Limited (**Frontier** or the **Company**) is pleased to announce the results of the second and final batch of assay results taken from its recently completed trench and rock sampling program along the Saki system of gold veins (refer to ASX Announcement dated 30 August 2021).

Final results from the second and final batch of 252 trench samples (total of 373 taken by Frontier) from 23 hand dug trenches (Appendix A) have been received (Figure 1). Significant gold and silver grades taken along the Saki III vein system include (Table 1):

- 1. ST09: 16m @ 2.36g/t Au + 0.78g/t Ag, including 2m @ 13.24g/t Au + 0.73g/t Ag
- 2. ST12: 6m @ 5.40g/t Au + 71.49g/t Ag, including 1m @ 10.10g/t Au + 303g/t Ag
- 3. ST18: 2m @ 79.93g/t Au + 50.09g/t Ag, including 1m @ 128.5g/t Au + 94g/t Ag
- 4. ST18: 5m @ 10.57g/t Au + 4.95g/t Ag; including 2m @ 22.0g/t Au + 7.20g/t Ag
- 5. ST27: 3m @ 40.28g/t Au + 27.92g/t Ag, including 1m @ 115.0g/t Au + 54.1g/t Ag
- 6. ST28: 6m @ 10.61g/t Au + 31.28g/t Ag, including 2m @ 28.9g/t Au + 57.45g/t Ag

Final results from the final 18 outcrop rock samples (total of 51 taken by Frontier) sampled along creeks and outcrop sites have also been received (Figure 2). Significant gold and silver rock chip grades taken from the Saki III vein system include (Table 2):

- 23.5g/t Au + 13.5g/t Ag and 19.35g/t Au + 20.6g/t Ag taken from Degom Creek
- 23.2g/t Au + 51.8g/t Ag taken from Geseva Creek, a further 320m to the northwest of Degom Creek
- A total of 15 of the final 18 rock samples are greater than **0.78g/t Au**




Figure 1: Frontier Saki Vein Trench Intersections (Green Highlights=October Results)

Table 1: Saki Final Batch of Trench Intersections (refer to Appendix A)

	Table 1: Saki Final Batch of Trench Int	· · · · · · · · · · · · · · · · · · ·
Trench ID	Intersection (0.5g/t Au cut-off)	Geology Description
ST09	16m @ 2.36g/t Au + 0.78g/t Ag;	Saki III vein from 35m, dark brown overburden to
	incl. 2m @ 13.24g/t Au + 0.73g/t Ag	sub-bedrock of andesitic composition. Weakly
		proximal to <1 cm quartz-MnO-hem-goethite,
		fracture controlled stringers
ST09	5m @ 4.93g/t Au + 2.70g/t Ag	Saki III vein from 42m as a series of crustiform
		milky quartz veins hosted in strongly silicified
		andesite
ST10	9m @ 1.73g/t Au + 1.15g/t Ag;	Saki III quartz vein fragments with strong
	Incl. 1m @ 6.05g/t Au + 3.65g/t Ag	sericite-silica alteration hosted in fine grained
		equigranular microdiorite
ST11	2m @ 2.84g/t Au + 1.56g/t Ag	Saki III quartz vein from 1m with strong
		botryoidal texture hosted in fine grained,
		equigranular microdiorite
ST11	3m @ 0.76g/t Au + 0.68g/t Ag	Saki III quartz vein from 9m with strong sericitic
		alteration halo hosted in fine grained,
		equigranular microdiorite
ST12	6m @ 5.40g/t Au + 71.49g/t Ag;	Saki III quartz vein with strong botryoidal texture
	Incl. 1m @ 10.1g/t Au + 303g/t Ag	and a strong sericite-silica alteration halo hosted
		in fine grained equigranular microdiorite
ST13	2m @ 6.95g/t Au + 7.39g/t Ag	Saki III vein from 0m occurring as a series of 1-10
		cm pinch and swell massive milky white quartz
		veins. Partially oxidised. Sulphides <1% in veins.
2=12		Vugs with botryoidal quartz textures in cavities
ST13	3m @ 2.58g/t Au + 1.90g/t Ag	Saki III vein from 4m stringers of fracture-
		controlled quartz-hem-MnO-goe infills. Strongly
CT1F	1 0.0.11-/+ 0 0.00-/+ 0-	weathered andesite
ST15	1m @ 8.11g/t Au + 6.06g/t Ag	Saki III quartz vein dominated by large floats of
		chlorite-silica altered competent andesite in
ST17	2m @ 2 76g/t Au + 1 2Fg/t Ag	weathered andesite matrix Saki III quartz vein in fine grained equigranular
3117	3m @ 3.76g/t Au + 1.25g/t Ag	microdiorite. Patches of strong sericite-silica
		alteration in weathered bedrock
ST18	2m @ 72.93g/t Au + 4.95g/t Ag;	Saki III quartz vein from 0m with strong sericite-
3110	Incl. 1m @ 128.5g/t Au + 94g/t Ag	silica alteration halo hosted in microdiorite.
	111cl. 1111 @ 120.3g/ (Au + 34g/ (Ag	Abundant Mn oxides in fractures and vugs within
		the vein
ST18	5m @ 10.57g/t Au + 4.95g/t Ag;	Saki III quartz vein from 4m hosted in fine
3110	Incl. 2m @ 22.0g/t Au + 7.20g/t Ag	grained equigranular microdiorite
ST19	4m @ 3.99g/t Au + 3.93g/t Ag;	Saki III quartz vein with high dome like fractures.
3.13	Incl. 2m @ 6.45g/t Au + 5.87g/t Ag	Strongly weathered and altered with chlorite
		alteration of andesite. Veins trending at
		335°/54° dipping NE
ST20	7m @ 2.12g/t Au + 2.48g/t Ag	Saki III quartz vein within weak argillic diorite
		with strong argillic halo
ST21	2m @ 0.93g/t Au + 0.69g/t Ag	Saki III quartz vein from 0m within weathered to
		propylitic basaltic andesite. Moderately
		magnetic with strong chlorite alteration
ST21	4m @ 3.38g/t Au + 6.34g/t Ag	Saki III quartz vein from 4m within basaltic
		andesite with narrow (up to 10cm) qtz-py-
		limonite veins trending consistently at 300-
		310 ⁰ /85 ⁰ dip NE
ST22	9m @ 2.81g/t Au + 1.66g/t Ag	Saki III quartz vein with strong sericite-silica wall
	_	rock alteration hosted in fine grained,
		equigranular diorite

Trench ID	Intersection (0.5g/t Au cut-off)	Geology Description
ST24	6m @ 0.88g/t Au + 1.28g/t Ag	Saki III quartz vein within weak argillic weathered porphyritic mafic intrusive
ST26	11m @ 5.49g/t Au + 22.87g/t Ag; Incl. 1m @ 10.4g/t Au + 10.15g/t Ag	Saki III quartz vein within basaltic andesite. Weak to moderately silicified. Fracture sets trend 030°/78°dip
ST27	3m @ 40.28g/t Au + 27.92g/t Ag; Incl. 1m @ 115g/t Au + 54.1g/t Ag	Saki III quartz vein. Weathered to weak argillic overprinting porphyritic mafic intrusive. A 30cm qz-py-lim vein with visible gold at 336°/75° dip SW
ST28	6m @ 10.61g/t Au + 31.28g/t Ag; Incl. 2m @ 28.9g/t Au + 57.45g/t Ag	Saki III massive quartz sulphide vein. Milky white quartz cutting grayish black quartz sulphide at places. Strongly silicified with tarnished pyrite and dark sulphides up to 10 % disseminated
ST29	6m @ 1.78g/t Au + 1.12g/t Ag	Saki III vein of crackle brecciated and strongly fractured interval. White to milky white series of 1 cm stockwork quartz veins associated with strong silicification and strong sericite clays. At 2.0 m, this interval trends at 340°/90° dip
ST31	1m @ 5.44g/t Au + 4.75g/t Ag	Saki III vein at 3m with series of sheeted quartz-sulphide and quartz veins. Partially oxidized with 5-10% sulphides. Milk white veins exhibit botryoidal rosette texture. Total of 40 cm wide series of sheeted milky white and quartz sulphide veins trending 330°/80° dipping NE
ST31	2m @ 3.05g/t Au + 5.70g/t Ag	Saki III vein at 20m. Series of sheeted quartz-sulphide. Partially oxidised with 5-10% sulphides. Milk white veins exhibit botryoidal rosette texture. Total of 40 cm wide series of sheeted milky white and quartz sulphide veins trending 330°/80° dipping NE

Additional Information:

- 1. A total of 44 blank and 24 standards were included in the sampling program to confirm appropriate quality control of assaying laboratories.
- 2. A total of 16 historical Saki drill core samples were assayed with all results provided to an independent resource geologist as part of the process to ascertain if a maiden JORC resource can be determined. Additional drill core sampling is currently being planned to provide additional information to verify historical sampling results. Once completed all results will be released to the market.
- 3. Frontier fieldcrew are currently trench sampling at the Taula prospect (refer to ASX Announcement dated 13 October 2021). The first batch of samples are due for dispatch to ALS laboratories this week. Frontier will provide additional market updates of field activities during November.




Figure 2: Frontier Saki Rock Sample Results

Table 2: Saki Final Batch of Rock Sampling Results

(Cut-off 0.5g/t Au Highlighted in Yellow)

Sample ID	Easting	Northing	Description	Au (g/t)	Ag (g/t)
98163	518398	9053393	Quartz vein with strong comb texture	23.5	13.45
98172	518239	9053674	Massive quartz sulphide vein, 1.5 m wide quartz sulphide	23.2	51.8
			vein with 10 % disseminated dark sulphides		
98165	518388	9053389	Quartz vein with strong botryoidal texture. No presence	19.35	20.6
			of sulphides		
98169	518479	9053426	Sub-outcrop, 10 cm wide vein. Milky white, 10 cm wide	7.02	1.24
			strong silicification		

Sample ID	Easting	Northing	Description	Au (g/t)	Ag (g/t)
98168	518509	9053464	Massive 1m quartz vein trending 165°	6.57	11.5
99933	518263	9053313.968	Quartz vein with massive greenish-grey silica infill	3.5	1.33
98167	518328	9053760	A 1 m wide outcrop of quartz vein. Moderately oxidized,	3.04	4.86
			moderately to strongly silicified. Vein at 250°.		
99935	518250	9053305.623	Quartz vein with strong botryoidal/crustiform texture	2.74	21.2
99932	518242	9053281.478	Quartz vein with abundant realgar (~10%), pyrite (~30%),	2.56	5.65
			stibnite (40%)		
98170	518338	9053584	Sub-outcrop sourced in trench ST23. Host rock with	2.32	0.42
			strong sericite and silica alteration associated with <1 cm		
			- 1 cm pinch and swell crustiform veins with central druse		
			lining outlined by comb texture		
99934	518259	9053311.528	Quartz vein with strong crustiform/botryoidal texture	2.19	6.08
			hosted in fine grained equi-granular andesite		
98166	518428	9053432	Quartz vein (0.3m wide) has a thin alteration halo of	1.535	1.28
			strong sericite-silica-pyrite alteration and has a		
			saccharoidal, botryoidal texture		
99930	518344	9053358	Quartz vein with strong sericite-silica-pyrite wall rock	1.49	5.57
			alteration. Strong crustiform/comb texture		
98171	518278	9053607	A 2m wide massive quartz vein exposure possibly in old	1.445	0.46
			trench. Milky white-translucent, comb, vuggy quartz		
98164	518393	9053390	Quartz vein with strong sericite-silica alteration halo	0.78	1.44
98162	518470	9053290	Altered andesite hosting stringers with associated	0.273	0.23
			silicification		
99931	518305	9053330.685	Quartz veinlet in fine grained equi-granular andesite	0.057	0.22
99936	518167	9053269	Quartz veinlet with strong comb texture	0.024	0.35

This announcement has been authorised for release by the Directors of the Company. For additional information please visit our website at www.frontierresources.net.au

FRONTIER RESOURCES LTD

Competent Person Statement:

The information in this report that relates to Exploration Results and Mineral Resources is based on information compiled by or compiled under the supervision of Peter Swiridiuk - Member of the Aust. Inst. of Geoscientists. Peter Swiridiuk is a Technical Consultant and Non-Executive Director for Frontier Resources. Peter Swiridiuk has sufficient experience which is relevant to the type of mineralisation and type of deposit under consideration to qualify as Competent Person as defined in the 2012 Edition of the Australasian Code of Reporting Exploration Results, Mineral Resources and Ore Resources. Peter Swiridiuk consents to the inclusion in the report of the matters based on the information in the form and context in which it appears. Additionally, Mr Swiridiuk confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this report.

Frontier Resources Ltd Exploration Licence Information (Papua New Guinea)

Exploration Licence			AREA		
Number and Name	Ownership	sub-blocks	(sq.km)*	Grant Date	Expiry Date
EL2531 - Tolukuma	100% Frontier Copper PNG Ltd	65	223.00	25-Feb-19	24-Feb-21
ELA2529 - Gazelle	100% Frontier Copper PNG Ltd	211	719.51	N/A	N/A
	Total of Granted EL's	65	223.00		

^{*1} sub-block approx. 3.41 sq.km

NB: The PNG Mining Act-1992 stipulates that EL's are granted for a renewable 2 year term (subject to satisfying work and expenditure commitments) and the PNG Government maintains the right to purchase up to 30% project equity at "Sunk Cost" if/when a Mining Lease if granted.

Frontier Resources Ltd Exploration Licence Information (Australia)

Exploration Licence		AREA	Grant	Expiry
Number and Name	Ownership	(sq.km)	Date	Date
ELA2021/00058	100% Southern Rare Earths Pty Ltd	873.00		

NB: Tenement EL2531 currently subject to an extension renewal process.

JORC Code, 2012 Edition – Table 1 Report of Exploration Results

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation		Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 		Historical drill core samples were sawn in two, with half returned to the core tray for visual inspection and the other half sent to the Tolukuma Gold Mines (TGM) lab for assaying. Downhole surveys were completed. Sampling was supervised and reported by on-site geologists to ensure sample representivity. Historical diamond core HQ drilling was completed to obtain mineralised vein sections in multiples of 50cm. 2kg samples were oven dried for 6-8hrs @ 120DegC, crushed to -2mm, split by Riffle Jones splitter. 300g were pulverised to <75microns with >95% passing with a final 20g submitted for assay. All trench and rock samples collected by Frontier were bagged and labelled on-site, and transported to the field Camp by or under the supervision of a geologist or experienced field assistant. In camp, Frontier samples were checked to verify numbers; sun dried and packed in sealed poly-weave sacks for consignment to the ALS laboratory in Brisbane, where all samples are sorted, pulverised (85%<75µm) up to 2kg and fire assayed for total gold with a 30g charge. A 0.5g charge was used in Aqua Regia analysis for gold and other elements. Gold determinations by Aqua Regia are semi-quantitative due to the small sample weight used. All sample locations and sample numbers were logged in a sample ledger. Material aspects of the mineralisation are noted in the text of the document.
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	•	of the document. Longyear38 man portable drill rig operated by United Pacific Drilling for historical drilling. PQ and HQ diamond core was orientated. No drilling has been undertaken by Frontier.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 		Core was visually assessed on-site on tables constructed at the core shed at Saki camp. Historical drilling recovery was essentially 98 – 100% with an average of over 99%. Diamond impregnated bits and driller experience contributed to good core recoveries. No relationship exists between grade and recovery. No drilling has been undertaken by Frontier.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	•	Drill core was sampled logged on paper by an experienced geologist for alteration mineralogy, lithology and mineralisation. Geotechnical parameters included recovery, compressive strength and RQD to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core trays were photographed in two trays at a time. Part of the logging included unconfined compressive strength estimations. Logging was qualitative in nature and based on geological observations. Detailed geological descriptions were hand-written into a drill log for each core section and transferred to spreadsheets. The total length and 100% of all drill core was logged. Trench samples are geologically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. No drilling has been undertaken by Frontier.
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	•	Historical drill core samples were sawn in two, with half returned to the core tray for visual logging and all the other half sent to the TGM lab for assaying. Drill half core 2kg samples were submitted to the Laboratory for sample preparation and assaying. Sampling was supervised by TGM's Senior Geologist by visual inspection. Core sample sizes of 50cm as determined by the geologist by visual inspection are appropriate for the quartz vein material being sampled. Core was transported to the on-site laboratory by helicopter. Procedures of drying, crushing, splitting and pulverising was practiced by TGM local laboratories for analysis.

Criteria	JORC Code explanation	Commentary
Quality of assay data and	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is	 Pulps were irregularly sent to an outside independent laboratory for quality checking. Sampling sizes, type and location are appropriate for the quartz vein material being sampled. Samples taken by Frontier were sent to ALS Laboratories in Brisbane for preparation. All samples are crushed to 70% less than 2mm and rotary split off to 250g, sorted and pulverised (85%<75µm) up to 2kg with a final 30g submitted for assay. Every 50th sample at ALS is selected at random for routine Quality Control tests (LOG-QC). Rock samples taken by Frontier are sent to ALS Laboratories in Brisbane for preparation. Prepared
laboratory tests	 considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	 samples are fire assayed at the ALS laboratory for total gold with a 30g charge (FA50/AA). All rock and trench samples have undergone aqua regia digestion with ICP-MS Finish (ME-MS41) at the ALS laboratory in Brisbane for a suite of 51 elements (Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, Hg, Ln, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Ti, U, V, W, Y, Zn, Zr). For gold assays > 50 ppm, gravimetric assaying was completed with Au 50g FA-GRAV finish (Au-GRA22) and Ore Grade As - Aqua Regia (As-OG46) at the ALS Townsville laboratories. Levels of accuracy are obtained in the ALS assaying results of Au 0.005 ppm (0.02 ppm for Aqua Regia), Ag 0.01 ppm, As 0.1 ppm, Ba 10 ppm, Cu 0.2 ppm, Mo 0.05 ppm, Pb 0.2 ppm, Sb 0.05 ppm and Zn 2 ppm. Samples have been stored at ALS laboratories for future re-analysis if required. Standard and blank samples (OREAS 62d) have been used by Frontier which have been inserted every 20th sample for the current fieldwork program. Duplicates, Standards and Blanks have been used by ALS Laboratories for their own quality assurance procedures. Historical procedures undertaken by TGM were appropriate. Samples were crushed and prepared as 20g samples for assaying for a partial aqua regia digest and AAS for Au, Ag, Pb, Cu, Zn, Sb. The principle of Aqua Regia digest is that gold can be dissolved by a mixture of 3 part hydrochloric acid to one part nitric acid. Rock samples were fire assayed for total gold. No Geophysical tools were used.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 Verified by senior geologist and other geologists onsite at the time. No drilling has been undertaken by Frontier in this fieldwork program. All assay data is stored as digital Excel spreadsheets and stored in reports submitted to the MRA library in digital PDF and Excel formats.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	 Historical drill holes were located initially by tape and compass surveying for drill sections and long sections. No drilling has been undertaken by Frontier. Trench and rock samples were located initially by GPS and tape and compass surveying of creeks and GPS readings taken. Trench sample spacing was generally 1.0m. Map Datum is AGD66. Topographic control is low with 40m contours from 1:100,000 plans and 10m contours from airborne DTM contours.
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Refer to any attached plans and tables for rock and trench/costean spacing. No drilling has been undertaken by Frontier in this fieldwork program. Trench locations and hence data spacing and distribution may be sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedures. Sample compositing was not applied.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. 	 No drilling has been undertaken by Frontier. Historical drill holes are designed to intersect known mineralisation from surface trench results in a nominally perpendicular orientation as much as is practicable.

Criteria	JORC Code explanation	Commentary
	 If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 Sample intervals are selected based upon observed geological features and the strike of the narrow quartz veins. Trench samples were taken to intersect known mineralisation from surface trench results in a nominally perpendicular orientation as much as practicable. Sample intervals are selected based upon observed geological features and the strike of the narrow quartz veins. Sample intervals are selected based upon observed geological features and the strike of the quartz veins. Trench/costean samples have been taken selectively within each trench at 1m intervals.
Sample security	The measures taken to ensure sample security.	 Access to site is controlled and remote. Rock and trench samples are stored on-site in a remote field camp. Site employees transport samples to the PNG Capital of Port Moresby by helicopter. Local employees transport the samples to the analytical lab via air cargo. The laboratory compound in Brisbane, Australia is secured.
Audits or reviews	 The results of any audits or reviews of sampling techniques and data. 	 No audits or reviews of sampling techniques and data have been performed.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 Frontier Resources Ltd have a 100% ownership of Frontier Copper (PNG) Limited, which hold 100% title to Exploration Licence EL 2531-Tolukuma. There are no joint ventures or partnerships in place. Frontier Copper PNG Ltd has IPA company registration number 1-48997. There are no known impediments to operate in the Tolukuma EL. Tenements are granted by the Minister of Mines for a period of two years and security is governed by the PNG Mining Act 1992 and Regulation. Frontier has applied for a two year tenement renewal due 24th February 2021 which required a 50% reduction in tenement size. As part of this renewal process, a landowner Warden's hearing was successfully completed on 19th May 2021 and the final Annual Technical report was lodged 21st May 2021. All TERM1 commitments have been met and Frontier awaits approval for renewal of the tenement for a further two years (TERM2) by the Mining Advisory Council.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 EL2531 Tolukuma was initially stream sampled by Kenecott in the 1960's afterwards by CRAE who completed both steam sediment sampling and rock chip sampling. Newmont 1985-1988 discovered the Tolukuma vein and completed costean and soil sampling and diamond drill holes testing the NW-SE Taula Vein. Newmont completed resource drilling and mine feasibility studies. From 1989-1992 Newmont completed 2nd phase drilling. Dome Resources purchased the Exploration license from Newmont in 1992 and completed feasibility studies in the ML104, granted in 1994, with first gold poured in December 1995. In 2000, Durban Roodepoort Deep purchased Dome Resources and took over all its interests in PNG. TGM's work programs (now 100% DRD included trench sampling and mapping. Work commenced at Saki in 2002 with a programme of extensive trench sampling and mapping and drilling at the Kunda prospect both inside ML104 and within the current EL2531. Petromin PNG Holdings acquired 100% of the Tolukuma projects from Emperor Mines in 2008. Singapore company Asidokona purchased Tolukuma Gold Mines Ltd from Petromin (PNG Government) in November 2015. The Tolukuma gold mine is currently under control of the MRA and the appointed liquidator/administrator. New investment is currently being sought by the administrator to re-establish mining operations and recommence resource drilling.

Criteria	JORC Code explanation	Commentary
		EL2531 was acquired by Frontier on a first application basis when it was offered by the MRA
Drill hole Information	Deposit type, geological setting and style of mineralisation. A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea leve in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competen	fieldwork program. Frontier has acquired historical reports with drillhole and trench information that have been reviewed and interpreted. Digital databases have also been acquired over most prospects within EL2531.
Data	Person should clearly explain why this is the case. In reporting Exploration Results, weighting averaging	
aggregation methods	 techniques, maximum and/or minimum grade truncations (egcutting of high grades) and cut-off grades are usually Materia and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalen values should be clearly stated. 	No metal equivalent values are used. h e d n
Relationship between mineralisation widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported there should be a clear statement to this effect (eg 'down hole length, true width not known'). Appropriate maps and sections (with scales) and tabulations or interports about the included for any significant disposant. 	widths & intercept lengths from trench/costeans is well understood. Assay results from the Frontier sampling have been received and interpreted. Historical drillholes are generally targeted perpendicular to known veins. True width projections are noted in Tables are noted where relevant within the text of this report. No drilling has been undertaken by Frontier in this fieldwork program. Appropriate maps, sections and tabulations of drillhole,
Bulan	intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectiona views.	where relevant.
Balanced reporting	 Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	h sample results has occurred in historical ASX releases

Criteria	JORC Code explanation	Commentary		
		 Representative reporting of Exploration Results by Frontier is comprehensive. 		
Other substantive exploration data	 Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	 All meaningful exploration data to date has been included in this and previous ASX announcements. All geochemical analysis has been completed by independent laboratories, 		
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 Current Frontier exploration is aimed at testing for lateral extensions of known veins and interpreted vein systems at Saki and Taula/Seri-Seri prospect areas. Appropriate plans are included where possible. The nature of planned further work is provided in the body of text. 		

APPENDIX A – Table of ST09 to ST32 Trench Assay Results (Cut-off 0.5g/t Results Highlighted in Yellow)

Trench ID	Interval (m)	Sample ID	Easting	Northing	RL	Au (g/t)	Ag (g/t)
ST09	0-1	98272	518409	9053334	1601	0.021	0.05
ST09	1-2	98273	518410	9053334	1600	0.021	0.13
ST09	2-3	98274	518411	9053333	1600	0.013	0.06
ST09	3-4	98275	518412	9053333	1599	0.008	0.05
ST09	4-5	98276	518412	9053332	1599	0.011	0.11
ST09	5-6	98277	518413	9053332	1598	0.01	0.07
ST09	6-7	98278	518414	9053331	1598	0.014	0.06
ST09	7-8	98279	518415	9053331	1597	0.013	0.08
ST09	8-9	98280	518416	9053330	1597	0.008	0.12
ST09	9-10	98281	518417	9053330	1596	-0.005	0.12
ST09	10-11	98282	518418	9053330	1596	-0.005	0.12
ST09	11-12	98283	518419	9053329	1596	-0.005	0.15
ST09	12-13	98284	518420	9053329	1595	-0.005	0.11
ST09	13-14	98285	518421	9053329	1595	-0.005	0.06
ST09	14-15	98286	518422	9053328	1594	-0.005	0.07
ST09	15-16	98287	518423	9053328	1594	0.005	0.05
ST09	16-17	98288	518424	9053328	1594	-0.005	0.06
ST09	17-18	98289	518424	9053327	1593	0.007	0.06
ST09	18-19	98291	518425	9053327	1593	0.016	0.04
ST09	19-20	98292	518426	9053327	1592	0.011	0.09
ST09	20-21	98293	518428	9053327	1591	0.017	0.04
ST09	21-22	98294	518429	9053326	1591	0.102	0.03
ST09	22-23	98295	518430	9053326	1590	2.04	0.98
ST09	23-24	98296	518431	9053326	1589	0.105	0.14
ST09	24-25	98297	518432	9053326	1589	3.82	0.87
ST09	25-26	98299	518433	9053325	1588	0.149	0.07
ST09	26-27	98300	518434	9053325	1588	0.4	0.22
ST09	27-28	98301	518435	9053325	1588	2.46	0.95
ST09	28-29	98302	518436	9053325	1587	1.64	0.33
ST09	29-30	98303	518437	9053324	1587	0.686	0.32
ST09	30-31	98304	518438	9053324	1587	0.826	0.16
ST09	31-32	98305	518439	9053324	1586	4.96	1.77
ST09	32-33	98306	518440	9053324	1586	8.28	3.38
ST09	33-34	98307	518440	9053323	1585	0.402	0.15
ST09	34-35	98308	518441	9053323	1585	3.16	0.89
ST09	35-36	98309	518442	9053323	1584	1.48	0.57
ST09	36-37	98311	518443	9053323	1584	5.57	1.09
ST09	37-38	98312	518444	9053323	1583	1.815	0.63
ST09	38-39	98313	518445	9053323	1582	0.329	0.06
ST09	39-40	98315	518446	9053322	1582	0.058	0.41
ST09	40-41	98316	518447	9053322	1581	0.109	0.14
ST09	41-42	98317	518448	9053322	1580	0.405	0.23
ST09	42-43	98318	518449	9053322	1579	0.78	2.85
ST09	43-44	98319	518450	9053322	1579	1.71	5.5
ST09	44-45	98320	518451	9053322	1579	0.36	1.22
ST09	45-46	98321	518452	9053321	1578	0.644	1.96
ST09	46-47	98322	518453	9053321	1578	1.44	1.97
ST10	0-1	98324	518497	9053258	1595	0.362	0.38
	+	ł					_
ST10	1-2	98325	518498	9053258	1595	5.21	2.59
ST10	2-3	98326	518498	9053258	1594	0.136	0.57
ST10	3-4	98327	518499	9053258	1594	0.274	0.48

STIO	Trench ID	Interval (m)	Sample ID	Easting	Northing	RL	Au (g/t)	Ag (g/t)
STID 6-7	ST10	4-5	98328	518500	9053258	1593	0.465	0.6
STID 7-8	ST10	5-6	98329	518501	9053258	1593	0.109	0.25
STIO 9.9 98.334 518498 9092288 1194 1.115 0.94 STII 9.10 98334 518499 9052308 1198 0.754 0.72 STII 0.1 98336 518460 9053304 1588 0.135 0.72 2.39 STII 2.3 98337 518460 9053304 1588 0.135 1 STII 4.5 98340 51840 9053305 1587 0.066 0.55 STII 4.5 98340 51840 9053305 1587 0.066 0.55 STII 5.6 98341 518462 9053304 1589 0.039 0.17 STII 5.6 98341 518460 9053304 1588 0.06 0.12 STII 1.0 98345 518460 9053304 1588 1.0 0.07 STII 1.0 1.0 98346 518462 9053305 158 1.0 0.0 <th< td=""><td>ST10</td><td>6-7</td><td>98331</td><td>518497</td><td>9053258</td><td>1595</td><td>0.83</td><td>0.48</td></th<>	ST10	6-7	98331	518497	9053258	1595	0.83	0.48
STID 9-10 98334 S18499 9052358 1594 1.41 0.8	ST10	7-8	98332	518498	9053258	1595	6.05	3.64
ST11 0-1 98336 S18489 9963304 1589 4.92 0.72 ST11 1-2 98337 S18460 996304 1588 0.156 1 ST11 2-3 98338 S18461 9053305 1587 0.062 0.28 ST11 3-5 98340 S18462 9053305 1587 0.062 0.28 ST11 3-5 98341 S18463 9053305 1587 0.062 0.28 ST11 3-6 98342 S1849 9053304 1589 0.066 0.12 ST11 3-7 98343 S1840 9053304 1589 0.013 0.07 ST11 10-11 98346 S18461 9053305 1587 0.421 0.37 ST11 11-12 98346 S18462 9053305 1586 0.379 1.06 ST11 11-12 98346 S18462 9053305 1587 0.47 0.11 ST11	ST10	8-9	98333	518498	9053258	1594	1.115	0.94
5711 1-2 98337 518460 9053004 1589 4.92 2.39 5711 2-3 98388 518460 9053004 1588 0.135 1 5711 2-5 98340 518461 9053005 1587 0.002 0.25 5711 5-6 98341 518463 9053305 1586 0.039 0.17 5711 5-6 98342 518463 9053304 1589 0.006 0.12 5711 5-7 98343 51840 9053304 1589 0.006 0.12 5711 9-10 98345 51840 9053305 1587 0.421 0.37 5711 10-11 98346 518461 9053305 1587 0.421 0.37 5711 11-12 98347 518463 9053305 1586 0.077 0.31 5711 11-12 98347 518463 9053305 1586 0.077 0.31 5712	ST10	9-10	98334	518499	9053258	1594	1.41	0.8
5711 2.3 98389 518460 903300 1588 0.135 1 5711 3-4 98339 518461 9963305 1587 0.062 0.28 5711 3-5 98340 518462 9963305 1587 0.062 0.28 5711 3-6 98341 518469 9053304 1589 0.066 0.12 5711 3-7 98343 518460 9053304 1589 0.013 0.07 5711 8-9 98345 518460 9053304 1588 1.065 0.07 5711 9-10 98345 518461 9053305 1587 0.579 1.42 5711 10-11 98346 518462 9053305 1587 0.579 1.42 5711 11-12 98346 518462 9053305 1586 0.379 1.06 5711 13-14 98349 518463 9053305 1586 0.079 0.31 5711	ST11	0-1	98336	518459	9053304	1589	0.754	0.72
ST111 3-4 98380 518461 9053305 1587 0.062 0.25 ST11 4-5 98340 518462 9053305 1587 0.062 0.28 ST11 5-6 9841 518469 9053304 1589 0.066 0.12 ST11 7-7 98342 518460 9053304 1589 0.063 0.07 ST11 9-10 98345 518461 9053304 1588 1225 0.025 ST11 19-10 98345 518461 9053305 1587 0.421 0.37 ST11 19-11 98346 518461 9053305 1586 0.079 1.42 ST11 19-12 98347 518463 9053305 1586 0.079 1.42 ST11 13-13 98348 518643 9053305 1586 0.077 0.31 ST12 1-2 98352 51860 9053272 1589 0.1 405 ST12 <td>ST11</td> <td>1-2</td> <td>98337</td> <td>518460</td> <td>9053304</td> <td>1589</td> <td>4.92</td> <td>2.39</td>	ST11	1-2	98337	518460	9053304	1589	4.92	2.39
5711 4-5 98340 \$18462 9053305 1586 0.093 0.17 5711 5-6 98341 \$18468 9053304 1586 0.039 0.17 5711 6-7 98342 \$18460 9053304 1589 0.066 0.12 5711 8-9 98344 \$18460 9053304 1588 1.265 0.26 5711 9-10 98455 \$18461 9053305 1587 0.579 1.42 5711 0-1-1 98346 \$18463 9053305 1587 0.579 1.42 5711 11-12 98348 \$18463 9053305 1586 0.077 0.31 5711 11-12 98348 \$18464 9053305 1586 0.077 0.31 5711 13-14 98349 \$18464 9053305 1586 0.077 0.31 5712 1-2 98332 \$18560 9053272 1589 1.15 405 5712 </td <td>ST11</td> <td>2-3</td> <td>98338</td> <td>518460</td> <td>9053304</td> <td>1588</td> <td>0.135</td> <td>1</td>	ST11	2-3	98338	518460	9053304	1588	0.135	1
ST111 5-6 98341 518469 903300 1886 0.039 0.17 ST11 7-8 98342 518469 9053304 1589 0.066 0.12 ST11 7-8 98344 518460 9053304 1588 1.06 0.07 ST11 9-10 98345 518461 9053305 1587 0.421 0.37 ST11 10-11 9846 518462 9053305 1587 0.579 1.42 ST11 11-12 9848 518463 9053305 1586 0.077 0.31 ST11 13-14 98349 518463 9053305 1586 0.077 0.31 ST12 0-1 98352 518560 905272 1589 7.15 40.5 ST12 0-1 98353 518561 905272 1589 7.15 40.5 ST12 2-3 98355 518561 905272 1589 10.11 303 ST12	ST11	3-4	98339	518461	9053305	1587	0.069	0.55
ST11 6-7 98342 518459 9053304 1589 0.012 0.02 ST11 7-8 98344 518460 9053304 1589 0.013 0.07 ST11 9-10 98345 518461 9053304 1587 0.579 1.42 ST11 0-10 98345 518461 9053305 1587 0.579 1.42 ST11 0-11 98347 518463 9053305 1586 0.077 0.31 ST11 11-12 98348 518463 9053305 1586 0.077 0.31 ST11 13-14 98349 518464 9053305 1586 0.077 0.31 ST11 31-4 98352 518560 9053272 1589 1.05 0.31 ST12 1-2 98353 518561 9053273 1590 655 54 ST12 2-3 98354 518561 9053272 1591 3.96 14.9 ST12	ST11	4-5	98340	518462	9053305	1587	0.062	0.28
ST11 7.8 98343 \$18460 9953304 \$1889 0.013 0.07 ST11 8.9 98344 \$18460 9053305 \$1887 0.421 0.37 ST11 9.10 98345 \$18461 9053305 \$1887 0.421 0.37 ST11 10.11 98466 \$18462 9053305 \$186 0.379 1.06 ST11 11.12 98484 \$18463 9053305 \$186 0.077 0.31 ST11 13.14 98349 \$18464 9053305 \$186 0.077 0.31 ST12 0.1 98352 \$18560 9053272 \$1889 7.15 40.5 ST12 0.1 98353 \$18560 9053272 \$1899 7.15 40.5 ST12 2.3 98354 \$18561 9053273 \$190 6.55 54 ST12 2.5 98355 \$18561 9053273 \$191 3.6 14.9 ST12 <td>ST11</td> <td>5-6</td> <td>98341</td> <td>518463</td> <td>9053305</td> <td>1586</td> <td>0.039</td> <td>0.17</td>	ST11	5-6	98341	518463	9053305	1586	0.039	0.17
5711 8-9 98344 \$18460 9033305 1587 0.21 0.27 5711 9-10 98345 \$18461 9053305 1587 0.21 0.27 5711 10-11 98346 \$18462 9053305 1586 0.379 1.06 5711 12-13 98448 \$18463 9053305 1586 0.077 0.31 5711 12-13 98448 \$18464 9053305 1586 0.077 0.31 5712 0-1 98352 \$18560 9053272 1589 7.15 40.5 5712 0-1 98352 \$18560 9053273 1589 7.15 40.5 5712 0-2 98354 \$18561 9053273 1590 6.5 54 5712 0-3 98356 \$18561 9053273 1590 6.5 54 5712 0-6 98357 \$18563 9053274 1592 0.685 5,8 5712 <	ST11	6-7	98342	518459	9053304	1589	0.066	0.12
ST11 9-10 98345 518461 9053305 1587 0.421 0.37 ST11 10-11 98346 518462 9053305 1586 0.379 1.42 ST11 11-12 98347 518463 9053305 1586 0.077 0.31 ST11 13-14 98348 518463 9053305 1586 0.077 0.31 ST12 0-1 98322 518560 9053272 1589 7.15 40.5 ST12 1-2 98353 518560 9053272 1589 7.15 40.5 ST12 2-3 98354 518561 9053273 1590 6.55 54 ST12 4-5 98355 518561 9053273 1591 3.96 14.9 ST12 5-6 98357 518563 9053273 1592 0.685 5.78 ST12 5-6 98357 518560 9053273 1590 0.65 5.78 ST12	ST11	7-8	98343	518460	9053304	1589	0.013	0.07
ST11 10-11 98346 518462 9053305 1587 0.579 1.42 ST11 11-12 98347 518463 9053305 1586 0.077 0.31 ST11 12-13 98348 518463 9053305 1585 0.0077 0.31 ST12 0-1 98352 518560 9053273 1589 10.1 303 ST12 1-2 98353 518560 9053273 1589 10.1 303 ST12 2-3 98354 518561 9053273 1590 6.55 54 ST12 3-4 98355 518561 9053273 1591 3.96 14.9 ST12 4-5 98359 518560 9053273 1591 3.96 14.9 ST12 4-5 98359 518560 9053274 1592 0.685 5.78 ST12 6-7 98359 518560 9053272 1599 0.361 15.75 ST12	ST11	8-9	98344	518460	9053304	1588	1.265	0.26
ST11 11-12 98347 S18463 9053305 1586 0.379 1.06 ST11 12-13 98348 518463 9053305 1586 0.077 0.31 ST11 13-14 98349 518464 9053305 1585 0.015 0.31 ST12 0-1 98352 518560 9053273 1589 7.15 40.5 ST12 1-2 98354 518561 9053273 1590 6.55 54 ST12 2-3 98356 518561 9053273 1590 6.55 54 ST12 4-5 98356 518561 9053273 1591 3.96 149 ST12 4-5 98356 518561 9053273 1590 0.655 5.78 ST12 4-5 98356 518561 9053273 1589 0.361 15.75 ST12 8-7 98350 518560 9053273 1589 0.26 14.15 ST12	ST11	9-10	98345	518461	9053305	1587	0.421	0.37
ST11 12-13 98348 518463 9053305 1586 0.077 0.31 ST12 0-1 98352 518560 9053272 1589 7.15 40.5 ST12 1-2 98353 518560 9053273 1589 10.1 303 ST12 2-3 98354 518561 9053273 1589 10.1 303 ST12 3-4 98355 518561 9053273 1591 3.96 14.9 ST12 3-4 98355 518561 9053273 1591 3.96 14.9 ST12 3-6 98356 518561 9053273 1590 0.361 15.75 ST12 3-6 98357 518560 9053273 1590 0.361 15.75 ST12 3-7 89359 518560 9053273 1590 0.361 15.75 ST12 8-8 98369 518560 9053273 1590 0.36 14.15 ST12	ST11	10-11	98346	518462	9053305	1587	0.579	1.42
ST11 13-14 98349 518464 9053305 1585 0.105 0.31 ST12 0-1 98352 518560 9053272 1589 7.15 40.5 ST12 1-2 98354 518560 9053273 1590 6.55 54 ST12 2-3 98354 518561 9053273 1590 6.55 54 ST12 3-4 98356 518561 9053273 1590 6.55 54 ST12 4-5 98356 518561 9053274 1592 3.98 10.75 ST12 5-6 98357 518561 9053273 1589 0.361 15.75 ST12 7-8 98359 518560 9053273 1589 0.361 15.75 ST12 7-8 98359 518561 9053273 1589 0.20 14.15 ST12 8-8 98360 518561 9053333 1590 0.15 1.39 ST12 <t< td=""><td>ST11</td><td>11-12</td><td>98347</td><td>518463</td><td>9053305</td><td>1586</td><td>0.379</td><td>1.06</td></t<>	ST11	11-12	98347	518463	9053305	1586	0.379	1.06
ST12 0-1 98352 518560 9053272 1589 7.15 40.5 ST12 1-2 98353 518560 9053273 1589 10.1 303 ST12 2-3 98354 518561 9053273 1591 3.96 14.9 ST12 3-4 98355 518562 9053274 1592 3.98 10.75 ST12 4-5 98357 518563 9053274 1592 3.98 10.75 ST12 5-6 98357 518560 9053274 1592 0.665 5.78 ST12 6-7 98359 518560 9053273 1589 0.261 15.75 ST12 8-9 98360 518561 9053273 1590 0.195 1.39 ST13 0-1 98362 518501 9053334 1591 2.7 1.73 ST13 0-1 98365 518501 9053334 1592 0.14 0.33 ST13 <	ST11	12-13	98348	518463	9053305	1586	0.077	0.31
ST12 1-2 98333 \$18860 9053273 1580 10.1 303 ST12 2-3 98354 \$18561 9053273 1590 6.55 54 ST12 3-4 98355 \$18561 9053273 1591 3.96 14.9 ST12 4-5 98356 \$18562 9053274 1592 3.88 10.75 ST12 5-6 98357 \$18863 9053274 1592 0.885 5.78 ST12 6-7 98358 \$18860 9053272 1589 0.361 15.75 ST12 7-8 98350 \$18861 9053273 1589 0.361 15.75 ST12 7-8 98350 \$18850 9053273 1589 0.361 15.75 ST12 7-8 98350 \$18850 9053273 1589 0.361 15.75 ST12 8-8 98360 \$18850 9053273 1589 0.361 15.75 ST13	ST11	13-14	98349	518464	9053305	1585	0.105	0.31
ST12 1-2 98333 \$18860 9053273 1580 10.1 303 ST12 2-3 98354 \$18561 9053273 1590 6.55 54 ST12 3-4 98355 \$18561 9053273 1591 3.96 14.9 ST12 4-5 98356 \$18562 9053274 1592 3.88 10.75 ST12 5-6 98357 \$18863 9053274 1592 0.885 5.78 ST12 6-7 98358 \$18860 9053272 1589 0.361 15.75 ST12 7-8 98350 \$18861 9053273 1589 0.361 15.75 ST12 7-8 98350 \$18850 9053273 1589 0.361 15.75 ST12 7-8 98350 \$18850 9053273 1589 0.361 15.75 ST12 8-8 98360 \$18850 9053273 1589 0.361 15.75 ST13	ST12	0-1	98352	518560	9053272	1589	7.15	40.5
ST12 3.4 98355 \$18861 9963273 1591 3.96 14.9 ST12 4-5 98356 \$18862 9053274 1592 3.98 10.75 ST12 6-6 98357 \$18563 9053274 1592 0.685 5.78 ST12 6-7 98359 \$18860 9053273 1589 0.361 15.75 ST12 7-8 98360 \$18860 9053273 1589 0.269 14.15 ST12 8-9 98360 \$18861 9053373 1590 0.12 13 ST13 0-1 98362 \$18498 9053334 1590 0.12 13 ST13 1-2 98364 \$18800 9953334 1592 0.24 0.33 ST13 3-4 98365 \$18501 9053335 1592 0.24 0.33 ST13 3-5 98366 \$18501 9053335 1594 0.188 0.24 ST13 <t< td=""><td></td><td>1-2</td><td>98353</td><td>518560</td><td>9053273</td><td>1589</td><td>10.1</td><td>303</td></t<>		1-2	98353	518560	9053273	1589	10.1	303
ST12 3-4 98355 518561 9953273 1591 3.96 14.9 ST12 4-5 98357 518562 9053274 1592 3.98 10.75 ST12 6-7 98358 518560 9053272 1589 0.361 15.75 ST12 6-7 98358 518560 9053273 1589 0.361 15.75 ST12 8-9 98360 518561 9053273 1589 0.269 14.15 ST13 0-1 98362 518498 9053333 1590 0.12 13 ST13 0-1 98362 518498 9053334 1591 2.7 1.73 ST13 1-2 98364 518501 9053335 1592 0.24 0.33 ST13 3-4 98365 518501 9053335 1592 0.24 0.33 ST13 3-6 98367 518502 9053305 1594 0.188 0.24 ST13		2-3				1		
ST12 5-6 98357 518563 9053274 1592 0.685 5.78 ST12 6-7 98358 518560 9053272 1589 0.269 14.15 ST12 7-8 98359 518560 9053273 1589 0.269 14.15 ST12 8-9 98360 518561 9053273 1590 0.195 1.39 ST13 0-1 98362 518498 9053334 1590 11.2 13 ST13 1-2 98364 518500 9053334 1591 2.7 1.73 ST13 2-3 98366 518501 9053335 1592 0.192 0.4 ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1594 0.188 0.24 ST13 5-6 98376 518502 9053305 1587 0.641 1.45 ST14 <t< td=""><td>ST12</td><td>3-4</td><td>98355</td><td>1</td><td>+</td><td>1591</td><td>3.96</td><td>14.9</td></t<>	ST12	3-4	98355	1	+	1591	3.96	14.9
ST12 5-6 98357 518563 9053274 1592 0.685 5.78 ST12 6-7 98358 518560 9053272 1589 0.269 14.15 ST12 7-8 98359 518560 9053273 1589 0.269 14.15 ST12 8-9 98360 518561 9053273 1590 0.195 1.39 ST13 0-1 98362 518498 9053334 1590 11.2 13 ST13 1-2 98364 518500 9053334 1591 2.7 1.73 ST13 2-3 98366 518501 9053335 1592 0.192 0.4 ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1594 0.188 0.24 ST13 5-6 98376 518502 9053305 1587 0.641 1.45 ST14 <t< td=""><td></td><td>4-5</td><td>+</td><td>1</td><td>+</td><td></td><td></td><td></td></t<>		4-5	+	1	+			
ST12 6-7 98358 \$18560 9053272 1589 0.361 15.75 ST12 7-8 98359 \$18560 9053273 1590 0.269 14.15 ST12 8-9 98350 \$18561 9053273 1590 0.195 1.39 ST13 0-1 98362 \$18498 9053334 1590 11.2 13 ST13 1-2 98363 \$18500 9053334 1592 0.192 0.4 ST13 3-4 98365 \$18501 9053335 1592 0.24 0.33 ST13 3-4 98366 \$18501 9053335 1593 0.9 0.3 ST13 4-5 98366 \$18502 9053335 1594 0.188 0.24 ST13 6-7 98366 \$18503 9053335 1594 0.188 0.24 ST14 0-1 98371 \$18520 9053305 1587 0.665 \$1.7 ST14 <		5-6	98357	518563	9053274	1592	0.685	5.78
ST12 8-9 98360 518561 9053273 1590 0.195 1.39 ST13 0-1 98362 518498 9053334 1590 1.2 13 ST13 1-2 98364 518500 9053334 1592 0.192 0.4 ST13 3-4 98365 518501 9053335 1593 0.9 0.3 ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1593 0.9 0.3 ST13 6-7 98368 518502 9053335 1594 0.188 0.24 ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.641 1.45 ST14 1-2 98373 518527 9053305 1587 0.641 1.45 ST14 1-2 </td <td>ST12</td> <td>6-7</td> <td>98358</td> <td>518560</td> <td>9053272</td> <td>1589</td> <td>0.361</td> <td>15.75</td>	ST12	6-7	98358	518560	9053272	1589	0.361	15.75
ST12 8-9 98360 518561 9053273 1590 0.195 1.39 ST13 0-1 98362 518498 9053334 1590 1.2 13 ST13 1-2 98364 518500 9053334 1592 0.192 0.4 ST13 3-4 98365 518501 9053335 1593 0.9 0.3 ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1593 0.9 0.3 ST13 6-7 98368 518502 9053335 1594 0.188 0.24 ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.641 1.45 ST14 1-2 98373 518527 9053305 1587 0.641 1.45 ST14 1-2 </td <td>ST12</td> <td>7-8</td> <td>98359</td> <td>518560</td> <td>9053273</td> <td>1589</td> <td>0.269</td> <td>14.15</td>	ST12	7-8	98359	518560	9053273	1589	0.269	14.15
ST13 1-2 98363 518499 9053334 1591 2.7 1.73 ST13 2-3 98364 518500 9053335 1592 0.24 0.33 ST13 3-4 98365 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1595 6.65 5.17 ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.51 4.26 ST14 1-2 98373 518527 9053306 1588 0.045 0.9 ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.01 0.02 ST14 4-5 </td <td>ST12</td> <td>8-9</td> <td>98360</td> <td>518561</td> <td></td> <td>1590</td> <td>0.195</td> <td>1.39</td>	ST12	8-9	98360	518561		1590	0.195	1.39
ST13 2-3 98364 518500 9053334 1592 0.192 0.4 ST13 3-4 98365 518501 9053335 1592 0.24 0.3 ST13 4-5 98366 518501 9053335 1594 0.188 0.24 ST13 5-6 98367 518502 9053335 1594 0.188 0.24 ST13 6-7 98368 518503 9053335 1595 6.65 5.17 ST14 0-1 98371 518527 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 1-2 98373 518527 9053306 1588 0.045 0.9 ST14 3-4 98374 518528 9053307 1590 0.079 0.42 ST14 3-6 98376 518528 9053307 1590 0.018 0.45 ST14	ST13	0-1	98362	518498	9053333	1590	11.2	13
ST13 2-3 98364 518500 9053334 1592 0.192 0.4 ST13 3-4 98365 518501 9053335 1592 0.24 0.3 ST13 4-5 98366 518501 9053335 1594 0.188 0.24 ST13 6-7 98368 518503 9053335 1594 0.188 0.24 ST14 0-1 98371 518527 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.641 1.45 ST14 1-2 98373 518527 9053305 1587 0.251 4.26 ST14 3-4 98374 518528 9053307 1590 0.05 3.58 ST14 4-5 98376 518528 9053307 1590 0.018 0.45 ST14 5-6 98376 518528 9053207 1590 0.018 0.45 ST14	ST13	1-2	98363	518499	9053334	1591	2.7	1.73
ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1594 0.188 0.24 ST13 6-7 98368 518503 9053305 1595 6.65 5.17 ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 2-3 98374 518528 9053306 1588 0.045 0.9 ST14 3-4 98375 518528 9053307 1590 0.079 0.42 ST14 4-5 98376 518528 9053307 1590 0.018 0.45 ST14 5-6 98376 518528 9053307 1590 0.012 0.02 ST15 0-1 98378 518518 9053227 1556 0.00 0.012 ST15	ST13	2-3	98364	518500	9053334	1592	0.192	0.4
ST13 4-5 98366 518501 9053335 1593 0.9 0.3 ST13 5-6 98367 518502 9053335 1594 0.188 0.24 ST13 6-7 98368 518503 9053335 1595 6.65 5.17 ST14 0-1 98371 518526 9053305 1587 0.251 4.26 ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 3-4 98374 518528 9053306 1588 0.045 0.9 ST14 3-4 98375 518528 9053307 1590 0.079 0.42 ST14 4-5 98376 518528 9053307 1590 0.018 0.45 ST14 4-5 98375 518528 9053307 1590 0.012 0.02 ST15 6-1 98376 518528 9053207 1590 0.018 0.45 ST15	ST13	3-4	98365	518501	9053335	1592	0.24	0.33
ST13 6-7 98368 518503 9053336 1595 6.65 5.17 ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 2-3 98373 518527 9053306 1589 0.045 0.9 ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.079 0.42 ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST14 5-6 98376 518518 9053228 1556 8.11 6.06 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98381 518518 9053227 1556 0.023 0.12 ST15	ST13	4-5	98366			1593	0.9	0.3
ST14 0-1 98371 518526 9053305 1587 0.641 1.45 ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 2-3 98373 518527 9053306 1588 0.045 0.9 ST14 3-4 98374 518528 9053307 1590 0.079 0.42 ST14 4-5 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518519 9053228 1556 8.11 6.06 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 3-5 98382 518516 9053225 1557 0.005 0.07 ST15	ST13	5-6	98367	518502	9053335	1594	0.188	0.24
ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 2-3 98373 518527 9053306 1588 0.045 0.9 ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.079 0.42 ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518518 9053227 1556 0.019 0.12 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98380 518518 9053227 1556 0.009 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 3-4 98381 518517 9053225 1557 0.006 0.04 ST15	ST13	6-7	98368	518503	9053336	1595	6.65	5.17
ST14 1-2 98372 518527 9053305 1587 0.251 4.26 ST14 2-3 98373 518527 9053306 1588 0.045 0.9 ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.079 0.42 ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518518 9053227 1556 0.019 0.12 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98380 518518 9053227 1556 0.009 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 3-4 98381 518517 9053225 1557 0.006 0.04 ST15	ST14	0-1	98371	518526	9053305	1587	0.641	1.45
ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.079 0.42 ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518518 9053227 1556 0.019 0.12 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98380 518518 9053227 1556 0.023 0.12 ST15 2-3 98381 518518 9053226 1556 0.008 0.08 ST15 3-4 98381 518516 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.006 0.04 ST15 5-6 98383 518512 9053224 1559 0.012 0.1 ST15	ST14	1-2	98372	518527	9053305	1587	0.251	4.26
ST14 3-4 98374 518528 9053306 1589 0.05 3.58 ST14 4-5 98375 518528 9053307 1590 0.079 0.42 ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518518 9053227 1556 0.019 0.12 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 1-2 98380 518518 9053227 1556 0.023 0.12 ST15 2-3 98380 518518 9053227 1556 0.008 0.08 ST15 3-4 98381 518516 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.006 0.04 ST15 5-6 98383 518512 9053224 1559 0.012 0.1 ST15	ST14	2-3	98373		9053306	1588	0.045	0.9
ST14 5-6 98376 518528 9053307 1590 0.018 0.45 ST15 0-1 98378 518519 9053228 1556 8.11 6.06 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 2-3 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1558 0.024 0.03 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16	ST14	3-4	98374	518528	9053306	1589	0.05	3.58
ST15 0-1 98378 518519 9053228 1556 8.11 6.06 ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 2-3 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518562 9053319 1610 0.049 0.27 ST16	ST14	4-5	98375	518528	9053307	1590	0.079	0.42
ST15 1-2 98379 518518 9053227 1556 0.019 0.12 ST15 2-3 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518516 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1559 0.012 0.1 ST16 6-7 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 1-2 98389 518562 9053319 1610 0.021 0.64 ST16	ST14	5-6	98376	518528	9053307	1590	0.018	0.45
ST15 2-3 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16	ST15	0-1	98378	518519	9053228	1556	8.11	6.06
ST15 2-3 98380 518518 9053227 1556 0.023 0.12 ST15 3-4 98381 518517 9053226 1556 0.008 0.08 ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16					9053227			
ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17	ST15	2-3	98380	518518	9053227		0.023	0.12
ST15 4-5 98382 518516 9053225 1557 0.005 0.07 ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17			ł		+			+
ST15 5-6 98383 518515 9053225 1557 0.006 0.04 ST15 6-7 98384 518514 9053224 1558 0.024 0.03 ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 905335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17		1			+	1	+	+
ST15 7-8 98385 518512 9053224 1559 0.012 0.1 ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053337 1618 0.319 0.17 ST17	ST15	5-6	98383	518515	9053225	1557	0.006	0.04
ST16 0-1 98387 518561 9053318 1609 0.059 0.29 ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17	ST15	6-7	98384	518514	9053224	1558	0.024	0.03
ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 1-2 98396 518548 9053336 1616 0.005 0.28 ST17 2-3 98396 518549 9053336 1617 0.015 0.33 ST17 3-4 98397 518549 9053337 1618 0.319 0.17 ST17 4-5 98398 518549 9053337 1618 1.635 0.33 ST17	ST15	7-8	98385	518512	9053224	1559	0.012	0.1
ST16 1-2 98388 518561 9053319 1610 0.049 0.27 ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 1-2 98396 518548 9053335 1615 0.005 0.28 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053337 1618 0.319 0.17 ST17 4-5 98398 518549 9053337 1618 1.635 0.33 ST17	ST16	0-1	98387	518561	9053318	1609	0.059	0.29
ST16 2-3 98389 518562 9053319 1610 0.021 0.64 ST16 3-4 98391 518562 9053320 1611 0.101 0.52 ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST18	ST16	1-2	98388	518561	9053319	1610	0.049	0.27
ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 1615 0.225 0.11 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18		1	+		+	1	+	+
ST16 4-5 98392 518563 9053321 1612 0.037 0.28 ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 1615 0.225 0.11 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18	ST16	3-4	98391	518562	9053320	1611	0.101	0.52
ST17 0-1 98394 518547 9053335 1615 0.06 0.22 ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 3-4 <		1					+	+
ST17 1-2 98395 518548 9053335 1615 0.075 0.15 ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5								
ST17 2-3 98396 518548 9053336 1616 0.005 0.28 ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			+	1		1	+	+
ST17 3-4 98397 518549 9053336 1617 0.015 0.33 ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			ł		+			+
ST17 4-5 98398 518549 9053337 1618 0.319 0.17 ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			ł		+			+
ST17 5-6 98399 518549 9053337 1618 1.635 0.33 ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66		1						+
ST17 6-7 98400 518547 9053335 1615 0.225 0.11 ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			+	1		1	 	
ST17 7-8 98401 518548 9053335 9.42 3.3 ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66		1	+			1		
ST18 0-1 98403 518496 9053402 1606 128.5 94 ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			ł			1	4	_
ST18 1-2 98404 518497 9053402 1606 17.35 6.17 ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66		1				1606		
ST18 2-3 98405 518497 9053403 1607 0.267 3.74 ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66		1	ł		+			
ST18 3-4 98406 518498 9053403 1608 0.044 6.58 ST18 4-5 98407 518498 9053404 1608 1.205 6.66			+	1	+			1
ST18 4-5 98407 518498 9053404 1608 1.205 6.66			ł		+			+
		1	+	1	+	1		<u> </u>
1.3. 1.3. 1.3. 1.4. 1.4. 1.4. 1.3.	ST18	5-6	98408	518499	9053404	1609	0.99	1.31

ST18	Interval (m)	Sample ID	Easting	Northing	RL	Au (g/t)	Ag (g/t)
J	6-7	98409	518496	9053402	1606	20.7	10.35
ST18	7-8	98411	518497	9053402	1606	23.3	4.04
ST18	8-9	98412	518497	9053403	1607	6.65	2.39
ST18	9-10	98413	518498	9053403	1608	0.13	0.64
ST19	0-1	98415	518473	9053421	1596	0.288	0.28
ST19	1-2	98416	518474	9053421	1597	0.305	0.3
ST19	2-3	98417	518474	9053422	1597	0.083	0.19
ST19	3-4	98418	518475	9053423	1598	0.028	0.42
ST19	4-5	98419	518476	9053423	1599	0.124	0.62
ST19	5-6	98420	518477	9053424	1600	0.02	0.34
ST19	6-7	98421	518478	9053425	1600	0.045	0.13
ST19	7-8	98422	518478	9053425	1601	0.064	0.42
ST19	8-9	98423	518479	9053426	1602	0.112	0.18
ST19	9-10	98459	518480	9053427	1602	1.61	2.83
ST19	10-11	98460	518481	9053427	1603	1.45	1.16
ST19	11-12	98461	518481	9053428	1603	7.67	5.71
ST19	12-13	98462	518482	9053429	1604	5.22	6.02
ST20	0-1	98425	518404	9053456	1648	0.022	3.65
ST20	1-2	98426	518404	9053457	1648	1.595	0.84
ST20	2-3	98427	518404	9053458	1648	0.142	0.54
ST20	3-4	98428	518404	9053459	1648	0.443	0.74
ST20	4-5	98429	518404	9053460	1648	7.39	11.85
ST20	5-6	98430	518404	9053461	1647		
ST20	6-7	98431	518404	9053462	1647	0.569	0.22
ST20	7-8	98432	518404	9053463	1647	0.065	0.2
ST20	8-9	98433	518404	9053464	1647	4.64	2.99
ST21	0-1	98436	518435	9053508	1649	1.36	0.85
ST21	1-2	98437	518436	9053508	1649	0.49	0.52
ST21	2-3	98438	518436	9053509	1649	0.036	0.31
ST21	3-4	98439	518437	9053509	1649	0.266	0.59
ST21	4-5	98440	518438	9053510	1649	1.72	1.93
ST21	5-6	98441	518439	9053510	1649	3.36	11.85
ST21	6-7	98442	518440	9053511	1649	6.41	7.57
ST21	7-8	98443	518441	9053512	1649	2.02	4.07
ST21	8-9	98444	518441	9053512	1649	0.066	0.8
ST21	9-10	98445	518442	9053513	1650	0.029	0.55
ST21	10-11	98446	518443	9053513	1650	0.013	0.33
ST22	0-1	98448	518500	9053264	1586	5.59	2.38
ST22	1-2	98449	518501	9053265	1586	5.77	4.63
ST22	2-3	98450	518501	9053265	1585	4.67	0.82
ST22	3-4	98451	518501	9053266	1585	0.234	0.26
ST22	4-5	98452	518501	9053267	1584	0.88	0.55
ST22	5-6	98453	518501	9053268	1584	1.85	0.57
ST22	6-7	98454	518502	9053268	1583	3.17	1.33
ST22	7-8	98455	518502	9053269	1582	2.09	1.42
ST22	8-9	98456	518502	9053270	1582	1.02	2.95
ST22	9-10	98457	518502	9053271	1581	0.096	0.33
ST23	0-1	98464	518339	9053584	1619	0.181	0.28
ST23	1-2	98465	518340	9053584	1619	0.066	0.05
ST23	2-3	98466	518341	9053585	1619	0.053	0.36
ST23	3-4	98467	518342	9053585	1619	0.081	0.52
ST23	4-5	98468	518343	9053585	1618	0.494	0.73
ST24	0-1	98471	518270	9053679	1516	0.014	0.29
ST24	1-2	98472	518271	9053680	1516	0.015	0.25
ST24	2-3	98473	518272	9053680	1516	0.107	0.63
ST24	3-4	98474	518273	9053681	1516	0.273	0.48
ST24	4-5	98475	518273	9053681	1516	0.96	0.82
ST24	5-6	98476	518274	9053682	1516	1.67	1.46
ST24	6-7	98477	518275	9053682	1516	0.045	0.17
ST24	7-8	98478	518276	9053682	1517	1.125	0.51
ST24	8-9	98479	518277	9053683	1517	0.41	0.23
ST24	9-10	98480	518278	9053683	1517	1.04	4.48
	10-11	98481	518279	9053684	1517	0.126	0.09
ST24	11-12	98482	518280	9053684	1517	0.019	0.1
ST24 ST24					1498	0.13	0.74
	0-1	98484	518270	9053/01	1400	0.13	0.74
ST24	0-1 4-5	98484 98485	518270 518274	9053761 9053760	1498	0.13	1.05
ST24 ST25		1		1	+		+
ST24 ST25 ST25	4-5	98485	518274	9053760	1498	0.02	1.05

Trench ID	Interval (m)	Sample ID	Easting	Northing	RL	Au (g/t)	Ag (g/t)
ST25	8-9	98489	518278	9053760	1499	0.044	0.67
ST26	0-1	98492	518246	9053668	1521	0.589	1.73
ST26	1-2	98493	518246	9053669	1521	2.29	5.11
ST26	2-3	98494	518247	9053669	1521	9.05	5.29
ST26	5.7-6.7	98495	518248	9053666	1524	6.72	3.2
ST26	6.7-7.7	98496	518249	9053666	1524	2.44	13.7
ST26	7.7-8.7	98497	518250	9053666	1524	10.4	10.15
ST26	8.7-9.7	98498	518250	9053668	1526	7.61	8.76
ST26	12-13	98499	518251	9053668	1526	2.18	65.8
ST26	13-14	98500	518251	9053669	1526	9.03	57.4
ST26 ST26	14-15 15-16	106501 106502	518251 518252	9053670 9053671	1526 1526	6.93 3.1	61.1 19.35
		-			-	115	
ST27 ST27	0-1 1-2	106504 106505	518250 518249	9053736 9053735	1502 1502	2.57	54.1 19.15
ST27	2-3	106506	518249	9053734	1502	3.27	10.5
ST27	3-4	106507	518248	9053734	1502	0.356	2.89
ST27	4-5	106508	518247	9053733	1502	0.186	4.97
ST28	0-1	106511	518229	9053686	1527	2.48	5.9
ST28	1-2	106512	518229	9053685	1528	27	48.9
ST28	2-2.5	106513	518228	9053685	1528	30.8	66
ST28	4.1-5.1	106514	518227	9053683	1528	0.53	1.78
ST28	5.1-5.4	106515	518227	9053683	1528	2.27	62.4
ST28	5.4-6.4	106516	518226	9053682	1528	0.583	2.68
ST29	0-1	106518	518291	9053665	1545	1.025	3.72
ST29	1-2	106519	518290	9053666	1545	1.895	0.51
ST29	2-3	106520	518289	9053666	1545	5.03	1.16
ST29	3-4	106521	518288	9053666	1544	0.891	0.65
ST29	4-5	106522	518287	9053667	1544	0.099	0.15
ST29	5-6	106523	518286	9053667	1544	1.73	0.55
ST29	6-7	106524	518285	9053667	1544	0.334	0.34
ST29	7-8	106525	518285	9053667	1544	0.075	0.33
ST29	8-9	106526	518284	9053666	1544	0.082	0.18
ST31	0-1	106528	518272	9053783	1487	0.16	4.64
ST31	1-2	106529	518271	9053782	1487	0.158	3.09
ST31 ST31	2-3 3-4	106531	518271	9053781	1488 1488	0.136 5.44	1.39 4.75
ST31	4-5	106532 106533	518271 518270	9053780 9053779	1488	0.028	0.37
ST31	5-6	106534	518270	9053778	1488	0.041	1.21
ST31 ST31	6-7 7-8	106535 106536	518269 518268	9053778 9053778	1488 1488	0.016 0.01	0.3 0.14
ST31	8-9	106537	518267	9053777	1488	0.01	0.14
ST31	9-10	106538	518267	9053776	1487	0.011	0.14
ST31	10-11	106539	518266	9053775	1487	0.02	0.18
ST31	14-15	106540	518264	9053772	1486	0.011	0.17
ST31	15-16	106541	518264	9053771	1486	0.007	0.27
ST31	16-17	106542	518264	9053770	1486	0.057	2.14
ST31	17-18	106543	518264	9053769	1487	0.013	0.16
ST31	19-20	106544	518265	9053767	1489	0.01	0.08
ST31	20-21	106545	518265	9053766	1489	4.84	9.2
ST31	21-22	106546	518266	9053765	1490	1.265	2.2
ST31	22-23	106547	518266	9053765	1491	0.02	0.09
ST32	0-1	106549	518336	9053809	1530	0.041	0.37
ST32	1-2	106551	518336	9053809	1530	0.026	0.39
ST32	2-3	106552	518337	9053810	1530	0.047	1.23
ST32	3-4	106553	518338	9053811	1530	0.026	0.29
ST32	4-5	106554	518338	9053812	1530	0.04	0.31
ST32	5-6	106555	518339	9053812	1530	0.043	0.89
ST32	6-7	106556	518340	9053813	1530	0.026	0.53
ST32	7-8	106557	518341	9053813	1530	0.024	0.85
ST32	8-9	106558	518342	9053814	1530	0.035	0.28
ST32 ST32	9-10 10-11	106559 106560	518343 518344	9053814 9053814	1530 1531	0.024 0.027	0.23
ST32	11-12	106561	518345	9053814	1531	0.027	0.22
ST32	12-13	106562	518345	9053815	1531	0.081	0.39
3132	12 13	100302	310373	3033013	1551	0.017	J.,